

Closet Hardware & Accessories



A Quick Reference Guide



WELCOME TO THE ONLY CLOSET HARDWARE AND HOME ORGANIZATION RESOURCE YOU'LL EVER NEED.



In this catalog, you will find a comprehensive selection of closet and home organization hardware, all designed with Häfele Functionality in mind. We have worked hard to assemble a complete guide to our closet and storage accessories, and to our functional hardware that is well-suited to closet construction. Anything and everything you need in home organization hardware is right here at your fingertips – including Omni Track™, Häfele's versatile storage solution for the garage, the laundry, and countless other rooms in the house.

A photograph of a modern, organized closet. The closet features light-colored wooden shelving and hanging rods. On the left, there are shelves with a round wooden chest, folded clothes, and a small framed picture of a horse. The center section has two hanging rods with various jackets and shirts. The right section also has hanging clothes. Below the hanging clothes, there are wire shoe racks filled with various styles of shoes. The floor is made of dark wood.

EASY TO DO **BUSINESS** WITH.

At Häfele, we understand the challenges you face everyday. That's why we offer many products with a minimum order quantity of one, so you can order just what you need without stocking up on unnecessary inventory. Convenient package configurations, like our Omni Track kits, make ordering easy and help ensure you get everything you need. And with our low minimums for pre-paid freight, you save money on shipping.



WE HAVE A **COMMENDABLE HISTORY** IN THE CLOSET INDUSTRY.

We're certainly not new at this. In fact, Häfele has been a key player in the closet industry for more than 20 years. Our legendary RAFIX connector quickly became the industry standard. Decades later, it's still widely used in closet and RTA applications throughout the world.



FAST ANSWERS TO YOUR CLOSET HARDWARE QUESTIONS.

Having the most comprehensive home organization hardware selection in the industry is just the start. We also have the best team of consultants to help you choose—and get the maximum performance from—each component. As one of our valued customers, you'll have direct access to a Häfele Hardware Consultant who is thoroughly trained to answer your questions and help you bring Häfele Functionality to all your home storage projects. We make the process of selecting hardware fast, efficient and effective. Just as important, we'll make sure your Häfele components and accessories always deliver the performance you and your clients demand. All this means you'll be able to spend less time managing suppliers and more time focusing on your customers — and your business.



WE'LL HELP YOU STAY ON TOP OF THE **NEWEST TRENDS**.

Häfele is more than a hardware supplier, we're a global resource that can keep you informed about new products, trends and ideas. If something new is happening in the home organization category you'll likely hear about it first from your Häfele Hardware Consultant. We can also provide you with tools to help your customers visualize all the features that can be built in to their new closet making it easier for you to sell.



ABOUT THIS CATALOG.

In most closet and home organization businesses, people tend to wear several hats. And with all the time you spend dealing with customers, estimating, designing and installing, you don't want to spend time shopping for hardware. So we've made it easy for you to find the Häfele components you need. This catalog is organized to match the way you think, the way you sell, and the way you build. It'll give you ideas and inspiration. And it'll give you fast details, specs and ordering information. We invite you to give this catalog a close review. Discover our variety, our innovations, our sense of style. Then give us a call.

CALL (OR CLICK) TO GET STARTED.

With Häfele, you'll have the most comprehensive closet hardware selection available. You'll have excellent product quality and dependable delivery. You'll have a consultant standing by with expert advice. And you'll have more ways to sell better closets to more customers.

We promise the best hardware, support and service in the industry. Call today and talk with a Häfele Hardware Consultant at **800-423-3531**. Or browse our website at www.hafele.com. Our online catalog and store provide you with the most comprehensive and up-to-date selection of Häfele products available.



WE ARE A COMPREHENSIVE,
ONE-STOP RESOURCE.





With a product assortment in the thousands, our Home Organization Division offers every hardware item a custom installer could ask for and the latest designs your customers demand. We provide an extensive range of quality Häfele components, and we're the leading resource for accessories on the cutting edge of closet and home organization design. Throughout our catalog you will see a broad range of price points to fit the market you're in and the customers you serve.



	Closet Organization 1 – 47 • Synergy Collection 1 – 8 • Storage Baskets 9 – 13 • Wardrobe Tubes, Rails and Supports 14 – 16 • Wardrobe Accessories 17 – 28 • Specialized Solutions 29 – 37, 47 • Omni Track Storage Solutions 38 – 45 • Flipworks® Media Storage Solutions 46
	Decorative Hardware 48 – 75
	Connectors and Shelf Supports 76 – 93
	Hinges and Stays 94 – 101
	Locks 102
	Drawer Slides 103 – 109
	Kitchen and Bath Organization 110 – 113
	Tables, Legs, Casters 114 – 117
	Office Organization 118 – 123
	Lighting 124 – 126

Synergy Collection


- The Synergy collection is a comprehensive line of closet accessories available in a variety of colors, offering the option of selecting all accessories in the same color
- See the page numbers listed under each item for corresponding pages



Wardrobe Rails and Supports
Page 2



Valet
Page 3




Belt Rack
Page 4



Tie Rack
Page 4



Scarf Rack & Wall Hooks
Page 5




Pants Rack
Page 6



Hamper
Page 7



Tilt-out Hamper
Page 7



Shoe Rail
Page 8



polished chrome



matt nickel



matt brass



white
powder-coat



matt aluminum



polished brass



dark oil
rubbed bronze




almond
powder-coat

Synergy Collection


wardrobe tube, round




Finish/Color	Item No.
polished chrome	801.42.200
matt aluminum	801.42.900
matt nickel	801.42.600
polished brass	801.42.800
matt brass	801.42.500
dark oil-rubbed bronze	801.42.100
white powder-coat	801.42.710
almond powder-coat	801.42.410




- 33 mm (1 5/16") diameter x 2438 mm (8') length
- Material: aluminum, anodized or powder-coat
- *Packing: 12 pcs.



wardrobe tube support



- Two pins for 5 mm holes, 32 mm (1 1/4") spacing with an additional screw hole for mounting on the side panel
- Material: zinc, plated or powder-coat
- *Packing: 100 pairs




Finish/Color	Item No.
polished chrome	803.56.200
matt aluminum	803.56.900
matt nickel	803.56.600
polished brass	803.56.800
matt brass	803.56.500
dark oil-rubbed bronze	803.56.100
white powder-coat	803.56.710
almond powder-coat	803.56.410

wardrobe rail center support, surface mount



Finish	Item No.
polished chrome	802.06.267
matt aluminum	802.06.367
matt nickel	802.06.667
polished brass	802.06.867
matt brass	802.06.567
dark oil-rubbed bronze	802.06.167



- For Ø 33 mm (1 5/16") rail
- Material: zinc die-cast
- *Packing: 50 pcs. (includes screws)



polished chrome



matt nickel



matt brass



white powder-coat



matt aluminum



polished brass



dark oil-rubbed bronze



almond powder-coat

valet

- For clothes hangers and hanging garment bags
- Mounts to the side panel of cabinet
- Dimensions: 28 mm wide x 48 mm high (1 1/16" x 1 7/8")

Material: aluminum, anodized or powder-coat
Packing: 1 pc.

Length: 362 mm (14 1/4")
Extension: 243 mm (9 9/16")

Finish/Color	Item. No.
polished chrome	808.70.231
matt aluminum	808.70.931
matt nickel	808.70.631
polished brass	808.70.831
matt brass	808.70.531
dark oil-rubbed bronze	808.70.131
white powder-coat	808.70.771
almond powder-coat	808.70.491

Length: 300 mm (11 13/16")
Extension: 192 mm (7 9/16")

Finish/Color	Item. No.
polished chrome	808.70.230
matt aluminum	808.70.930
matt nickel	808.70.630
polished brass	808.70.830
matt brass	808.70.530
dark oil-rubbed bronze	808.70.130
white powder-coat	808.70.770
almond powder-coat	808.70.490

polished chrome

matt nickel

matt brass

white powder-coat

matt aluminum

polished brass

dark oil-rubbed bronze

almond powder-coat

Synergy Collection

tie rack



- 3/4 extension slide
 - 56 mm wide x 43 mm high (2 3/16" x 1 11/16")
- Material: aluminum, anodized or powder-coat
Packing: 1 pc.


20 hook length: 358 mm (14 1/8")

Finish/Color	Item No.
polished chrome	807.54.233
matt aluminum	807.54.933
matt nickel	807.54.633
polished brass	807.54.833
matt brass	807.54.533
dark oil-rubbed bronze	807.54.133
white powder-coat	807.54.773
almond powder-coat	807.54.493

17 hook length: 303 mm (11 15/16")

Finish/Color	Item No.
polished chrome	807.54.232
matt aluminum	807.54.932
matt nickel	807.54.632
polished brass	807.54.832
matt brass	807.54.532
dark oil-rubbed bronze	807.54.132
white powder-coat	807.54.772
almond powder-coat	807.54.492

belt rack



- 3/4 extension slide
 - 56 mm wide x 43 mm high (2 3/16" x 1 11/16")
- Material: aluminum, anodized or powder-coat
Packing: 1 pc.

6 hook length: 358 mm (14 1/8")

Finish/Color	Item No.
polished chrome	807.54.231
matt aluminum	807.54.931
matt nickel	807.54.631
polished brass	807.54.831
matt brass	807.54.531
dark oil-rubbed bronze	807.54.131
white powder-coat	807.54.771
almond powder-coat	807.54.491

5 hook length: 303 mm (11 15/16")

Finish/Color	Item No.
polished chrome	807.54.230
matt aluminum	807.54.930
matt nickel	807.54.630
polished brass	807.54.830
matt brass	807.54.530
dark oil-rubbed bronze	807.54.130
white powder-coat	807.54.770
almond powder-coat	807.54.490



polished chrome



matt nickel



matt brass



white powder-coat



matt aluminum



polished brass



dark oil-rubbed bronze



almond powder-coat

scarf rack




- With 6 hooks
- 3/4 extension slide
- 61 mm wide x 43 mm high (2 3/8" x 1 11/16")
- Length: 358 mm (14 1/8")
- Material: aluminum, anodized or powder-coat
- Packing: 1 pc.

Length: 358 mm (14 1/8")

Finish/Color	Item No.
polished chrome	807.54.234
matt aluminum	807.54.934
matt nickel	807.54.634
polished brass	807.54.834
matt brass	807.54.534
dark oil-rubbed bronze	807.54.134
white powder-coat	807.54.774
almond powder-coat	807.54.494


fixed wall hook



- With 4 hooks
- 47 mm wide x 43 mm high (1 7/8" x 1 11/16")
- Material: aluminum, anodized or powder-coat
- Packing: 1 pc. (includes Euro screws)


Length: 343 mm (13 1/2")

Finish/Color	Item No.
polished chrome	807.54.235
matt aluminum	807.54.935
matt nickel	807.54.635
polished brass	807.54.835
matt brass	807.54.535
dark oil-rubbed bronze	807.54.135
white powder-coat	807.54.735
almond powder-coat	807.54.495

 polished chrome	 matt nickel	 matt brass	 white powder-coat
 matt aluminum	 polished brass	 dark oil-rubbed bronze	 almond powder-coat

Synergy Collection

pants rack



- Full extension slides
 - 354 mm deep x 58 mm high (14" x 2 5/16")
- Material: aluminum, anodized
Packing: 1 set

wire pants hanger



Color	Item No.
black	805.58.330

- Extra hangers for pants rack above
- Material: steel, epoxy-coated
Packing: 1 set (18 hangers per set)


garment clip



Color	Item No.
black	805.58.331

- For skirts and pants, use with hangers above
- Material: plastic
*Packing: 100 pcs. (2 required per hanger)

Finish/Color	Width mm (inch)	# of Hangers	Item No.
polished chrome	457 (18")	12	805.58.231
	610 (24")	18	805.58.233
	762 (30")	24	805.58.235
matt aluminum	457 (18")	12	805.58.931
	610 (24")	18	805.58.933
	762 (30")	24	805.58.935
matt nickel	457 (18")	12	805.58.631
	610 (24")	18	805.58.633
	762 (30")	24	805.58.635
polished brass	457 (18")	12	805.58.831
	610 (24")	18	805.58.833
	762 (30")	24	805.58.835
matt brass	457 (18")	12	805.58.531
	610 (24")	18	805.58.533
	762 (30")	24	805.58.535
dark oil-rubbed bronze	457 (18")	12	805.58.131
	610 (24")	18	805.58.133
	762 (30")	24	805.58.135



polished chrome



matt nickel



matt brass



matt aluminum



polished brass

dark oil-rubbed
bronze


hamper, pull-out



- Full extension slides and removable bags
 - Built-in handles make it easy to remove the bags
- Depth: 355 mm (14")
Height: 530 mm (20 7/8") from the top of the frame to the bottom of the bag
Material: aluminum, anodized
Bag: nylon; Color: black
Packing: 1 set


Finish	Width mm (inch)	# of Bags	Bag Size	Item No.
polished	457 (18")	1	1 large	807.52.231
	610 (24")	2	2 small	807.52.233
chrome	762 (30")	2	1 large, 1 small	807.52.235
matt	457 (18")	1	1 large	807.52.931
	610 (24")	2	2 small	807.52.933
aluminum	762 (30")	2	1 large, 1 small	807.52.935
matt	457 (18")	1	1 large	807.52.631
	610 (24")	2	2 small	807.52.633
nickel	762 (30")	2	1 large, 1 small	807.52.635
polished	457 (18")	1	1 large	807.52.831
	610 (24")	2	2 small	807.52.833
brass	762 (30")	2	1 large, 1 small	807.52.835
matt	457 (18")	1	1 large	807.52.531
	610 (24")	2	2 small	807.52.533
brass	762 (30")	2	1 large, 1 small	807.52.535
dark oil-rubbed bronze	457 (18")	1	1 large	807.52.131
	610 (24")	2	2 small	807.52.133
	762 (30")	2	1 large, 1 small	807.52.135

tilt-out hamper



- Removable bags
 - Frame attaches to the back of a tilt-out door
 - Screw-mounts to back of door
- Depth: 345 mm (13 9/16")
Height: 600 mm (23 5/8") from the top of the frame to the bottom of the bag
Material: Frame: steel, epoxy-coated
Bag: nylon; Color: black
Packing: 3 sets

Width mm (inch)	# of Bags	Bag Size	Item No.
412 (16 1/4")	1	1 large	807.43.301
565 (22 1/4")	2	2 small	807.43.303
714 (28 1/8")	2	1 large, 1 small	807.43.305



polished chrome



matt nickel



matt brass



matt aluminum



polished brass




dark oil-rubbed bronze

Pan head screws Page 88

Varianta screws Page 92

Synergy Collection

shoe rail



- Cut-to-size (requires shoe rail bracket, order separately)
 - 19 mm (3/4") diameter
 - The rail can be positioned on the same plane
 - Shoes are displayed in a horizontal plane
- Material: aluminum, anodized
*Packing: 48 pcs.

Length: 762 mm (30")

Finish	Item No.
polished chrome	805.87.200
matt aluminum	805.87.900
matt nickel	805.87.600
polished brass	805.87.800
matt brass	805.87.500
dark oil-rubbed bronze	805.87.100

Length: 914 mm (36")



Finish	Item No.
polished chrome	805.87.210
matt aluminum	805.87.910
matt nickel	805.87.610
polished brass	805.87.810
matt brass	805.87.510
dark oil-rubbed bronze	805.87.110

shoe rail bracket



- For mounting rails, order separately
 - Connects the shoe rail to the side panel using 32 mm (1 1/4") line bore holes with 5 mm press in dowels
- Material: plastic
*Packing: 96 pcs.

Color	Item No.
almond	805.87.994
black	805.87.993
white	805.87.997



polished chrome



matt nickel



matt brass



matt aluminum



polished brass






dark oil-rubbed bronze

*Minimum order quantity is 1 piece.

Dimensions in mm. Inches are approximate.



Dimensional data not binding. We reserve the right to alter specifications without notice.

Storage Baskets

closet baskets								
Interior opening	Width	Depth	Height	white epoxy	matt nickel powder-coat	chrome-plated	dark oil-rubbed bronze powder-coat	
	18"	12"	6"	547.35.722	547.35.622	547.35.222	-	
			11"	547.35.726	547.35.626	547.35.226	-	
			17"	547.35.728	547.35.628	547.35.228	-	
		14"	6"	547.35.742	547.35.642	547.35.242	547.35.142	
			11"	547.35.746	547.35.646	547.35.246	547.35.146	
			17"	547.35.748	547.35.648	547.35.248	547.35.148	
		16"	6"	547.35.762	547.35.662	547.35.262	547.35.162	
			11"	547.35.766	547.35.666	547.35.266	547.35.166	
			17"	547.35.768	547.35.668	547.35.268	547.35.168	
	24"	12"	6"	547.36.722	547.36.622	547.36.222	-	
			11"	547.36.726	547.36.626	547.36.226	-	
			17"	547.36.728	547.36.628	547.36.228	-	
		14"	6"	547.36.742	547.36.642	547.36.242	547.36.142	
			11"	547.36.746	547.36.646	547.36.246	547.36.146	
			17"	547.36.748	547.36.648	547.36.248	547.36.148	
		16"	6"	547.36.762	547.36.662	547.36.262	547.36.162	
			11"	547.36.766	547.36.666	547.36.266	547.36.166	
			17"	547.36.768	547.36.668	547.36.268	547.36.168	
	30"	12"	6"	547.37.722	547.37.622	547.37.222	-	
			11"	547.37.726	547.37.626	547.37.226	-	
			17"	547.37.728	547.37.628	547.37.228	-	
		14"	6"	547.37.742	547.37.642	547.37.242	547.37.142	
			11"	547.37.746	547.37.646	547.37.246	547.37.146	
			17"	547.37.748	547.37.648	547.37.248	547.37.148	
		16"	6"	547.37.762	547.37.662	547.37.262	547.37.162	
			11"	547.37.766	547.37.666	547.37.266	547.37.166	
			17"	547.37.768	547.37.668	547.37.268	547.37.168	

- Ideal for storage of clothing and shoes
 - Sloped basket front allows easy access to contents
 - Unique side, designed with location for placement of slide
 - Baskets easily disconnect for portability
 - Optional slides & liners, refer to next page
- Material: steel
*Packing: 5 pcs.

shoe fences				
Length	chrome-plated	dark oil-rubbed bronze powder-coat	matt nickel powder-coat	
278 mm (11")	547.51.201	547.51.101	547.51.601	
432 mm (17")	547.51.202	547.51.102	547.51.602	
584 mm (23")	547.51.203	547.51.103	547.51.603	
736 mm (29")	547.51.204	547.51.104	547.51.604	

				
<ul style="list-style-type: none"> • For shelving • Attaches to shelf with press-in dowels that fit • Ø5 mm drilled holes • Dowels are on 32 mm (1 1/4") center increments <p>Material: steel Packing: 1 pc.</p>				

***Minimum order quantity is 1 piece.**

Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Storage Baskets

basket slide



Installed Extension

length	length	zinc	white	black	matt nickel
12"	12"	547.39.931	547.39.730		547.39.631
14"	14"	547.39.936	547.39.735	547.39.336	547.39.636
16"	16"	547.39.940	547.39.740	547.39.340	547.39.640

- Full extension telescoping slide
 - Weight capacity 34 kg (75 lbs)
 - Side mounted, rail disconnect
 - J hook for baskets to rest in (for series 547.35, 547.36 & 547.37)
 - Front cover cap
- Material: steel
Packing: 1 pc.

plastic liners



- For baskets on page 9
 - Ideal for storage of clothing and other items when a solid bottom is needed
- Material: plastic, translucent
*Packing: 5 pcs.

For basket sizes			
Width	Depth	Height	Item No.
17"	12"	6"	547.95.406
		11" & 17"	547.95.405
	14"	6"	547.95.403
		11" & 17"	547.95.401
23"	16"	6"	547.95.404
		11" & 17"	547.95.402
	12"	6"	547.95.416
		11" & 17"	547.95.411
29"	14"	6"	547.95.414
		11" & 17"	547.95.412
	16"	6"	547.95.415
		11" & 17"	547.95.413
29"	12"	6"	547.95.426
		11" & 17"	547.95.421
	14"	6"	547.95.424
		11" & 17"	547.95.422
29"	16"	6"	547.95.425
		11" & 17"	547.95.423

cloth liners



- For baskets on page 9
 - Liners fold over the top of the basket, and the front flap is secured with a hook and loop fastener
- Material: 100% cotton
Packing: 1 pc.

For basket sizes				
Width	Depth	Height	cream	black
17"	12"	6"	547.35.791	547.35.391
		11"	547.35.792	547.35.392
		17"	547.35.793	547.35.393
	14"	6"	547.35.794	547.35.394
		11"	547.35.795	547.35.395
		17"	547.35.796	547.35.396
23"	16"	6"	547.35.797	547.35.397
		11"	547.35.798	547.35.398
		17"	547.35.799	547.35.399
	12"	6"	547.36.791	547.36.391
		11"	547.36.792	547.36.392
		17"	547.36.793	547.36.393
29"	14"	6"	547.36.794	547.36.394
		11"	547.36.795	547.36.395
		17"	547.36.796	547.36.396
	16"	6"	547.36.797	547.36.397
		11"	547.36.798	547.36.398
		17"	547.36.799	547.36.399
29"	14"	6"	547.37.794	547.37.394
		11"	547.37.795	547.37.395
		17"	547.37.796	547.37.396
	16"	6"	547.37.797	547.37.397
		11"	547.37.798	547.37.398
		17"	547.37.799	547.37.399

Storage Baskets

laundry hamper, slanted



Finish	Width	Depth	Item No.
chrome-plated	17"	13 7/16"	547.42.211
	17"	15 7/16"	547.42.221
	23"	13 7/16"	547.42.212
	23"	15 7/16"	547.42.222
white epoxy-coated	17"	13 7/16"	547.42.711
	17"	15 7/16"	547.42.721
	23"	13 7/16"	547.42.712
	23"	15 7/16"	547.42.722
dark oil-rubbed bronze	17"	13 7/16"	547.42.111
	17"	15 7/16"	547.42.121
	23"	13 7/16"	547.42.112
	23"	15 7/16"	547.42.122
matt nickel	17"	13 7/16"	547.42.611
	17"	15 7/16"	547.42.621
	23"	13 7/16"	547.42.612
	23"	15 7/16"	547.42.622

- Mount by hanging on the back of a tilt-out door using the mounting bracket below
- Unique V notches indicate the location of the mounting bracket

Height: 19 1/2"

Material: steel, plated or epoxy-coated

*Packing: 3 pcs.

bracket for laundry hamper											
	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>chrome-plated</td><td>547.42.990</td></tr><tr><td>white epoxy-coated</td><td>547.42.991</td></tr><tr><td>dark oil-rubbed bronze</td><td>547.42.190</td></tr><tr><td>matt nickel</td><td>547.42.690</td></tr></table>	Finish	Item No.	chrome-plated	547.42.990	white epoxy-coated	547.42.991	dark oil-rubbed bronze	547.42.190	matt nickel	547.42.690
	Finish	Item No.									
	chrome-plated	547.42.990									
	white epoxy-coated	547.42.991									
	dark oil-rubbed bronze	547.42.190									
matt nickel	547.42.690										
	<ul style="list-style-type: none">• Screw-mounted with #8 screws <p>CTC: 6 5/16"</p> <p>Dimensions: 8 7/16" W x 1" D x 2 11/16" H</p> <p>Material: steel, plated or epoxy-coated</p> <p>*Packing: 3 pcs.</p>										

laundry hamper liner				
		Width	Depth	Item No.
		17"	13 7/16"	547.95.431
		17"	15 7/16"	547.95.433
		23"	13 7/16"	547.95.432
		23"	15 7/16"	547.95.434
		<ul style="list-style-type: none">• Creates a smooth, solid surface on the bottom of the hamper <p>Height: 19 1/2"</p> <p>Material: plastic, translucent</p> <p>*Packing: 3 pcs.</p>		

Storage Baskets

cloth laundry bag for laundry hamper



For basket sizes:

Width	Depth	Height	cream	black
17"	13 7/16"	19 1/2"	547.42.995	547.42.395
17"	15 7/16"	19 1/2"	547.42.996	547.42.396
23"	13 7/16"	19 1/2"	547.42.997	547.42.397
23"	15 7/16"	19 1/2"	547.42.998	547.42.398

- Handles on both sides and elastic band around the top edge allow for easy removal
 - Shown with laundry hamper basket
- Material: 100% cotton
Packing: 1 pc.

flap stay hamper kit



Finish/Color	Item No.
nickel-plated	547.42.993
black	547.42.994

- Includes:
- | | |
|------------------------|--------|
| Shove shock absorber | 1 pc. |
| Shove adapter bracket | 1 pc. |
| Duo flap stay | 2 pcs. |
| 37 mm cabinet brackets | 2 pcs. |
| Wood door bracket | 2 pcs. |
| 5 mm variant screws | 4 pcs. |
| Countersunk woodscrews | 6 pcs. |
| Pan head screws | 2 pcs. |
| 4 mm hex key | 1 pc. |
- Packing: 1 set (includes mounting instructions)


Storage Baskets

hook-on hamper, slanted

- For hanging on mounting bracket













Material: steel, epoxy-coated
Color: white
Packing: 1 pc.

Min. inside Cabinet width mm (inch)	Width mm (inch)	Item No.
343 (13 1/2")	318 (12 1/2")	540.09.755
419 (16 1/2")	394 (15 1/2")	540.09.764
495 (19 1/2")	470 (18 1/2")	540.09.773

mounting bracket for laundry hamper		<table><tr><th>Color</th><th>Item No.</th></tr><tr><td>white</td><td>540.06.996</td></tr></table>		Color	Item No.	white	540.06.996
Color	Item No.						
white	540.06.996						
		<ul style="list-style-type: none">• Screw-mounted• Width x Depth x Height 225 mm (8 7/8") x 16 mm (5/8") x 26 mm (1")• Space between holes: 190 mm (7 1/2") <p>Material: steel, epoxy-coated *Packing: 10 pcs.</p>					

***Minimum order quantity is 1 piece.**
Dimensions in mm. Inches are approximate.
Dimensional data not binding. We reserve the right to alter specifications without notice.

Wardrobe Brackets, Rails and Supports


oval wardrobe rail		welded			
		Finish/Color	Material thickness	Item No.	
		chrome-plated	1.0	801.13.201	
		brass-plated	1.0	*801.06.805	
		PVC, white	1.0	*801.13.702	
		chrome-plated	1.5	*801.09.226	
			Dimension: 30 x 15 x 2500 (98 7/16") Length Material: steel Packing: 10 pcs.		
			Welded tube		
	Dimension: 30 x 15 x 2438 (96") Length Material: aluminum Packing: 12 pcs.	un-welded			
		Finish	Material thickness	Item No.	
		matt aluminum	1.3	801.13.391	
		matt nickel	1.3	801.13.691	
		dark oil-rubbed bronze	1.3	801.13.191	
wardrobe rail support		Finish/Color			
		Item No.			
		nickel-plated 803.33.722			
		chrome-plated 803.33.210			
		brass-plated 803.33.520			
		white PVC 803.33.830			
		matt aluminum 803.39.300			
		matt nickel 803.39.600			
		dark oil-rubbed bronze 803.39.100			
		• For insertion in 32 mm system holes, with attached dowels and an additional screw hole Material: zinc, die-cast *Packing: 200 pcs.			
		Finish/Color	Item No.	Packing	
		chrome-plated	*803.25.220	200 pcs.	
		black	803.25.328	10 pcs.	
		• For screw-mounting on side panel Material: plastic			
oval center bracket		Finish			
		Item No.			
		chrome-plated 802.04.208			
		• Surface mount • For 15 x 30 mm rail Material: zinc, die-cast *Packing: 100 pcs.			
		Finish	Item No.		
		chrome-plated	802.03.201		
		• Top mount • For 15 x 30 mm rail Material: zinc, die-cast *Packing: 100 pcs. (includes M6 mounting screw)			

*Minimum order quantity is 1 piece.

Dimensions in mm. Inches are approximate.


Dimensional data not binding. We reserve the right to alter specifications without notice.

wardrobe bracket, for round tube




- Horizontal member adjusts 19 mm (3/4") for optional 3/4" cleat
 - For round tube size of 40 mm (1 9/16") diameter
- Material: steel, plated or epoxy-coated
*Packing: 40 pcs.

Finish/Color	Item No.
chrome	805.39.202
white epoxy-coated	805.39.702




wardrobe bracket, for oval tube




- Horizontal member adjusts 19 mm (3/4") for optional 3/4" cleat
 - For oval tube size of 15 mm (9/16") diameter
- Material: steel, plated or epoxy-coated
*Packing: 40 pcs.

Finish/Color	Item No.
chrome	805.39.201
white epoxy-coated	805.39.701




Wardrobe Tubes, Rails and Supports

wardrobe rail, with plastic runner



- Mounts under the cabinet top
 - Retractable
- Material: steel; Finish: nickel-plated

Length	Load capacity	Item No.	Packing
260 (10 1/4")	8 kg (17 1/2 lbs.)	805.01.702	1 pc.
310 (12 1/4")	6 kg (13 lbs.)	805.01.711	1 pc.
360 (14 1/4")	5 kg (11 lbs.)	*805.01.720	50 pcs.




wardrobe rail




- Mounts under the cabinet top
 - Retractable
- Material: Track: steel, epoxy-coated; Color: almond
Rail: steel; Finish: nickel-plated
*Packing: 5 pcs.



Length	Load capacity	Item No.
290 (11 5/8")	10 kg (22 lbs.)	805.12.303
340 (13 1/2")	10 kg (22 lbs.)	805.12.358
390 (15 1/2")	10 kg (22 lbs.)	805.12.401
440 (17 1/2")	10 kg (22 lbs.)	805.12.456




Wardrobe Accessories

garment bag valet®





- For clothes hangers and hanging garment bags
- Extra heavy duty rod will hold up to 50 lbs. of clothing
- Mounts on top or bottom of shelf or side wall of cabinet
- Eliminate scratches on doors caused by garment bags
- Ideal for residential as well as hotel and motel use


Material: Sleeve: steel, epoxy-coated or electro-plated
Rod: steel, electro-plated
Packing: 1 set (includes 1 sleeve and 1 rod)

Length X	Dimension C	Sleeve: white/epoxy Rod: chrome-plated
304 (12")	192 (7 5/8")	808.68.700
355 (14")	243 (9 5/8")	808.68.710

Length X	Dimension C	Sleeve: sand/epoxy Rod: chrome-plated
304 (12")	192 (7 5/8")	808.68.400
355 (14")	243 (9 5/8")	808.68.410

Length X	Dimension C	Sleeve: brass-plated Rod: brass-plated
304 (12")	192 (7 5/8")	808.68.800
355 (14")	243 (9 5/8")	808.68.810

Length X	Dimension C	Sleeve: nickel-plated Rod: nickel-plated
304 (12")	192 (7 5/8")	808.68.200
355 (14")	243 (9 5/8")	808.68.210



pull-out rod



Item No.
808.61.213

- For clothes hangers
- Mounts on the top of the wardrobe
- Length: 225 mm (8 7/8")
- Tube Ø: 13 mm


Material: aluminum, matt anodized
End caps: plastic; Color: black
*Packing: 25 pcs. (includes screws)

***Minimum order quantity is 1 piece.**
 Dimensions in mm. Inches are approximate.
 Dimensional data not binding. We reserve the right to alter specifications without notice.

Wardrobe Accessories

Belt and Tie Storage

tie rack



Material: Rail: PVC colored
Hooks: steel, electro-plated; Finish: chrome
Packing: 1 pc. (includes mounting screws)

With pull-out slide
High x deep (incl. hooks): 63 x 70 mm (2 1/2" x 2 3/4")

# Tie Hooks	Color	Length (mm)	Item No.
20	white	293 (11 9/16")	807.33.250
24	white	348 (13 11/16")	807.33.204
20	almond	293 (11 9/16")	807.33.450
24	almond	348 (13 11/16")	807.33.400

Without pull-out slide
High x deep (incl. hooks): 51 x 70 mm (2" x 2 3/4")
Length: 348 mm (13 11/16")

Color	Item No.
white	807.30.703
almond	807.30.400

6 hook belt rack



Material: Rail: PVC colored
Hooks: steel, electro-plated; Finish: chrome
Packing: 1 pc. (includes mounting screws)

With pull-out slide
High x deep (incl. hooks): 63 x 70 mm (2 1/2" x 2 3/4")


Color	Length (mm)	Item No.
white	293 (11 9/16")	807.33.240
white	348 (13 11/16")	807.33.213
almond	348 (13 11/16")	807.33.410


Without pull-out slide
High x deep (incl. hooks): 51 x 47 mm (2" x 1 7/8")
Length: 348 mm (13 11/16")






Color	Item No.
white	807.31.700
almond	807.31.400

Wardrobe Accessories

Belt and Tie Storage

22 hook tie rack												
	Height x depth (incl. hooks): 3" x 3" Length 14 1/8" + 1" (handle)											
	<table> <tr> <th>Color</th><th>Item No.</th></tr> <tr> <td>medium cherry</td><td>807.42.150</td></tr> <tr> <td>maple</td><td>807.42.170</td></tr> <tr> <td>light cherry</td><td>807.42.450</td></tr> <tr> <td>cherry</td><td>807.42.670</td></tr> <tr> <td>white</td><td>807.42.770</td></tr> </table>	Color	Item No.	medium cherry	807.42.150	maple	807.42.170	light cherry	807.42.450	cherry	807.42.670	white
Color	Item No.											
medium cherry	807.42.150											
maple	807.42.170											
light cherry	807.42.450											
cherry	807.42.670											
white	807.42.770											
<ul style="list-style-type: none"> • Left or right mounting • Full extension, bi-directional slide-out with optional stop • Through holes located at 37 mm and 68 mm to facilitate connection Material: Rail: Thermofoil and vacuum-formed Hooks/handle: steel; Finish: nickel-plated Packing: 1 pc.												



11 hook belt rack												
	Height x depth (incl. hooks): 3" x 3" Length 14 1/8" + 1" (handle)											
	<table> <tr> <th>Color</th><th>Item No.</th></tr> <tr> <td>medium cherry</td><td>807.43.150</td></tr> <tr> <td>maple</td><td>807.43.170</td></tr> <tr> <td>light cherry</td><td>807.43.450</td></tr> <tr> <td>cherry</td><td>807.43.670</td></tr> <tr> <td>white</td><td>807.43.770</td></tr> </table>	Color	Item No.	medium cherry	807.43.150	maple	807.43.170	light cherry	807.43.450	cherry	807.43.670	white
Color	Item No.											
medium cherry	807.43.150											
maple	807.43.170											
light cherry	807.43.450											
cherry	807.43.670											
white	807.43.770											
<ul style="list-style-type: none"> • Left or right mounting • Full extension, bi-directional slide-out with optional stop • Through holes located at 37 mm and 68 mm to facilitate connection Material: Rail: Thermofoil and vacuum-formed Hooks/handle: steel; Finish: nickel-plated Packing: 1 pc.												

 maple	 light cherry (pearwood)	 cherry	 medium cherry (cognac)	 white
---	---	--	--	---

Wardrobe Accessories

Belt and Tie Storage

tie and belt extension




Finish	Item No.
chrome-plated, polished	807.41.211

- With glide and spacer
- Dimensions (W x D x H): 74 x 455 x 118 mm
2 15/16" x 17 15/16" x 4 5/8"

Material: steel

Packing: 1 pc. (includes mounting hardware)

tie extension



Finish	Item No.
chrome-plated, polished	807.41.210

- With glide and spacer
- Dimensions (W x D x H): 74 x 455 x 87 mm
2 15/16" x 17 15/16" x 3 7/16"

Material: steel

Packing: 1 pc. (includes mounting hardware)

tie holder, foldaway



Finish	Item No.
chrome-plated, polished	807.17.200

- Dimensions (W x D x H): 320 x 160 x 25 mm
2 5/8" x 6 5/16" x 1"

Material: steel

Packing: 1 pc.

tie pull-out







Finish/Color	Item No.
chrome-plated, polished/silver gray	807.41.206



- Holds 17 ties
- Mounts left or right
- Dimensions (W x D x H): 130 x 540 x 90 mm
5 1/8" x 21 1/4" x 3 9/16"

Material: steel; Guide-cover: steel, plastic-coated

Packing: 1 pc.

tie holder					
	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>chrome-plated</td><td>807.16.203</td></tr></table>	Finish	Item No.	chrome-plated	807.16.203
Finish	Item No.				
chrome-plated	807.16.203				
<ul style="list-style-type: none">• Pivotable, screw-mount• 90° pivoting range <p>Material: steel; Mounts: zinc die-cast Packing: 1 pc. (includes screws)</p>					


swing wardrobe rail					
	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>chrome-plated</td><td>805.40.209</td></tr></table>	Finish	Item No.	chrome-plated	805.40.209
Finish	Item No.				
chrome-plated	805.40.209				
	<ul style="list-style-type: none">• Pivotable, screw-mount• 180° pivoting range <p>Material: steel; Mounts: zinc die-cast Packing: 1 pc. (includes screws)</p>				

swing wardrobe rail					
	<table><tr><th>Color/Finish</th><th>Item No.</th></tr><tr><td>black/chrome-plated</td><td>805.40.254</td></tr></table>	Color/Finish	Item No.	black/chrome-plated	805.40.254
Color/Finish	Item No.				
black/chrome-plated	805.40.254				
	<ul style="list-style-type: none">• Pivotable, screw-mount• 180° pivoting range <p>Material: steel; Mounts: plastic Packing: 1 pc. (includes screws)</p>				

Wardrobe Accessories

Pants Storage

pants swiveling holder



- Mounts on left or right
 - For 7 pairs of pants
 - Dimensions (W x D x H): 430 x 430 x 75 mm
17" x 17" x 3"
- Material: steel
Packing: 1 pc.

Finish

chrome-plated, polished

Item No.

805.46.201

pants extension



- Mounts on left or right
 - Spacer compensates for the door thickness
 - 3 arms with glide and spacer
 - Dimensions (W x D x H): 222 x 455 x 72 mm
8 3/4" x 17 15/16" x 2 13/16"
- Material: steel
Packing: 1 pc. (includes mounting hardware)

Finish

chrome-plated, polished

Item No.

805.45.210

pants swivel pull-out



- Mounts on left or right
 - For 10 pairs of pants
 - Dimensions (W x D x H): 465 x 505 x 100 mm
18 5/16" x 19 7/8" x 4"
- Material: steel; Guide-cover: steel, plastic-coated
Packing: 1 pc.

Finish/Color

chrome-plated, polished/silver gray




Item No.

805.45.204

Wardrobe Accessories

Shoe Storage


shoe rack






- Attaches to wall with screws (not included)
- Extends from 460 - 750 mm (18 1/8" - 29 1/2")
- Material: steel; Mounting parts: plastic; Color: silver

*Packing 6 pcs.

Finish	Item No.
chrome-plated	892.12.906




wall track



- For above shoe holder
- Height adjustable
- Length: 1120 mm (44") including end caps
- Material: Rail: aluminum, oxidized
End caps: plastic

Packing: 1 pair





Color	Item No.
silver	892.12.990



***Minimum order quantity is 1 piece.**
Dimensions in mm. Inches are approximate.
Dimensional data not binding. We reserve the right to alter specifications without notice.

Wardrobe Accessories

Shoe Storage

tilt fitting		Color	Item No.
		white	892.14.737
 <ul style="list-style-type: none"> • Tilt fitting, 3 sections • For installation in shoe cabinets Material: plastic *Packing: 10 sets (includes mounting material) 			
shoe rack		Color	Item No.
 <ul style="list-style-type: none"> • Shown in white 		black	892.11.300
		 <ul style="list-style-type: none"> • Adjustable from 560 mm - 1000 mm (22" - 39 3/8") Material: Rod: steel; Mounting parts: plastic Packing: 1 pc. 	




***Minimum order quantity is 1 set.**




Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Wardrobe Accessories

Hooks

ball point		Finish	Item No.
		chrome-plated	510.86.201
		brass-plated	510.86.801
		nickel matt	510.86.601
	<ul style="list-style-type: none"> Fits into 4 mm holes 38 (1 1/2") or 45 (1 3/4") projection For accessories, belts, ties, cups, etc. <p>Material: steel, plated *Packing: 50 pcs.</p>		

large ball point		Finish	Item No.
		chrome-plated	510.86.202
		brass-plated	510.86.802
		nickel matt	510.86.602
	<ul style="list-style-type: none"> Fits into 4 mm holes 38 (1 1/2") or 45 (1 3/4") projection For accessories, belts, ties, cups, etc. <p>Material: steel, plated *Packing: 50 pcs.</p>		

***Minimum order quantity is 1 piece.**

Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Wardrobe Accessories

Coat Hooks

hat and coat hook	<table border="1"> <thead> <tr> <th>Finish</th><th>Item No.</th></tr> </thead> <tbody> <tr> <td>polished chrome</td><td>845.05.200</td></tr> <tr> <td>dark oil-rubbed bronze</td><td>845.05.300</td></tr> <tr> <td>matt nickel</td><td>845.05.600</td></tr> <tr> <td>polished brass</td><td>845.05.800</td></tr> </tbody> </table> <p>(W x D x H): 38 mm x 80 mm x 100 mm (1 1/2" x 3 1/8" x 3 15/16") Material: zinc Packing 1 pc. (includes mounting hardware)</p>	Finish	Item No.	polished chrome	845.05.200	dark oil-rubbed bronze	845.05.300	matt nickel	845.05.600	polished brass	845.05.800				
Finish	Item No.														
polished chrome	845.05.200														
dark oil-rubbed bronze	845.05.300														
matt nickel	845.05.600														
polished brass	845.05.800														
hat and coat hook	<table border="1"> <thead> <tr> <th>Finish</th><th>Item No.</th></tr> </thead> <tbody> <tr> <td>polished chrome</td><td>845.06.200</td></tr> <tr> <td>dark oil-rubbed bronze</td><td>845.06.300</td></tr> <tr> <td>matt nickel</td><td>845.06.600</td></tr> <tr> <td>polished brass</td><td>845.06.800</td></tr> </tbody> </table> <p>(W x D x H): 32 mm x 80 mm x 90 mm (1 1/4" x 3 1/8" x 3 9/16") Material: brass Packing 1 pc. (includes mounting hardware)</p>	Finish	Item No.	polished chrome	845.06.200	dark oil-rubbed bronze	845.06.300	matt nickel	845.06.600	polished brass	845.06.800				
Finish	Item No.														
polished chrome	845.06.200														
dark oil-rubbed bronze	845.06.300														
matt nickel	845.06.600														
polished brass	845.06.800														
hat and coat hook	<table border="1"> <thead> <tr> <th>Finish</th><th>Item No.</th></tr> </thead> <tbody> <tr> <td>polished chrome</td><td>845.06.210</td></tr> <tr> <td>dark oil-rubbed bronze</td><td>845.06.310</td></tr> <tr> <td>matt nickel</td><td>845.06.610</td></tr> <tr> <td>polished brass</td><td>845.06.810</td></tr> </tbody> </table> <p>(W x D x H): 30 mm x 95 mm x 130 mm (1 3/16" x 3 3/4" x 5 1/8") Material: brass Packing 1 pc. (includes mounting hardware)</p>	Finish	Item No.	polished chrome	845.06.210	dark oil-rubbed bronze	845.06.310	matt nickel	845.06.610	polished brass	845.06.810				
Finish	Item No.														
polished chrome	845.06.210														
dark oil-rubbed bronze	845.06.310														
matt nickel	845.06.610														
polished brass	845.06.810														
three prong hook	<table border="1"> <thead> <tr> <th>Finish</th><th>Item No.</th></tr> </thead> <tbody> <tr> <td>polished chrome</td><td>843.64.200</td></tr> <tr> <td>dark oil-rubbed bronze</td><td>843.64.300</td></tr> <tr> <td>matt brass</td><td>843.64.500</td></tr> <tr> <td>matt nickel</td><td>843.64.600</td></tr> <tr> <td>polished brass</td><td>843.64.800</td></tr> <tr> <td>matt aluminum</td><td>843.64.900</td></tr> </tbody> </table> <p>(W x D x H): 26 mm x 66 mm x 76 mm (1" x 2 5/8" x 3") Material: brass *Packing 50 pcs.</p>	Finish	Item No.	polished chrome	843.64.200	dark oil-rubbed bronze	843.64.300	matt brass	843.64.500	matt nickel	843.64.600	polished brass	843.64.800	matt aluminum	843.64.900
Finish	Item No.														
polished chrome	843.64.200														
dark oil-rubbed bronze	843.64.300														
matt brass	843.64.500														
matt nickel	843.64.600														
polished brass	843.64.800														
matt aluminum	843.64.900														



***Minimum order quantity is 1 piece.**

Dimensions in mm. Inches are approximate.



Dimensional data not binding. We reserve the right to alter specifications without notice.

Wardrobe Accessories

Coat Hooks

coat hook				
 	W x D x H 18 mm x 35 mm x 62 mm (11/16" x 1 3/8" x 2 7/16")			
	<table> <tr> <th>Finish</th><th>Item No.</th></tr> <tr> <td>matt silver</td><td>842.01.909</td></tr> </table>	Finish	Item No.	matt silver
Finish	Item No.			
matt silver	842.01.909			
Material: anodized aluminum *Packing 10 pcs.				

hat and coat hook				
 	W x D x H 18 mm x 93 mm x 158 mm (11/16" x 3 11/16" x 6 5/8")			
	<table> <tr> <th>Finish</th><th>Item No.</th></tr> <tr> <td>matt silver</td><td>842.02.906</td></tr> </table>	Finish	Item No.	matt silver
Finish	Item No.			
matt silver	842.02.906			
Material: anodized aluminum *Packing 10 pcs.				

coat hook				
 	W x D x H 17 mm x 41 mm x 47 mm (11/16" x 1 5/8" x 1 7/8")			
	<table> <tr> <th>Color</th><th>Item No.</th></tr> <tr> <td>silver</td><td>842.20.959</td></tr> </table>	Color	Item No.	silver
Color	Item No.			
silver	842.20.959			
Material: anodized aluminum *Packing 20 pcs.				

***Minimum order quantity is 1 piece.**

Dimensions in mm. Inches are approximate.









Dimensional data not binding. We reserve the right to alter specifications without notice.

Flat head screws Page 88

Pan head screws Page 88




Wardrobe Accessories

Coat Hooks


<div>coat hook</div> <div></div>	<div>W x D x H 40 mm x 53 mm x 62 mm (11/16" x 2" x 2 1/2") Material: aluminum, polished</div> <div><table><tr><th>Item No.</th></tr><tr><td>846.52.808</td></tr></table></div> <div>*Packing 50 pcs.</div>	Item No.	846.52.808										
Item No.													
846.52.808													
<div>coat hook</div> <div></div>	<div>W x D x H 25 x 56 x 88 (1" x 2 3/16" x 3 7/16") Material: zinc</div> <div><table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>chrome polished</td><td>885.06.209</td></tr><tr><td>brass polished</td><td>885.06.807</td></tr></table></div> <div>*Packing: 50 pcs.</div> <div><table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>dark oil-rubbed bronze</td><td>845.01.300</td></tr><tr><td>matt nickel</td><td>845.01.600</td></tr></table></div> <div>*Packing: 50 pcs. (includes screws)</div>	Finish	Item No.	chrome polished	885.06.209	brass polished	885.06.807	Finish	Item No.	dark oil-rubbed bronze	845.01.300	matt nickel	845.01.600
Finish	Item No.												
chrome polished	885.06.209												
brass polished	885.06.807												
Finish	Item No.												
dark oil-rubbed bronze	845.01.300												
matt nickel	845.01.600												
<div>coat hook</div> <div></div>	<div>Material: aluminum, polished</div> <div><table><tr><th>W x D x H</th><th>Item No.</th></tr><tr><td>35 x 30 x 40 (1 3/8" x 1 3/16" x 1 9/16")</td><td>845.01.806</td></tr><tr><td>20 x 35 x 42 (3/4" x 1 3/8" x 1 5/8")</td><td>845.02.803</td></tr></table></div> <div>*Packing: 100 pcs.</div> <div><div>W x D x H 18 x 40 x 40 (11/16" x 1 9/16" x 1 9/16") Material: zinc</div><div><table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>dark oil-rubbed bronze</td><td>845.01.320</td></tr><tr><td>matt nickel</td><td>845.01.620</td></tr></table></div><div>*Packing: 100 pcs. (screws included)</div></div>	W x D x H	Item No.	35 x 30 x 40 (1 3/8" x 1 3/16" x 1 9/16")	845.01.806	20 x 35 x 42 (3/4" x 1 3/8" x 1 5/8")	845.02.803	Finish	Item No.	dark oil-rubbed bronze	845.01.320	matt nickel	845.01.620
W x D x H	Item No.												
35 x 30 x 40 (1 3/8" x 1 3/16" x 1 9/16")	845.01.806												
20 x 35 x 42 (3/4" x 1 3/8" x 1 5/8")	845.02.803												
Finish	Item No.												
dark oil-rubbed bronze	845.01.320												
matt nickel	845.01.620												
<div>coat hook</div> <div></div>	<div>Material: aluminum, polished</div> <div><table><tr><th>W x D x H</th><th>Item No.</th></tr><tr><td>40 x 23 x 30 (1 9/16" x 7/8" x 1 3/16")</td><td>845.10.805</td></tr><tr><td>53 x 25 x 40 (2 1/16" x 1" x 1 1/2")</td><td>845.11.802</td></tr></table></div> <div>*Packing: 10 pcs.</div> <div><table><tr><th>W x D x H</th><th>Item No.</th></tr><tr><td>60 x 32 x 50 (2 3/8" x 1 1/4" x 2")</td><td>845.12.809</td></tr></table></div> <div>*Packing: 100 pcs.</div>	W x D x H	Item No.	40 x 23 x 30 (1 9/16" x 7/8" x 1 3/16")	845.10.805	53 x 25 x 40 (2 1/16" x 1" x 1 1/2")	845.11.802	W x D x H	Item No.	60 x 32 x 50 (2 3/8" x 1 1/4" x 2")	845.12.809		
W x D x H	Item No.												
40 x 23 x 30 (1 9/16" x 7/8" x 1 3/16")	845.10.805												
53 x 25 x 40 (2 1/16" x 1" x 1 1/2")	845.11.802												
W x D x H	Item No.												
60 x 32 x 50 (2 3/8" x 1 1/4" x 2")	845.12.809												

Specialized Solutions

Ironing Boards

Ironfix™ shelf-mounted					
  Height: 130 mm (5 1/8") Width: 520 mm (20 1/2") Depth: 350 mm (13 3/4") Extended board length: 952 mm (37 1/2") Material: steel, epoxy-coated Cover: natural white cotton with gray stripes, foam backed Packing 1 pc. (includes installation hardware)	<table><tr><th>Color</th><th>Item No.</th></tr><tr><td>white RAL 9016</td><td>568.60.781</td></tr></table> <ul style="list-style-type: none">• Fits into a 24" wide x 14" deep space• Rotates 180° degrees with seven pre-set positions• Clothing remains free from grease or pinch point damage, due to the absence of ball bearing slides• Mounts to a shelf with through bolts (included) 	Color	Item No.	white RAL 9016	568.60.781
Color	Item No.				
white RAL 9016	568.60.781				

The original idea for the shelf-mounted ironing board came from Dan Gehlhausen, owner of Closets & More in Marietta, GA. We developed the new Ironfix based on Dan's concept, so you can offer your customers more functionality. It's just another way that we're finding better ways to help you build better closets.

replacement heat-resistant cover					
	<table><tr><th>Color</th><th>Item No.</th></tr><tr><td>white/gray stripes</td><td>568.60.907</td></tr></table> <ul style="list-style-type: none">• With elastic band <p>Material: natural cotton, foam-backed Packing: 1 pc.</p>	Color	Item No.	white/gray stripes	568.60.907
Color	Item No.				
white/gray stripes	568.60.907				

Specialized Solutions

Ironing Boards

Ironfix™ wall-mounted




- Turning mechanism; swivel range 180°
 - Locks in left, right, or inclined position
- Material: steel, epoxy-coated
Cover: natural white cotton with gray stripes, foam-backed
Packing: 1 pc. (includes installation hardware)

Color


white RAL 9016

Item No.

568.66.700



wall cover, optional



Color

white RAL 9016

Item No.

568.66.790

- Slightly structural surface
- Material: polystyrene
Packing: 1 pc.

replacement heat-resistant cover



Color

white/gray stripes







Item No.

568.60.907

- With elastic band
- Material: natural cotton, foam-backed
Packing: 1 pc.

Specialized Solutions

Ironing Boards

Ironfix™ built-in											
	<table><tr><th>Color</th><th>Item No.</th></tr><tr><td>white RAL 9016</td><td>568.60.710</td></tr></table>	Color	Item No.	white RAL 9016	568.60.710						
Color	Item No.										
white RAL 9016	568.60.710										
											
<ul style="list-style-type: none">• Space-saving, cabinet drawer installation• Continuous width adjustment for inside clear widths of 362-500 mm (14 1/4"-19 11/16")• Inside clear depth 500 mm (19 11/16")• Integrated spring mechanism• Drawer front folds down to allow for pants, shirts, etc.• Support extends automatically as ironing board is pulled out <p>Material: steel, epoxy-coated; heat-resistant striped fabric-covered ironing surface</p> <p>Packing: 1 pc. (includes installation hardware, mounting instructions, 1 collapsible ironing board support system with folding ironing board and runners)</p>	<p>The below dimensions match ironing surface to countertop height.</p>  <table><tr><td>D (mm)</td><td>20 (7/8")</td><td>30 (11/8")</td><td>40 (11/2")</td><td>50 (2")</td></tr><tr><td>E (mm)</td><td>86 (33/8")</td><td>76 (3")</td><td>66 (21/2")</td><td>66 (21/2")</td></tr></table>	D (mm)	20 (7/8")	30 (11/8")	40 (11/2")	50 (2")	E (mm)	86 (33/8")	76 (3")	66 (21/2")	66 (21/2")
D (mm)	20 (7/8")	30 (11/8")	40 (11/2")	50 (2")							
E (mm)	86 (33/8")	76 (3")	66 (21/2")	66 (21/2")							
											
replacement heat-resistant ironing board cover											
	<table><tr><th>Color</th><th>Item No.</th></tr><tr><td>white/gray stripes</td><td>568.60.907</td></tr></table>	Color	Item No.	white/gray stripes	568.60.907						
Color	Item No.										
white/gray stripes	568.60.907										
	<ul style="list-style-type: none">• With elastic band <p>Material: natural cotton, foam-backed</p> <p>Packing: 1 pc.</p>										
sleeve board, optional											
<ul style="list-style-type: none">• Retrofits easily to Ironfix™ built-in ironing board <p>Packing: 1 pc.</p>	<table><tr><th>Color</th><th>Item No.</th></tr><tr><td>white RAL 9016</td><td>568.61.700</td></tr></table>	Color	Item No.	white RAL 9016	568.61.700						
Color	Item No.										
white RAL 9016	568.61.700										
replacement heat-resistant sleeve board cover											
	<table><tr><th>Color</th><th>Item No.</th></tr><tr><td>white/gray stripes</td><td>568.60.916</td></tr></table>	Color	Item No.	white/gray stripes	568.60.916						
Color	Item No.										
white/gray stripes	568.60.916										
	<ul style="list-style-type: none">• With elastic band <p>Material: natural cotton, foam-backed</p> <p>Packing: 1 pc.</p>										

Specialized Solutions

jewelry tray



Color	Item No.
teal green	811.03.000
maroon	811.03.110
gray	811.03.504
royal blue	811.03.800

- Features a single, large compartment and nine small compartments, one especially designed for rings
- Dimensions (W x D x H): 584 x 356 x 50 mm (23" x 14" x 2")
 Material: nylon, felt
 Packing: 1 pc.

accessory tray



Color	Item No.
gray	811.03.513

- Features a single, long compartment and four small compartments
 - The four inch depth makes this tray ideal for storing belts, scarves, underwear, socks, watches and other accessories
- Dimensions (W x D x H): 584 x 356 x 100 mm (23" x 14" x 4")
 Material: nylon, felt
 Packing: 1 pc.

valet tray



Color	Item No.
brown/teal green	811.03.100

- Six compartments for storing coins, wallets, keys, pens, eyeglasses, watches, etc.
- Dimensions (W x D x H): 312 x 185 x 64 (12 1/4" x 7 1/4" x 2 1/2")
 Material: banded leather
 Interior: nylon velvet
 Packing: 1 pc.


felt cloth



Color	Item No.
teal green	811.05.000
maroon	811.05.110
gray	811.05.500
royal blue	811.05.800


- Self-adhesive
 - For lining drawers in wardrobes and closets
- Dimensions (W x D): 584 x 914 (23" x 36")
 Material: nylon, felt
 Packing: 1 roll

wardrobe lift




- Ergonomic handle
 - Reinforced T-bracket
 - Bumpers attached to add protection
 - Optional spacers included to provide distance between the back wall and the hangers
 - Weight capacity: 12 kg (26 lbs)
 - Height: 839 mm (33 1/16")
 - Wardrobe tubes: 22 mm diameters; adjustable width
- Material: Arms and pole: steel; Housing: plastic
Packing: 1 set (includes mounting hardware)

Finish/Color	For inside closets widths	Item No.
chrome-plated/ black	510 x 660 (20 1/16") x (26")	805.31.201
	660 x 890 (26") x (35 1/16")	805.31.202
	890 x 1210 (35 1/16") x (47 5/8")	805.31.203
powder-coat/ black	510 x 660 (20 1/16") x (26")	805.31.301
	660 x 890 (26") x (35 1/16")	805.31.302
	890 x 1210 (35 1/16") x (47 5/8")	805.31.303
matt nickel-plated/ black	510 x 660 (20 1/16") x (26")	805.31.601
	660 x 890 (26") x (35 1/16")	805.31.602
	890 x 1210 (35 1/16") x (47 5/8")	805.31.603



wardrobe lift - heavy capacity



Finish/Color	For inside closets widths	Item No.
chrome-plated/ black	890 x 1210 (35 1/16") x (47 5/8")	805.31.223
powder-coat/ black	890 x 1210 (35 1/16") x (47 5/8")	805.31.323
matt nickel-plated/ black	890 x 1210 (35 1/16") x (47 5/8")	805.31.623

- Reinforced T-bracket
 - Bumpers attached to add protection
 - Spacers included to provide optional distance between the back wall and the hangers
 - Weight capacity: 15 kg (33 lbs)
 - Height: 839 mm (33 1/16")
 - Wardrobe tubes: 22 mm diameter; Adjustable width
- Material: Arms and pole: steel; Housing: plastic
Packing: 1 set (includes mounting hardware)

steel rod

Pole length	chrome-plated	powder-coat/ black	matt nickel-plated/ black
1800 (70 7/8")	805.31.295	805.31.395	805.31.695
1524 (60")	805.31.296	805.31.396	805.31.696
1219 (48")	805.31.297	805.31.397	805.31.697

- For optional pole length of the 805.31.xxx wardrobe lifts
 - Poles can replace the handle pole
 - Two screw holes provided, one at each end for attachment to the clothes bar connector and the handle
 - Pole can be cut to size but hole must be redrilled for either the clothes bar connector or the handle
- Diameter: 16 mm (5/8")
Material: steel
*Packing: 200 pcs.

***Minimum order quantity is 1 piece.**

Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.



Specialized Solutions

xl slide & hinge system for panel attachment



- Fits into a 14" deep space
- Use with panels up to 60" in height and weighing up to 35 lbs.
- Adjustment screws allow maximum adjustability; cable tensioning adjustment is located at the front of slide
- 32 mm compatible
- Allows for the ability to pull out and rotate a panel
- Ideally suited for a mirror application; to be placed on a back panel that will match side panels of closet (mirror and panel supplied by customer)

pocket door slide with cables attached



Color


black

Item No.

408.25.335



Slide length: 13 3/8"
Slide travel: 9 1/16"
Material: steel, zinc-electroplated,
plastic
Cable: steel
Packing: 1 set (1 set = 1 panel)



pivot hinge



- Attaches to the XL pocket door slide allowing panels to be extracted and opened in the opposite way that pocket door systems normally open
- Material: steel
Packing: 1 pc. (2 required per panel)



M4 Screws, 6 mm


- Attaches pivot hinge to XL slide
- Material: steel
*Packing: 2,000 pcs.

Color

black

Item No.

408.24.399









Color

black

Item No.

020.46.059

bed lift, queen size		<div>Inside Cabinet Measurements:</div> <div>2145 mm vertical height84 7/16"</div> <div>460+ mm depth18"</div> <div>1584 mm width62 3/8"</div> <div><div>Color</div><div>Item No.</div></div> <div>black271.92.131</div>	
		 <div>Dimensions are internal cabinet dimensions.</div>	
<div><div><div>• Sturdy, torsion-free, tubular steel frame with concealed gas-filled struts</div><div>• Integral automatic foot folding mechanism extends the feet automatically</div><div>• Choice of toekick panel height from 75 - 95 mm</div><div>• Cabinet and bed box constructions require a wood thickness of 19 - 25 mm</div><div>• The gas filled pistons are designed to accompany a 19 mm (3/4") particle board front with a weight of approximately 100 lbs. and a mattress weighing up to 30 lbs. (The bed lift will not operate properly unless these two ratings are adhered to.)</div><div>• Bed must be secure against tipping; see safety bracket below</div></div><div>Note: For use with mattress 271.65.540, a minimum inside depth of 460 mm (18") is recommended</div><div>Material: steel, lacquer; Slats: wood, elm</div><div>Packing: 1 set (includes 3 bedding straps, safety brackets and mounting instructions)</div></div>			
spring mattress for folding beds		<div><div>Color</div><div>Item No.</div></div> <div>gray/white, striped271.65.540</div>	
		<div>Queen-size</div> <div>Dimensions (W x L x H): 60' x 80' x 7"</div> <div>Weight: 27 lbs.</div> <div>Cal. TB 603 Compliant</div> <div>Density: 45 lbs./cubic foot</div> <div>Fiber content: 100% Polyester</div> <div>Material: Mattress: foam; Coils: spring</div> <div>Packing: 1 pc.</div>	
additional "safe" safety brackets		<div><div>Item No.</div></div> <div>271.98.100</div>	
 			
<div>Material: steel, galvanized</div> <div>Packing: 2 pcs. (includes mounting bolts and Fisher S6R-60 wall anchors)</div>			

Specialized Solutions

fitting set for widthwise mounting




Set consists of:

- 1 pair foldaway fittings with pivot bearing and positioning bolt for gas pistons
- 2 pcs. safety stops
- 1 pc. safety lever with stop plate

Item No.
271.95.204



- Cabinet and bed box require 20 mm wood thickness
 - LGA quality certificate
 - Construct foldaway beds according to your own plan
- Packing: 1 set
(includes mounting material and instructions)



gas pistons



Bed Weight	Pushing Force	Item No.
40 kg. (88 lbs.)	400 N	271.99.122
50 kg. (110 lbs.)	500 N	271.99.140
60 kg. (132 lbs.)	600 N	271.99.168
70 kg. (154 lbs.)	700 N	271.99.186
80 kg. (176 lbs.)	800 N	271.99.202

- Pre-stressed with tightening strap
 - Tightening strap needed to install or remove piston from fitting set
- Packing: 1 pc. (2 pcs. required per bed)
(order separately according to bed weight)

angular feet



Color	Item No.
aluminum	271.95.361

- Support the opening bed
 - When opening the bed, the angular feet must be extracted, turned by 90° and retracted to the stop
- Material: steel, powder-coated
Packing: 1 pair







retaining straps for bedding



For Mattress Width	Item No.
up to 900 mm	271.87.920
up to 1200 mm	271.87.921
up to 1400 mm	271.87.922

- With contact closing
- Packing: 1 set (6 pcs.)

• For additional technical information, see The Complete Häfele catalog, page 1061

fitting set for lengthwise mounting		Set consists of: 1 pair foldaway fittings with pivot bearing and positioning bolt for gas pistons 2 pcs. safety stops																					
		Item No. 271.95.203																					
 <ul style="list-style-type: none">The cabinet and bed box require 20 mm wood thicknessLGA quality certificateConstruct foldaway beds according to your own plan Packing: 1 set (includes mounting material and instructions)																							
gas pistons		<table><tr><th>Bed Weight</th><th>Pushing Force</th><th>Item No.</th></tr><tr><td>50 kg. (110 lbs.)</td><td>900 N</td><td>271.99.220</td></tr><tr><td>60 kg. (132 lbs.)</td><td>1100 N</td><td>271.99.266</td></tr><tr><td>70 kg. (154 lbs.)</td><td>1300 N</td><td>271.99.300</td></tr><tr><td>80 kg. (176 lbs.)</td><td>1500 N</td><td>271.99.346</td></tr><tr><td>90 kg. (198 lbs.)</td><td>1700 N</td><td>271.99.382</td></tr><tr><td>100 kg. (220 lbs.)</td><td>1900 N</td><td>271.99.410</td></tr></table>	Bed Weight	Pushing Force	Item No.	50 kg. (110 lbs.)	900 N	271.99.220	60 kg. (132 lbs.)	1100 N	271.99.266	70 kg. (154 lbs.)	1300 N	271.99.300	80 kg. (176 lbs.)	1500 N	271.99.346	90 kg. (198 lbs.)	1700 N	271.99.382	100 kg. (220 lbs.)	1900 N	271.99.410
Bed Weight	Pushing Force	Item No.																					
50 kg. (110 lbs.)	900 N	271.99.220																					
60 kg. (132 lbs.)	1100 N	271.99.266																					
70 kg. (154 lbs.)	1300 N	271.99.300																					
80 kg. (176 lbs.)	1500 N	271.99.346																					
90 kg. (198 lbs.)	1700 N	271.99.382																					
100 kg. (220 lbs.)	1900 N	271.99.410																					
		<ul style="list-style-type: none">Pre-stressed with tightening strapTightening strap needed to install or remove piston from fitting set Packing: 1 pc. (2 pcs. required per bed) (order separately according to bed weight)																					
angular feet		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>aluminum</td><td>271.95.361</td></tr></table>	Finish	Item No.	aluminum	271.95.361																	
Finish	Item No.																						
aluminum	271.95.361																						
		<ul style="list-style-type: none">Support the opening bedWhen opening the bed, the angular feet must be extracted, turned by 90° and retracted to the stop Material: steel, powder-coated Packing: 1 pair																					
retaining straps for bedding		<table><tr><th>For Mattress Width</th><th>Item No.</th></tr><tr><td>up to 900 mm</td><td>271.87.920</td></tr><tr><td>up to 1200 mm</td><td>271.87.921</td></tr><tr><td>up to 1400 mm</td><td>271.87.922</td></tr><tr><td>up to 1900 mm</td><td>271.87.923</td></tr></table>	For Mattress Width	Item No.	up to 900 mm	271.87.920	up to 1200 mm	271.87.921	up to 1400 mm	271.87.922	up to 1900 mm	271.87.923											
For Mattress Width	Item No.																						
up to 900 mm	271.87.920																						
up to 1200 mm	271.87.921																						
up to 1400 mm	271.87.922																						
up to 1900 mm	271.87.923																						
		<ul style="list-style-type: none">With contact closing Packing: 1 set (6 pcs.)																					

• For additional technical information, see The Complete Häfele catalog, page 1062

Omni Track Storage Solutions

Omni Track offers a storage solution that looks great anywhere in the home – from garage to laundry room – with a smart combination of high-tech design, handsome anodized finish and a versatile selection of track configurations and hangers. Refer to pages 39–46 for Omni Track storage solution items.



Garden Tool Hooks
Page 41




Activity Hooks
Page 42



Paper Organizer
Page 44











Single Hooks
Page 44



Basket Hooks
Page 44



Storage Bins
Page 45



wall track		<table><tr><td>Finish</td><td>Item No.</td></tr><tr><td>matt aluminum</td><td>792.00.000</td></tr></table>		Finish	Item No.	matt aluminum	792.00.000					
Finish	Item No.											
matt aluminum	792.00.000											
<div></div>		<div></div>										
<div><ul style="list-style-type: none">For organization of hooks, bins, and basketsUsed alone or configure into a panel by seamlessly overlapping the tracksCut with circular saw with a non-ferrous bladeAttach with pan head screws, (below)Material: aluminum *Packing: 6 pcs.</div>												
edge profile		<table><tr><td>Color</td><td>Item No.</td></tr><tr><td>black</td><td>792.00.320</td></tr></table>		Color	Item No.	black	792.00.320					
Color	Item No.											
black	792.00.320											
<div></div>		<div><ul style="list-style-type: none">Covers the ends of one piece of wall trackCannot be used on tracks that overlap above or below each otherAttached dowels slide into the end of the trackMaterial: plastic *Packing: 100 sets</div>										
edge profile		<table><tr><td>Finish</td><td>Item No.</td></tr><tr><td>matt aluminum</td><td>792.01.000</td></tr></table>		Finish	Item No.	matt aluminum	792.01.000					
Finish	Item No.											
matt aluminum	792.01.000											
<div></div>		<div><ul style="list-style-type: none">Covers the ends of the wall trackAttaches with mounting tape (below)Cut with circular saw with a non-ferrous bladeMaterial: aluminum *Packing: 24 pcs.</div>										
mounting tape		screw, pan head, phillips drive										
<div><ul style="list-style-type: none">Cures in 72 hours at 68–72°Material: acrylic*Packing: 10 rolls</div>	<div><ul style="list-style-type: none">Screw heads are painted gray to match wall trackMaterial: steel; Color: gray*Packing: 1000 pcs.</div>											
<table><tr><td>Size</td><td>Item No.</td></tr><tr><td>12 mm x 16 m (1/2" x 54')</td><td>792.01.995</td></tr></table>	Size	Item No.	12 mm x 16 m (1/2" x 54')	792.01.995	<table><tr><td>Size</td><td>Item No.</td></tr><tr><td>#10 x 2</td><td>792.01.990</td></tr></table>		Size	Item No.	#10 x 2	792.01.990		
Size	Item No.											
12 mm x 16 m (1/2" x 54')	792.01.995											
Size	Item No.											
#10 x 2	792.01.990											
nail												
<div><ul style="list-style-type: none">A temporary means to position the wall trackOnce position is determined, locate studs and drill a 5 mm (3/16'') hole in the top and bottom channel of track, secure with screws (792.01.990)Material: Body: steel; Color: black Head: brass</div>												
<table><tr><td>Size</td><td>Item No.</td><td>Packing</td></tr><tr><td>1.4 x 30 mm (1/16" x 1 3/16")</td><td>792.01.997</td><td>1 bag (500 pcs.)</td></tr><tr><td></td><td>792.01.998</td><td>1 bag (50 pcs.)</td></tr></table>		Size	Item No.	Packing	1.4 x 30 mm (1/16" x 1 3/16")	792.01.997	1 bag (500 pcs.)		792.01.998	1 bag (50 pcs.)		
Size	Item No.	Packing										
1.4 x 30 mm (1/16" x 1 3/16")	792.01.997	1 bag (500 pcs.)										
	792.01.998	1 bag (50 pcs.)										




***Minimum order quantity is 1 piece/roll/set.**




Dimensions in mm. Inches are approximate.




Dimensional data not binding. We reserve the right to alter specifications without notice.









Omni Track Storage Solutions

track joiner		<table><tr><td>Color</td><td>Item No.</td></tr><tr><td>black</td><td>271.95.204</td></tr></table>	Color	Item No.	black	271.95.204
Color	Item No.					
black	271.95.204					
	<ul style="list-style-type: none">Connects and aligns two pieces of wall track (see page 39) together horizontallyInsert two connectors into the square holes on the end of one track and slide the two tracks together <p>Material: plastic *Packing: 300 pcs.</p>					

shelf stiffener		<table><tr><td>Finish</td><td>Size</td><td>Item No.</td></tr><tr><td>matt aluminum</td><td>2438 mm (96")</td><td>792.01.030</td></tr></table>	Finish	Size	Item No.	matt aluminum	2438 mm (96")	792.01.030
Finish	Size	Item No.						
matt aluminum	2438 mm (96")	792.01.030						
								
<ul style="list-style-type: none">Applies to the edge of 19 mm (3/4") panel for added strength and protection of edgesAttaches to the panel by tapping on with a rubber mallet <p>Material: aluminum *Packing: 8 pcs.</p>								

extruded handle		<table><tr><td>Finish</td><td>Size</td><td>Item No.</td></tr><tr><td>matt aluminum</td><td>2438 mm (96")</td><td>792.01.060</td></tr></table>	Finish	Size	Item No.	matt aluminum	2438 mm (96")	792.01.060
Finish	Size	Item No.						
matt aluminum	2438 mm (96")	792.01.060						
								
<ul style="list-style-type: none">Applies to the edge of a 19 mm (3/4") doorAttaches to the door by tapping on with a rubber mallet <p>Material: aluminum *Packing: 8 pcs.</p>								

bar handle		<table><tr><td>A</td><td>C</td><td>Item No.</td></tr><tr><td>188 mm (7 7/16")</td><td>160 mm (6 5/16")</td><td>111.95.063</td></tr><tr><td>412 mm (16 1/4")</td><td>384 mm (15 1/8")</td><td>111.95.069</td></tr></table>	A	C	Item No.	188 mm (7 7/16")	160 mm (6 5/16")	111.95.063	412 mm (16 1/4")	384 mm (15 1/8")	111.95.069
A	C	Item No.									
188 mm (7 7/16")	160 mm (6 5/16")	111.95.063									
412 mm (16 1/4")	384 mm (15 1/8")	111.95.069									
 											
<p>Material: Center: aluminum matt; Ends: zinc; Color: black *Packing: 24 pcs.</p>											









utility hook, heavy duty	<table> <tr> <th>Finish/Color</th><th>Item No.</th></tr> <tr> <td>matt aluminum/black</td><td>792.02.203</td></tr> </table>	Finish/Color	Item No.	matt aluminum/black	792.02.203
Finish/Color	Item No.				
matt aluminum/black	792.02.203				
 <ul style="list-style-type: none"> • For general use • Dimensions (L x H x W): 148 mm x 128 mm x 71 mm (5 13/16" x 5 1/16" x 2 13/16") • Cover cap sold separately, refer to page 42 Material: steel, rubber-coated *Packing: 6 pcs. 					
garden tool hook, heavy duty	<table> <tr> <th>Finish/Color</th><th>Item No.</th></tr> <tr> <td>matt aluminum/black</td><td>792.02.200</td></tr> </table>	Finish/Color	Item No.	matt aluminum/black	792.02.200
Finish/Color	Item No.				
matt aluminum/black	792.02.200				
 <ul style="list-style-type: none"> • Holds multiple long handle garden tools • Dimensions (L x H x W): 235 mm x 109 mm x 58 mm (9 1/4" x 4 5/16" x 2 5/16") • Cover cap sold separately, refer to page 42 Material: steel, rubber-coated *Packing: 6 pcs. 					
hose hook, heavy duty	<table> <tr> <th>Finish/Color</th><th>Item No.</th></tr> <tr> <td>matt aluminum/black</td><td>792.02.202</td></tr> </table>	Finish/Color	Item No.	matt aluminum/black	792.02.202
Finish/Color	Item No.				
matt aluminum/black	792.02.202				
 <ul style="list-style-type: none"> • Stores garden hoses, ropes and extension cords • Dimensions (L x H x W): 189 mm x 274 mm x 275 mm (7 7/16" x 10 13/16" x 10 13/16") • Cover cap sold separately, refer to page 42 Material: steel, rubber-coated *Packing: 6 pcs. 					
16" utility hook, heavy duty	<table> <tr> <th>Finish/Color</th><th>Item No.</th></tr> <tr> <td>matt aluminum/black</td><td>792.02.005</td></tr> </table>	Finish/Color	Item No.	matt aluminum/black	792.02.005
Finish/Color	Item No.				
matt aluminum/black	792.02.005				
 <ul style="list-style-type: none"> • Horizontal storage for bikes; use two hooks for long length items • Dimensions (L x H x W): 404 mm x 411 mm x 209 mm (15 15/16" x 16 13/16" x 8 1/4") • Cover cap sold separately, refer to page 42 Material: steel, rubber-coated *Packing: 6 pcs. 					

***Minimum order quantity is 1 piece.**

Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.









Omni Track Storage Solutions

bike hook, heavy duty		<div>Finish/Color</div> <div>matt aluminum/black</div> <div>Item No.</div> <div>792.02.201</div>
	<ul style="list-style-type: none"> For vertical storage of one bike Dimensions (L x H x W): 142 mm x 125 mm x 86 mm (5 9/16" x 4 15/16" x 3 1/2") Cover cap sold separately, see below Material: steel, rubber-coated *Packing: 6 pcs. 	
fishing rod hook		<div>Finish/Color</div> <div>matt aluminum/black</div> <div>Item No.</div> <div>792.02.006</div>
	<ul style="list-style-type: none"> For vertical storage of one fishing rod Dimensions (L x H x W): 128 mm x 388 mm x 71 mm (5" x 15 1/4" x 2 13/16") Cover cap sold separately, see below Material: steel, rubber-coated *Packing: 6 pcs. 	
activity hook, heavy duty		<div>Finish/Color</div> <div>matt aluminum/black</div> <div>Item No.</div> <div>792.02.004</div>
	<ul style="list-style-type: none"> Stores skis, snowboards, baseball bats, lacrosse sticks, rackets, etc. Dimensions (L x H x W): 240 mm x 322 mm x 76 mm (9 1/2" x 12 11/16" x 3") Cover cap sold separately, see below Material: steel, rubber-coated *Packing: 6 pcs. 	
cover cap, for heavy duty hooks		<div>Color</div> <div>black</div> <div>Item No.</div> <div>792.02.349</div>
	<ul style="list-style-type: none"> For use on garden hook, bike hook, hose hook, utility hook, activity hook, 16" utility hook, and fishing rod hook Material: plastic *Packing: 300 pcs. 	

*Minimum order quantity is 1 piece.

Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.









hand tool hook		<table><tr><th>Finish/Color</th><th>Item No.</th></tr><tr><td>matt aluminum/black</td><td>792.02.255</td></tr></table>	Finish/Color	Item No.	matt aluminum/black	792.02.255
Finish/Color	Item No.					
matt aluminum/black	792.02.255					
	<ul style="list-style-type: none">Organizes hammers and other small hand toolsDimensions (L x H x W): 129 mm x 49 mm x 66 mm (5 1/8" x 1 15/16" x 2 5/8")Cover cap sold separately, refer to page 44Material: steel, rubber-coated*Packing: 12 pcs.					
screwdriver hook		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>matt aluminum</td><td>792.02.252</td></tr></table>	Finish	Item No.	matt aluminum	792.02.252
Finish	Item No.					
matt aluminum	792.02.252					
	<ul style="list-style-type: none">Organizes two screwdrivers and other small itemsDimensions (L x H x W): 40 mm x 81 mm x 68 mm (1 9/16" x 3 3/16" x 2 11/16")Cover cap sold separately, refer to page 44Material: steel*Packing: 24 pcs.					
wrench hook, heavy duty		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>matt aluminum</td><td>792.02.251</td></tr></table>	Finish	Item No.	matt aluminum	792.02.251
Finish	Item No.					
matt aluminum	792.02.251					
	<ul style="list-style-type: none">Organizes two wrenches and other small itemsDimensions (L x H x W): 35 mm x 52 mm x 54 mm (1 3/8" x 2" x 2 1/8")Cover cap sold separately, refer to page 44Material: steel*Packing: 24 pcs.					
pliers hook		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>matt aluminum</td><td>792.02.250</td></tr></table>	Finish	Item No.	matt aluminum	792.02.250
Finish	Item No.					
matt aluminum	792.02.250					
	<ul style="list-style-type: none">Organizes pliers and other small itemsDimensions (L x H x W): 33 mm x 52 mm x 63 mm (1 5/16" x 2" x 2 7/16")Cover cap sold separately, refer to page 44Material: steel*Packing: 24 pcs.					

***Minimum order quantity is 1 piece.**

Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Omni Track Storage Solutions

single hook		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>matt aluminum</td><td>792.02.253</td></tr></table>	Finish	Item No.	matt aluminum	792.02.253
Finish	Item No.					
matt aluminum	792.02.253					
	<ul style="list-style-type: none">For general useDimensions (L x H x W): 137 mm x 47 mm x 38 mm (5 3/8" x 1 13/16" x 1 1/2")Cover cap sold separately, see below Material: steel *Packing: 12 pcs.					
basket hook		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>matt aluminum</td><td>792.02.007</td></tr></table>	Finish	Item No.	matt aluminum	792.02.007
Finish	Item No.					
matt aluminum	792.02.007					
	<ul style="list-style-type: none">For use with baskets, 547.XX.XXX (refer to The Complete Häfele, page 1033)Dimensions (L x H x W): 22 mm x 90 mm x 38 mm (7/8" x 3 1/2" x 1 1/2")Cover cap sold separately, see below Material: steel *Packing: 24 pcs.					
paper organizer		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>matt aluminum</td><td>792.02.254</td></tr></table>	Finish	Item No.	matt aluminum	792.02.254
Finish	Item No.					
matt aluminum	792.02.254					
	<ul style="list-style-type: none">Organize rolls of paper towels or wrapping paperDimensions (L x H x W): 159 mm x 143 mm x 119 mm (6 1/4" x 5 5/8" x 4 11/16") (one side)Cover cap sold separately, see below Material: steel *Packing: 6 sets					
cover cap, for small base plate hooks		<table><tr><th>Color</th><th>Item No.</th></tr><tr><td>black</td><td>792.02.399</td></tr></table>	Color	Item No.	black	792.02.399
Color	Item No.					
black	792.02.399					
	<ul style="list-style-type: none">For use on hand tool hook, pliers hook, wrench hook, screwdriver hook, basket hook, single hook, and paper organizer hook Material: plastic *Packing: 300 pcs.					

*Minimum order quantity is 1 piece/set.

Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.

storage bin		A x B	C	Item No.	*Packing
		133 x 108 mm (5 1/4" x 4 1/4")	3"	792.02.380	24 pcs.
		184 x 108 mm (7 1/4" x 4 1/4")	3"	792.02.381	24 pcs.
		273 x 140 mm (10 3/4" x 5 1/2")	5"	792.02.382	12 pcs.
 <ul style="list-style-type: none"> Slot on bin fronts allow for applying of labels Hook onto wall track, 792.00.000 (see page 39) <p>Material: plastic; Color: black</p>					

leveler, adjustable		Height	Item No.	*Packing
		90 mm (3 1/2")	792.01.080	12 pcs.
		152 mm (6")	792.01.081	12 pcs.
		228 mm (9")	792.01.082	10 pcs.
<ul style="list-style-type: none"> Offers customization and flexibility for quick installation Fluted aluminum tube is strong and non-corrosive in damp conditions Static load rating: 160 kg (350 lbs.) per leg Tube is easy to cut for custom lengths (saw blade for cutting non-ferrous metals recommended) Adjustable foot is pre-inserted in tube Offers + 25 mm (1") of adjustment Press fit tube onto surface-mounted base plate Base plate can be mounted and used as a glide during production <p>Material: Tube: aluminum matt Base plate/adjustable foot: plastic; Color: black</p>				

***Minimum order quantity is 1 piece.**

Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.



Flipworks® Media Storage Solutions

drawer system tray kit




- Front track installs at front of drawer and supports and aligns trays
 - Trays slide easily side to side to adjust for media width variations
 - Stylish satin nickel rods provide side support and align cases
 - Back support adjusts easily to store and access
- Material: Tray: plastic; Color: bronze
Back Support: plastic; Color: bronze/black
Track: plastic; Color: black
Rod: steel; Finish: nickel
- Packing: 1 set (includes 1 tray, 1 back support, 1 rod, 12" track and mounting instructions)

Tray Size	Depth	CD	DVD	VHS	Slim	Item No.
12.5"	328 mm (12 15/16")	18	14	8	36	810.48.111
14.5"	378 mm (14 7/8")	22	18	10	44	810.48.112
16.5"	428 mm (16 7/8")	26	21	12	52	810.48.113





drawer system rail kit



- Front track installs at front of drawer and supports and aligns rails
 - Rails slide easily side to side to adjust for media width variations
 - Depth (cut-to-fit): 16 3/16"
- Material: Rails: plastic; Color: black
Back Support: plastic; Color: bronze
Track: plastic; Color: black
- Packing: 1 set (includes rails, back supports, track and mounting instructions)

Row	CD	DVD	VHS	Slim	Item No.
1	27	21	12	54	810.48.101
2	54	42	24	108	810.48.102
3	81	63	36	162	810.48.103





EKU-Divido



- A simplified easy to assemble system
- Perfect for residential or commercial applications
- Available for wood or aluminum framed doors
- Height adjustable
- Create a walk-in closet, an office area, conference room, etc.





- For complete information on Divido systems for wood and glass, see The Complete Häfele Architectural catalog



Corbels and Ornaments

	 <p>Technical drawing showing dimensions for the corbel:</p> <ul style="list-style-type: none">Top width: 9"Side profile height: 12"Top flange thickness: 2 7/8"Flange depth: 2 3/4"Stem height: 7 1/2"	Hand carved
Wood species	Item No.	
maple	198.04.130	
oak	198.04.430	
Packing: 1 pc.		

		<table><tr><th>Wood species</th><th>Item No.</th></tr><tr><td>pine</td><td>194.69.002</td></tr><tr><td>maple</td><td>194.69.102</td></tr></table> <p>Packing: 1 pc.</p>	Wood species	Item No.	pine	194.69.002	maple	194.69.102
Wood species	Item No.							
pine	194.69.002							
maple	194.69.102							

		<table><tr><th>Wood species</th><th>Item No.</th></tr><tr><td>maple</td><td>194.75.112</td></tr></table> <p>*Packing: 25 pcs.</p>	Wood species	Item No.	maple	194.75.112
Wood species	Item No.					
maple	194.75.112					

	<p>Turned, 2 1/2" x 1/4"</p> <table border="1"> <thead> <tr> <th>Wood species</th><th>Item No.</th></tr> </thead> <tbody> <tr> <td>maple</td><td>194.78.129</td></tr> </tbody> </table> <p>*Packing: 25 pcs.</p>	Wood species	Item No.	maple	194.78.129
Wood species	Item No.				
maple	194.78.129				











		<p>Carved</p> <table><tr><th>Wood species</th><th>Item No.</th></tr><tr><td>maple</td><td>194.78.152</td></tr></table> <p>*Packing: 10 pcs.</p>	Wood species	Item No.	maple	194.78.152
Wood species	Item No.					
maple	194.78.152					

***Minimum order quantity is 1 piece.**

Dimensions in mm.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Wood Moulding


	<p>1 1/16" x 3/8" x 96" long</p> <table border="1"> <thead> <tr> <th>Wood species</th><th>Item No.</th></tr> </thead> <tbody> <tr> <td>maple</td><td>194.79.105</td></tr> </tbody> </table> <p>*Packing: 10 pcs.</p> 	Wood species	Item No.	maple	194.79.105
Wood species	Item No.				
maple	194.79.105				
	<p>3/4" x 1 1/32" x 96" long</p> <table border="1"> <thead> <tr> <th>Wood species</th><th>Item No.</th></tr> </thead> <tbody> <tr> <td>cherry</td><td>194.79.620</td></tr> </tbody> </table> <p>*Packing: 10 pcs.</p> 	Wood species	Item No.	cherry	194.79.620
Wood species	Item No.				
cherry	194.79.620				
	<p>5/8" x 7/16" x 96" long</p> <table border="1"> <thead> <tr> <th>Wood species</th><th>Item No.</th></tr> </thead> <tbody> <tr> <td>maple</td><td>194.79.134</td></tr> </tbody> </table> <p>*Packing: 10 pcs.</p> 	Wood species	Item No.	maple	194.79.134
Wood species	Item No.				
maple	194.79.134				
	<p>1/2" x 1/4" x 96" long</p> <table border="1"> <thead> <tr> <th>Wood species</th><th>Item No.</th></tr> </thead> <tbody> <tr> <td>maple</td><td>194.79.128</td></tr> </tbody> </table> <p>*Packing: 10 pcs.</p> 	Wood species	Item No.	maple	194.79.128
Wood species	Item No.				
maple	194.79.128				
	 <p>Radius with Moulding Allows for creative details in cabinets.</p> <p>1/2" x 1/4" x 2 13/16" long; 1 3/4" radius</p> <table border="1"> <thead> <tr> <th>Wood species</th><th>Item No.</th></tr> </thead> <tbody> <tr> <td>maple</td><td>194.79.129</td></tr> </tbody> </table> <p>*Packing: 10 pcs.</p>	Wood species	Item No.	maple	194.79.129
Wood species	Item No.				
maple	194.79.129				

***Minimum order quantity is 1 piece.**

Dimensions in mm.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Stainless Steel Look / Brushed / Satin Nickel Finishes

	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>brushed nickel</td><td>116.07.024</td></tr></table> <p>*Packing: 50 pcs. (includes mounting screws)</p> 	Finish	Item No.	brushed nickel	116.07.024																
Finish	Item No.																				
brushed nickel	116.07.024																				
	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>brushed nickel</td><td>109.72.601</td></tr></table> <p>*Packing: 25 pcs.</p> 	Finish	Item No.	brushed nickel	109.72.601																
Finish	Item No.																				
brushed nickel	109.72.601																				
	<p>Finish: stainless steel look</p> <table><tr><th>A x B</th><th>C</th><th>*Packing</th><th>Item No.</th></tr><tr><td>136 x 35</td><td>96</td><td>20 pcs.</td><td>101.20.729</td></tr><tr><td>168 x 35</td><td>128</td><td>20 pcs.</td><td>101.20.720</td></tr><tr><td>376 x 35</td><td>306</td><td>10 pcs.</td><td>101.20.723</td></tr><tr><td>828 x 35</td><td>758</td><td>5 pcs.</td><td>101.20.727</td></tr></table> <p>(includes mounting screws)</p> 	A x B	C	*Packing	Item No.	136 x 35	96	20 pcs.	101.20.729	168 x 35	128	20 pcs.	101.20.720	376 x 35	306	10 pcs.	101.20.723	828 x 35	758	5 pcs.	101.20.727
A x B	C	*Packing	Item No.																		
136 x 35	96	20 pcs.	101.20.729																		
168 x 35	128	20 pcs.	101.20.720																		
376 x 35	306	10 pcs.	101.20.723																		
828 x 35	758	5 pcs.	101.20.727																		
	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>stainless steel look</td><td>107.39.603</td></tr></table> <p>*Packing: 25 pcs.</p> 	Finish	Item No.	stainless steel look	107.39.603																
Finish	Item No.																				
stainless steel look	107.39.603																				
	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>stainless steel look</td><td>117.95.630</td></tr></table> <p>*Packing: 25 pcs.</p> 	Finish	Item No.	stainless steel look	117.95.630																
Finish	Item No.																				
stainless steel look	117.95.630																				

*Minimum order quantity is 1 piece.

Dimensions in mm.

Dimensional data not binding. We reserve the right to alter specifications without notice.





8-32 screws



Page 91

M4 screws

Page 91



Stainless Steel Look / Brushed / Satin Nickel Finishes

		Finish		Item No.
		stainless steel look		136.94.600
		*Packing: 25 pcs.		

		Finish	Item No.
		stainless steel look	134.45.602
		*Packing: 25 pcs.	

	Finish	Item No.
	stainless steel look	104.08.000
		*Packing: 25 pcs.
		

	Finish	Item No.
	stainless steel look	104.84.601
		*Packing: 25 pcs.
		

	Finish	Item No.
	brushed nickel	103.84.004
		*Packing: 25 pcs.
		













8-32 screws

Page 91

M4 screws

Page 91

Stainless Steel Look / Brushed / Satin Nickel Finishes

		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>brushed nickel</td><td>133.79.051</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	brushed nickel	133.79.051								
Finish	Item No.													
brushed nickel	133.79.051													
	<table><tr><th>Finish</th><th>A x B</th><th>C</th><th>Item No.</th></tr><tr><td>brushed nickel</td><td>111 x 15</td><td>96</td><td>125.68.051</td></tr><tr><td>brushed nickel</td><td>140 x 18</td><td>128</td><td>125.68.052</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	A x B	C	Item No.	brushed nickel	111 x 15	96	125.68.051	brushed nickel	140 x 18	128	125.68.052	
Finish	A x B	C	Item No.											
brushed nickel	111 x 15	96	125.68.051											
brushed nickel	140 x 18	128	125.68.052											
	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>brushed nickel</td><td>109.74.601</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	brushed nickel	109.74.601									
Finish	Item No.													
brushed nickel	109.74.601													
	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>brushed nickel</td><td>103.84.003</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	brushed nickel	103.84.003									
Finish	Item No.													
brushed nickel	103.84.003													
	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>brushed nickel</td><td>116.39.651</td></tr></table> <p>*Packing: 50 pcs.</p>	Finish	Item No.	brushed nickel	116.39.651									
Finish	Item No.													
brushed nickel	116.39.651													

***Minimum order quantity is 1 piece.**
 Dimensions in mm.
 Dimensional data not binding. We reserve the right to alter specifications without notice.



Stainless Steel Look / Brushed / Satin Nickel Finishes

		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>brushed nickel</td><td>134.43.601</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	brushed nickel	134.43.601
Finish	Item No.					
brushed nickel	134.43.601					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>brushed nickel-hollow</td><td>134.41.001</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	brushed nickel-hollow	134.41.001
Finish	Item No.					
brushed nickel-hollow	134.41.001					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>brushed nickel-hollow</td><td>134.46.609</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	brushed nickel-hollow	134.46.609
Finish	Item No.					
brushed nickel-hollow	134.46.609					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>brushed nickel</td><td>134.42.414</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	brushed nickel	134.42.414
Finish	Item No.					
brushed nickel	134.42.414					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>stainless steel look</td><td>137.42.606</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	stainless steel look	137.42.606
Finish	Item No.					
stainless steel look	137.42.606					
	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>stainless steel look</td><td>121.88.662</td></tr></table> <p>*Packing: 25 pcs.</p> 	Finish	Item No.	stainless steel look	121.88.662	
Finish	Item No.					
stainless steel look	121.88.662					



8-32 screws

Page 91



M4 screws











Page 91

***Minimum order quantity is 1 piece.**

Dimensions in mm.

Dimensional data not binding. We reserve the right to alter specifications without notice.



Matt Nickel Finishes

		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>matt nickel</td><td>134.41.601</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	matt nickel	134.41.601
Finish	Item No.					
matt nickel	134.41.601					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>matt nickel</td><td>134.45.600</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	matt nickel	134.45.600
Finish	Item No.					
matt nickel	134.45.600					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>matt nickel</td><td>134.43.604</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	matt nickel	134.43.604
Finish	Item No.					
matt nickel	134.43.604					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>matt nickel</td><td>104.35.600</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	matt nickel	104.35.600
Finish	Item No.					
matt nickel	104.35.600					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>matt nickel</td><td>104.37.600</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	matt nickel	104.37.600
Finish	Item No.					
matt nickel	104.37.600					

***Minimum order quantity is 1 piece.**
 Dimensions in mm.
 Dimensional data not binding. We reserve the right to alter specifications without notice.



Matt Nickel Finishes

		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>nickel-plated matt</td><td>136.76.607</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	nickel-plated matt	136.76.607
Finish	Item No.					
nickel-plated matt	136.76.607					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>nickel-plated matt</td><td>104.33.600</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	nickel-plated matt	104.33.600
Finish	Item No.					
nickel-plated matt	104.33.600					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>matt nickel</td><td>116.09.617</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	matt nickel	116.09.617
Finish	Item No.					
matt nickel	116.09.617					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>nickel-plated matt</td><td>116.22.638</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	nickel-plated matt	116.22.638
Finish	Item No.					
nickel-plated matt	116.22.638					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>nickel-plated matt</td><td>117.14.620</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	nickel-plated matt	117.14.620
Finish	Item No.					
nickel-plated matt	117.14.620					



M4 screws

Page 91

Matt Nickel Finishes

	<table><tr><th>Finish</th><th>A x B</th><th>C</th><th>Item No.</th></tr><tr><td>nickel-plated matt</td><td>115 x 30</td><td>96</td><td>117.31.623</td></tr><tr><td>nickel-plated matt</td><td>153 x 30</td><td>128</td><td>117.31.632</td></tr></table> <p>*Packing: 25 pcs.</p> 	Finish	A x B	C	Item No.	nickel-plated matt	115 x 30	96	117.31.623	nickel-plated matt	153 x 30	128	117.31.632
Finish	A x B	C	Item No.										
nickel-plated matt	115 x 30	96	117.31.623										
nickel-plated matt	153 x 30	128	117.31.632										
	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>nickel-plated matt</td><td>116.07.622</td></tr></table> <p>*Packing: 25 pcs.</p> 	Finish	Item No.	nickel-plated matt	116.07.622								
Finish	Item No.												
nickel-plated matt	116.07.622												
	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>matt nickel</td><td>116.07.624</td></tr></table> <p>*Packing: 50 pcs.</p> 	Finish	Item No.	matt nickel	116.07.624								
Finish	Item No.												
matt nickel	116.07.624												
	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>nickel-plated matt</td><td>102.59.622</td></tr></table> <p>*Packing: 25 pcs.</p> 	Finish	Item No.	nickel-plated matt	102.59.622								
Finish	Item No.												
nickel-plated matt	102.59.622												
	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>nickel-plated matt</td><td>104.09.600</td></tr></table> <p>*Packing: 25 pcs.</p> 	Finish	Item No.	nickel-plated matt	104.09.600								
Finish	Item No.												
nickel-plated matt	104.09.600												

***Minimum order quantity is 1 piece.**

Dimensions in mm.

Dimensional data not binding. We reserve the right to alter specifications without notice.





8-32 screws

Page 91

M4 screws

Page 91


Polished Chrome Finishes


	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>polished chrome</td><td>116.07.224</td></tr></table>	Finish	Item No.	polished chrome	116.07.224
	Finish	Item No.			
	polished chrome	116.07.224			
*Packing: 50 pcs. (includes mounting screws)					
					

	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>polished chrome</td><td>121.88.260</td></tr><tr><td colspan="2">*Packing: 25 pcs.</td></tr></table>	Finish	Item No.	polished chrome	121.88.260	*Packing: 25 pcs.	
	Finish	Item No.					
	polished chrome	121.88.260					
*Packing: 25 pcs.							
							

	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>polished chrome</td><td>116.39.259</td></tr></table>	Finish	Item No.	polished chrome	116.39.259
	Finish	Item No.			
polished chrome	116.39.259				
	*Packing: 50 pcs.				
					

	<table><tr><th>Finish</th><th>A x B</th><th>C</th><th>Item No.</th></tr><tr><td>chrome polished</td><td>115 x 30</td><td>96</td><td>117.31.221</td></tr><tr><td>chrome polished</td><td>153 x 30</td><td>128</td><td>117.31.230</td></tr></table>	Finish	A x B	C	Item No.	chrome polished	115 x 30	96	117.31.221	chrome polished	153 x 30	128	117.31.230
	Finish	A x B	C	Item No.									
chrome polished	115 x 30	96	117.31.221										
chrome polished	153 x 30	128	117.31.230										
	<p>*Packing: 25 pcs.</p> 												

	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>chrome polished</td><td>116.22.236</td></tr></table>	Finish	Item No.	chrome polished	116.22.236
	Finish	Item No.			
	chrome polished	116.22.236			
*Packing: 25 pcs.					






8-32 screws

Page 91

M4 screws


Page 91

Polished Chrome Finishes



Finish	A x B	C	Item No.
polished chrome	84 x 30	62	116.07.217
polished chrome	110 x 30	102	116.07.227

*Packing: 50 pcs. (includes 8-32 x 25 mounting screws)





Finish	A x B	C	Item No.
chrome-plated polished	84 x 30	76	116.39.231
chrome-plated polished	102 x 30	102	116.39.268

*Packing: 50 pcs. (includes 8-32 x 25 mounting screws)





Finish	Item No.
chrome-plated polished	116.07.220

*Packing: 25 pcs.





Finish	Item No.
chrome-plated polished	116.09.215



*Packing: 25 pcs.



***Minimum order quantity is 1 piece.**
Dimensions in mm.
Dimensional data not binding. We reserve the right to alter specifications without notice.









	8-32 screws	Page 91
	M4 screws	Page 91

Polished Chrome Finishes

		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>polished chrome - hollow</td><td>134.41.201</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	polished chrome - hollow	134.41.201
Finish	Item No.					
polished chrome - hollow	134.41.201					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>polished chrome</td><td>134.43.201</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	polished chrome	134.43.201
Finish	Item No.					
polished chrome	134.43.201					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>polished chrome - hollow</td><td>134.46.207</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	polished chrome - hollow	134.46.207
Finish	Item No.					
polished chrome - hollow	134.46.207					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>polished chrome</td><td>134.45.200</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	polished chrome	134.45.200
Finish	Item No.					
polished chrome	134.45.200					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>polished chrome</td><td>134.42.218</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	polished chrome	134.42.218
Finish	Item No.					
polished chrome	134.42.218					



Matt Chrome Finishes



		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>matt chrome - hollow</td><td>134.41.401</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	matt chrome - hollow	134.41.401								
Finish	Item No.													
matt chrome - hollow	134.41.401													
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>matt chrome</td><td>134.43.404</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	matt chrome	134.43.404								
Finish	Item No.													
matt chrome	134.43.404													
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>matt chrome</td><td>116.07.423</td></tr></table> <p>*Packing: 50 pcs. (includes mounting screws)</p> 	Finish	Item No.	matt chrome	116.07.423								
Finish	Item No.													
matt chrome	116.07.423													
		<table><tr><th>Finish</th><th>A x B</th><th>C</th><th>Item No.</th></tr><tr><td>chrome matt</td><td>115 x 30</td><td>96</td><td>117.31.427</td></tr><tr><td>chrome matt</td><td>153 x 30</td><td>128</td><td>117.31.436</td></tr></table> <p>*Packing: 25 pcs.</p> 	Finish	A x B	C	Item No.	chrome matt	115 x 30	96	117.31.427	chrome matt	153 x 30	128	117.31.436
Finish	A x B	C	Item No.											
chrome matt	115 x 30	96	117.31.427											
chrome matt	153 x 30	128	117.31.436											



***Minimum order quantity is 1 piece.**
 Dimensions in mm.
 Dimensional data not binding. We reserve the right to alter specifications without notice.






8-32 screws	Page 91
M4 screws	Page 91

Satin Chrome Finish

		Finish	Item No.
		satin chrome	134.43.401
		*Packing: 25 pcs.	

		Finish	Item No.
		satin chrome	134.42.410
		*Packing: 25 pcs.	

		Finish	Item No.
		satin chrome	134.41.402
		*Packing: 25 pcs.	


	Finish	A x B	C	Item No.
	satin chrome	104 x 30	96	116.07.424
		satin chrome	110 x 30	102 116.07.427
		*Packing: 50 pcs. (includes mounting screws)		
				

	Finish	A x B	C	Item No.
	satin chrome	104 x 30	96	116.39.455
		satin chrome	110 x 30	102 116.39.464
		*Packing: 50 pcs. (includes mounting screws)		
				




8-32 screws

Page 91



Finish	A	C	Item No.
matt	146	96	117.05.600
matt	178	128	117.05.610
matt	242	192	117.05.620
matt	274	224	117.05.630
matt	370	320	117.05.640
matt	530	480	117.05.650
matt	722	672	117.05.660

*Packing: 5 and 10 pcs.






Finish	Item No.
matt	115.61.601


*Packing: 10 pcs.





Finish	A x B	C	Item No.
matt	115 x 30	96	115.60.601
matt	153 x 30	128	115.60.602

*Packing: 10 pcs.





Finish	Overall length	C	Item No.
End: matt-nickel Center: stainless steel matt	116	96	115.70.001
End: matt-nickel Center: stainless steel matt	242	224	115.70.004

*Packing: 10 pcs.





M4 screws



Page 91



***Minimum order quantity is 1 piece.**



Dimensions in mm.



Dimensional data not binding. We reserve the right to alter specifications without notice.

Polished Brass / Gold Colored Finishes

		Finish	Item No.
		polished brass	134.41.801
		*Packing: 25 pcs.	

		Finish	Item No.
		polished brass	134.43.801
		*Packing: 25 pcs.	

		Finish	Item No.
		polished brass	134.45.808
		*Packing: 25 pcs.	

		Finish	Item No.
		polished & lacquered	134.46.805
		*Packing: 25 pcs.	

	Finish	A x B	C	Item No.
	gold-plated polished	115 x 30	96	117.31.829
	gold-plated polished	153 x 30	128	117.31.838
*Packing: 25 pcs.				
				

	Finish	Item No.
	polished & lacquered	117.32.808
		*Packing: 25 pcs.
		






8-32 screws

Page 91

M4 screws

Page 91

Polished Brass / Gold Colored Finishes



	<table border="1"> <thead> <tr> <th>Finish</th><th>Item No.</th></tr> </thead> <tbody> <tr> <td>polished brass</td><td>116.07.824</td></tr> </tbody> </table> <p>*Packing: 50 pcs. (includes mounting screws)</p> 	Finish	Item No.	polished brass	116.07.824
Finish	Item No.				
polished brass	116.07.824				
	<table border="1"> <thead> <tr> <th>Finish</th><th>Item No.</th></tr> </thead> <tbody> <tr> <td>polished and lacquered</td><td>116.39.857</td></tr> </tbody> </table> <p>*Packing: 50 pcs. (includes mounting screws)</p> 	Finish	Item No.	polished and lacquered	116.39.857
Finish	Item No.				
polished and lacquered	116.39.857				
	<table border="1"> <thead> <tr> <th>Finish</th><th>Item No.</th></tr> </thead> <tbody> <tr> <td>polished and lacquered</td><td>121.46.806</td></tr> </tbody> </table> <p>*Packing: 25 pcs.</p> 	Finish	Item No.	polished and lacquered	121.46.806
Finish	Item No.				
polished and lacquered	121.46.806				
	<table border="1"> <thead> <tr> <th>Finish</th><th>Item No.</th></tr> </thead> <tbody> <tr> <td>polished and lacquered</td><td>121.88.868</td></tr> </tbody> </table> <p>*Packing: 25 pcs.</p> 	Finish	Item No.	polished and lacquered	121.88.868
Finish	Item No.				
polished and lacquered	121.88.868				



***Minimum order quantity is 1 piece.**
 Dimensions in mm.
 Dimensional data not binding. We reserve the right to alter specifications without notice.





8-32 screws	Page 91
M4 screws	Page 91

Brushed Satin / Matt Brass / Gold Finishes

		Finish	Item No.
		satin brass	134.41.502
		*Packing: 25 pcs.	

		<div>Finish</div> <div>satin brass</div> <div>*Packing: 25 pcs.</div>	<div>Item No.</div> <div>134.43.501</div>

		Finish	Item No.
		satin brass	134.42.510
		*Packing: 25 pcs.	

	Finish	A x B	C	Item No.
	satin	115 x 30	96	117.31.525
	satin	153 x 30	128	117.31.535
	*Packing: 25 pcs.			
				

	Finish	Item No.
	satin brass	116.07.523
		*Packing: 50 pcs. (includes mounting screws)

	Finish	A x B	C	Item No.
	satin brass	104 x 30	96	116.39.553
		*Packing: 50 pcs. (includes mounting screws)		



8-32 screws

Page 91

M4 screws

Page 91

Antique Brass / Bronze Finishes

		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>antique brass</td><td>125.62.102</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	antique brass	125.62.102
Finish	Item No.					
antique brass	125.62.102					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>antique brass</td><td>134.27.186</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	antique brass	134.27.186
Finish	Item No.					
antique brass	134.27.186					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>burnished brass</td><td>125.33.801</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	burnished brass	125.33.801
Finish	Item No.					
burnished brass	125.33.801					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>antique brass</td><td>125.61.100</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	antique brass	125.61.100
Finish	Item No.					
antique brass	125.61.100					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>antique brass</td><td>121.46.100</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	antique brass	121.46.100
Finish	Item No.					
antique brass	121.46.100					

***Minimum order quantity is 1 piece.**

Dimensions in mm.

Dimensional data not binding. We reserve the right to alter specifications without notice.



8-32 screws

Page 91

M4 screws

Page 91

Oil-Rubbed and Dark Bronze Finishes

	<table><tr><th>Finish</th><th>A x B</th><th>C</th><th>Item No.</th></tr><tr><td>dark oil-rubbed bronze</td><td>115 x 30</td><td>96</td><td>117.31.323</td></tr><tr><td>dark oil-rubbed bronze</td><td>153 x 30</td><td>128</td><td>117.31.333</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	A x B	C	Item No.	dark oil-rubbed bronze	115 x 30	96	117.31.323	dark oil-rubbed bronze	153 x 30	128	117.31.333	
Finish	A x B	C	Item No.											
dark oil-rubbed bronze	115 x 30	96	117.31.323											
dark oil-rubbed bronze	153 x 30	128	117.31.333											
	<table><tr><th>Finish</th><th>A x B</th><th>C</th><th>Item No.</th></tr><tr><td>dark oil-rubbed bronze</td><td>104 x 30</td><td>96</td><td>116.07.323</td></tr><tr><td>dark oil-rubbed bronze</td><td>110 x 30</td><td>102</td><td>116.07.333</td></tr></table> <p>*Packing: 50 pcs. (includes mounting screws)</p>	Finish	A x B	C	Item No.	dark oil-rubbed bronze	104 x 30	96	116.07.323	dark oil-rubbed bronze	110 x 30	102	116.07.333	
Finish	A x B	C	Item No.											
dark oil-rubbed bronze	104 x 30	96	116.07.323											
dark oil-rubbed bronze	110 x 30	102	116.07.333											
	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>dark bronze anodized</td><td>116.05.128</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	dark bronze anodized	116.05.128									
Finish	Item No.													
dark bronze anodized	116.05.128													
	<table><tr><th>Finish</th><th>A x B</th><th>C</th><th>Item No.</th></tr><tr><td>oil-rubbed bronze</td><td>115 x 30</td><td>96</td><td>117.31.324</td></tr><tr><td>oil-rubbed bronze</td><td>153 x 30</td><td>128</td><td>117.31.334</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	A x B	C	Item No.	oil-rubbed bronze	115 x 30	96	117.31.324	oil-rubbed bronze	153 x 30	128	117.31.334	
Finish	A x B	C	Item No.											
oil-rubbed bronze	115 x 30	96	117.31.324											
oil-rubbed bronze	153 x 30	128	117.31.334											
	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>oil-rubbed bronze</td><td>116.09.324</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	oil-rubbed bronze	116.09.324									
Finish	Item No.													
oil-rubbed bronze	116.09.324													



8-32 screws











Page 91



M4 screws



Page 91



Oil-Rubbed and Dark Bronze Finishes



		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>dark oil-rubbed bronze</td><td>134.35.320</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	dark oil-rubbed bronze	134.35.320
Finish	Item No.					
dark oil-rubbed bronze	134.35.320					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>dark oil-rubbed bronze</td><td>134.33.321</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	dark oil-rubbed bronze	134.33.321
Finish	Item No.					
dark oil-rubbed bronze	134.33.321					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>dark oil-rubbed bronze</td><td>134.41.352</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	dark oil-rubbed bronze	134.41.352
Finish	Item No.					
dark oil-rubbed bronze	134.41.352					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>dark oil-rubbed bronze</td><td>134.43.331</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	dark oil-rubbed bronze	134.43.331
Finish	Item No.					
dark oil-rubbed bronze	134.43.331					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>oil-rubbed bronze</td><td>120.61.350</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	oil-rubbed bronze	120.61.350
Finish	Item No.					
oil-rubbed bronze	120.61.350					



***Minimum order quantity is 1 piece.**
 Dimensions in mm.
 Dimensional data not binding. We reserve the right to alter specifications without notice.

Oil-Rubbed and Dark Bronze Finishes



		Finish	Item No.
		oil-rubbed bronze	134.41.351
		*Packing: 25 pcs.	

		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>oil-rubbed bronze</td><td>134.45.110</td></tr><tr><td colspan="2">*Packing: 25 pcs.</td></tr></table>	Finish	Item No.	oil-rubbed bronze	134.45.110	*Packing: 25 pcs.	
Finish	Item No.							
oil-rubbed bronze	134.45.110							
*Packing: 25 pcs.								

		Finish	Item No.
		oil-rubbed bronze	133.79.351
		*Packing: 25 pcs.	

		Finish	Item No.
		dark oil-rubbed bronze	125.08.103
		*Packing: 25 pcs.	

	Finish	A x B	C	Item No.
	oil-rubbed bronze	111 x 15	96	125.68.351
	oil-rubbed bronze	140 x 18	128	125.68.352
*Packing: 25 pcs.				
				

	Finish	Item No.
	dark oil-rubbed bronze	117.32.101
		*Packing: 25 pcs.
		



8-32 screws

Page 91

M4 screws

Page 91



Oil-Rubbed and Dark Bronze Finishes

	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>oil-rubbed bronze</td><td>121.46.350</td></tr></table>	Finish	Item No.	oil-rubbed bronze	121.46.350
	Finish	Item No.			
	oil-rubbed bronze	121.46.350			
*Packing: 25 pcs.					



	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>oil-rubbed bronze</td><td>121.90.301</td></tr></table>		Finish	Item No.	oil-rubbed bronze	121.90.301
	Finish	Item No.				
oil-rubbed bronze	121.90.301					
	*Packing: 25 pcs.					
						

	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>oil-rubbed bronze</td><td>125.67.351</td></tr></table>	Finish	Item No.	oil-rubbed bronze	125.67.351
	Finish	Item No.			
oil-rubbed bronze	125.67.351				
	<p>*Packing: 25 pcs.</p> 				

	<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>dark oil-rubbed bronze</td><td>104.33.330</td></tr></table>		Finish	Item No.	dark oil-rubbed bronze	104.33.330
	Finish	Item No.				
	dark oil-rubbed bronze	104.33.330				
*Packing: 25 pcs.						
						

	Finish	A x B x C	D	Item No.
	oil-rubbed bronze	115 x 19 x 24	96	107.18.352
	oil-rubbed bronze	152 x 24 x 29	128	107.18.353
*Packing: 25 pcs.				
				
M4				



M4 screws



Page 91



***Minimum order quantity is 1 piece.**



Dimensions in mm.



Dimensional data not binding. We reserve the right to alter specifications without notice.

Antique Pewter / Silver Finishes

		Finish	Item No.
		pewter	134.22.912
		*Packing: 25 pcs.	

		Finish	Item No.
		pewter	125.62.902
		*Packing: 25 pcs.	

		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>pewter</td><td>125.33.901</td></tr><tr><td colspan="2">*Packing: 25 pcs.</td></tr></table>	Finish	Item No.	pewter	125.33.901	*Packing: 25 pcs.	
Finish	Item No.							
pewter	125.33.901							
*Packing: 25 pcs.								

	Finish	Item No.
	pewter	100.27.912
	*Packing: 25 pcs.	
		

	Finish	Item No.
	pewter	100.27.912
	*Packing: 25 pcs.	



	Finish	Item No.
	pewter	125.61.900
	*Packing: 25 pcs.	














8-32 screws

Page 91

M4 screws

Page 91

Black Antique and Nickel Finishes

		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>black antique</td><td>134.22.902</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	black antique	134.22.902
Finish	Item No.					
black antique	134.22.902					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>black antique</td><td>134.33.320</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	black antique	134.33.320
Finish	Item No.					
black antique	134.33.320					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>black antique</td><td>100.27.902</td></tr></table> <p>*Packing: 25 pcs.</p> 	Finish	Item No.	black antique	100.27.902
Finish	Item No.					
black antique	100.27.902					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>black antique</td><td>121.90.302</td></tr></table> <p>*Packing: 25 pcs.</p> 	Finish	Item No.	black antique	121.90.302
Finish	Item No.					
black antique	121.90.302					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>black nickel</td><td>121.88.368</td></tr></table> <p>*Packing: 25 pcs.</p> 	Finish	Item No.	black nickel	121.88.368
Finish	Item No.					
black nickel	121.88.368					

***Minimum order quantity is 1 piece.**

Dimensions in mm.



Dimensional data not binding. We reserve the right to alter specifications without notice.



M4 screws

Page 91

Black Finishes

		Finish	Item No.
		matt	134.44.310
		*Packing: 25 pcs.	

	Finish	Item No.
	matt	117.28.331
		*Packing: 25 pcs.
		

	Finish	Item No.
	matt	116.22.334
		*Packing: 25 pcs.
		

	Finish	Item No.
	matt	102.47.319
		*Packing: 25 pcs.
		

	Finish	A x B	D	Item No.
	matt	115 x 30	96	117.31.320
	matt	153 x 30	128	117.31.330
	*Packing: 25 pcs.			
				











8-32 screws

M4 screws

Page 91

Page 91



Combination Finishes

		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>base: gold colored polished knob: crystal clear glass</td><td>138.72.800</td></tr></table> <p>*Packing: 10 pcs.</p>	Finish	Item No.	base: gold colored polished knob: crystal clear glass	138.72.800
Finish	Item No.					
base: gold colored polished knob: crystal clear glass	138.72.800					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>handle: chrome polished feet: gold polished</td><td>117.44.200</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	handle: chrome polished feet: gold polished	117.44.200
Finish	Item No.					
handle: chrome polished feet: gold polished	117.44.200					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>handle: chrome polished feet: polished and lacquered</td><td>117.18.200</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	handle: chrome polished feet: polished and lacquered	117.18.200
Finish	Item No.					
handle: chrome polished feet: polished and lacquered	117.18.200					
		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>pewter and copper</td><td>121.90.902</td></tr></table> <p>*Packing: 25 pcs.</p>	Finish	Item No.	pewter and copper	121.90.902
Finish	Item No.					
pewter and copper	121.90.902					

***Minimum order quantity is 1 piece.**
 Dimensions in mm.
 Dimensional data not binding. We reserve the right to alter specifications without notice.




Colored Nylon

		Color	Item No.
		white	134.44.712
		*Packing: 25 pcs.	

	Color	Item No.
	white	116.71.100
	black	116.71.107
*Packing: 100 pcs.		
		

	Color	Item No.
	white	116.22.736
*Packing: 25 pcs.		
		

Label Handle and Frame

	Finish	Label Size	Window Size	Item No.
	nickel-plated	50 x 14	46 x 10	168.00.712
*Packing: 25 pcs.				
				






8-32 screws



Page 91



M4 screws

Page 91

flush fitting, Rafix-SE housing											
 	<table> <tr> <th>Color</th><th>Item No.</th></tr> <tr> <td>white</td><td>263.50.705</td></tr> <tr> <td>beige</td><td>263.50.405</td></tr> <tr> <td>brown</td><td>263.50.105</td></tr> <tr> <td>black</td><td>263.50.305</td></tr> </table>	Color	Item No.	white	263.50.705	beige	263.50.405	brown	263.50.105	black	263.50.305
Color	Item No.										
white	263.50.705										
beige	263.50.405										
brown	263.50.105										
black	263.50.305										
<ul style="list-style-type: none"> No projecting parts due to the countersunk rim on the housing Shelves can be stacked without spacers With tightening element Without ridge For wood thicknesses from: 19 mm Mounting center: 9.5 mm Drilling depth: 14.2 ^{+0.2} mm Material: plastic Tightening element: zinc alloy <p>*Packing: 1000 pcs.</p>											

trim cap, for RAFIX-SE flush																	
 	<table> <tr> <th>Color</th><th>Item No.</th></tr> <tr> <td>white</td><td>263.59.730</td></tr> <tr> <td>beige</td><td>263.59.430</td></tr> <tr> <td>wheat</td><td>263.59.432</td></tr> <tr> <td>tan</td><td>263.59.133</td></tr> <tr> <td>cinnamon</td><td>263.59.132</td></tr> <tr> <td>brown</td><td>263.59.130</td></tr> <tr> <td>black</td><td>263.59.330</td></tr> </table>	Color	Item No.	white	263.59.730	beige	263.59.430	wheat	263.59.432	tan	263.59.133	cinnamon	263.59.132	brown	263.59.130	black	263.59.330
Color	Item No.																
white	263.59.730																
beige	263.59.430																
wheat	263.59.432																
tan	263.59.133																
cinnamon	263.59.132																
brown	263.59.130																
black	263.59.330																
	<ul style="list-style-type: none"> For use with flush fitting, Rafix-SE housing Material: plastic <p>*Packing: 1000 pcs.</p>																

Rafix-SE 32 housing fitting, without ridge

- With tightening element
- Drilling depth = depending on housing type and wood thickness
(see ordering table)
- Dimension A = 1/2 wood thickness (see ordering table)
- Material: plastic; Tightening element: zinc alloy
- *Packing: 1000 pcs.













For wood thicknesses from:	Color	Item No.
16 mm	white	263.12.703
	beige	263.12.403
	brown	263.12.103
	black	263.12.303
19 mm	white	263.12.705
	beige	263.12.405
	brown	263.12.105
	black	263.12.305

***Minimum order quantity is 1 piece.**

Dimensions in mm.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Rafix-SE Housing

Rafix-SE housing		Without Ridge			
 		For wood thicknesses from: 16 mm			
		Finish	Mounting center	Drilling depth	Item No.
		nickel-plated	8.0 mm	12.7 ^{+0.2} mm	263.11.703
		bronzed	8.0 mm	12.7 ^{+0.2} mm	263.11.103
<ul style="list-style-type: none"> • With tightening element Material: zinc alloy *Packing: 500 pcs. 		For wood thicknesses from: 19 mm			
		Finish	Mounting center	Drilling depth	Item No.
		nickel-plated	9.5 mm	14.2 ^{+0.2} mm	263.11.705
		bronzed	9.5 mm	14.2 ^{+0.2} mm	263.11.105
 		With Ridge			
		For wood thicknesses from: 19 mm			
		Finish	Mounting center	Drilling depth	Item No.
		nickel-plated	9.5 mm	14.2 ^{+0.2} mm	263.15.705
		bronzed	9.5 mm	14.2 ^{+0.2} mm	263.15.105
 		Without Ridge			
		For wood thicknesses from: 16 mm			
		Color	Mounting center	Drilling depth	Item No.
		white	8.0 mm	12.7 ^{+0.2} mm	263.10.703
		beige	8.0 mm	12.7 ^{+0.2} mm	263.10.403
		brown	8.0 mm	12.7 ^{+0.2} mm	263.10.103
		black	8.0 mm	12.7 ^{+0.2} mm	263.10.303
		For wood thicknesses from: 19 mm			
		Color	Mounting center	Drilling depth	Item No.
		white	9.5 mm	14.2 ^{+0.2} mm	263.10.705
		beige	9.5 mm	14.2 ^{+0.2} mm	263.10.405
		wheat	9.5 mm	14.2 ^{+0.2} mm	263.10.165
		tan	9.5 mm	14.2 ^{+0.2} mm	263.10.125
		cinnamon	9.5 mm	14.2 ^{+0.2} mm	263.10.175
		brown	9.5 mm	14.2 ^{+0.2} mm	263.10.105
		black	9.5 mm	14.2 ^{+0.2} mm	263.10.305
  		With Ridge			
		For wood thicknesses from: 16 mm			
		Color	Mounting center	Drilling depth	Item No.
		white	8.0 mm	12.7 ^{+0.2} mm	263.14.703
		beige	8.0 mm	12.7 ^{+0.2} mm	263.14.403
		brown	8.0 mm	12.7 ^{+0.2} mm	263.14.103
		black	8.0 mm	12.7 ^{+0.2} mm	263.14.303
		For wood thicknesses from: 19 mm			
		Color	Mounting center	Drilling depth	Item No.
		white	9.5 mm	14.2 ^{+0.2} mm	263.14.705
		beige	9.5 mm	14.2 ^{+0.2} mm	263.14.405
		brown	9.5 mm	14.2 ^{+0.2} mm	263.14.105
		black	9.5 mm	14.2 ^{+0.2} mm	263.14.305
<p>Drilling depth = depending on housing type and wood thickness (see ordering table)</p> <p>Dimension A = 1/2 wood thickness (see ordering table)</p>					

*Minimum order quantity is 1 piece.

Dimensions in mm.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Rafix 20 Tab Housing

Rafix TAB housing

For wood thicknesses from:	Color	Item No.
16 mm	white	263.09.731
	beige	263.09.437
	brown	263.09.133
	black	263.09.339

For wood thicknesses from:	Central Fastening	Drilling depth
16 mm	8.0 mm	12.7 ^{+0.3} mm

Rafix 20 TAB is a continuation of the Rafix design line for shelf connections.

- The housing is pressed into the shelf and pushed onto connecting bolt
- A cost effective method for creating a positive engagement shelf support
- Uses standard Rafix machining while allowing for a toolless connection




Material: plastic
*Packing: 1000 pcs.





white

beige

brown

black

RAFIX TAB "flush"				
		For wood thicknesses from:	Color	Item No.
		16 mm	white	263.07.730
			beige	263.07.430
			brown	263.07.130
			black	263.07.330
<ul style="list-style-type: none">• No protruding edges due to the countersunk edge in the housing• Housing is flush with the shelf• The shelves can be stacked without an intermediate layer <p>Material: plastic *Packing: 1000 pcs.</p>				

countersunk drill-bit, for RAFIX “flush” housing		Item No.	
		001.24.309	
		<ul style="list-style-type: none">• With 3 carbide-tipped cutters• 10 mm diameter shank, with M5 x 8 mm adjusting screw• For wood thickness 16 mm• For right-handed use Material: steel Packing: 1 pc.	
drill-bit adapter, with M10 internal thread		Item No.	
		001.91.088	
		<ul style="list-style-type: none">• For above drill-bit• For right-handed use Material: steel Packing: 1 pc.	

*Minimum order quantity is 1 piece.

Dimensions in mm.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Rafix Tab Housing

Rafix TAB



Rafix TAB with sliding cover cap is a continuation of the Rafix design line for supporting shelves.

- Pre-installation of shelves prior to shipping is possible, saving installation time
- Standard Rafix and shelf support drilling patterns minimizes part confusion in manufacturing
- Shifting items on the shelves will not cause the shelf to move or fall off pins
- Can be used as an angle shelf pivot


Material: plastic

Color: Housing: gray; Cover cap: white

*Packing: 500 pcs.

Item No.

263.09.795



shelf support, Ø5 mm



Material: steel


*Packing: 5000 pcs.

Finish

zinc-plated

Item No.

282.43.905



shelf support, Ø3 mm



Material: steel


*Packing: 1000 pcs.

Finish

nickel-plated

Item No.




282.43.727









*Minimum order quantity is 1 piece.




Dimensions in mm.




Dimensional data not binding. We reserve the right to alter specifications without notice.

connecting bolt, with special thread		<table><tr><td>Thread length</td><td>8 mm</td><td>11 mm</td><td>15 mm</td></tr><tr><td>zinc-plated</td><td>263.20.838</td><td>263.20.847</td><td>263.20.856</td></tr></table>	Thread length	8 mm	11 mm	15 mm	zinc-plated	263.20.838	263.20.847	263.20.856
Thread length	8 mm	11 mm	15 mm							
zinc-plated	263.20.838	263.20.847	263.20.856							
		<p>Thread length</p> 								
Material: steel *Packing: 2000 pcs.										

connecting bolt, with special thread		<table><tr><td>Finish</td><td>Item No.</td></tr><tr><td>zinc-plated</td><td>263.20.985</td></tr></table>	Finish	Item No.	zinc-plated	263.20.985
Finish	Item No.					
zinc-plated	263.20.985					
						
Material: steel *Packing: 5000 pcs.						

push thru bolt for center panels, Ø 5 and Ø 7 mm		<table><tr><td>For panel thickness</td><td>Item No.</td></tr><tr><td>16 mm</td><td>263.24.971</td></tr><tr><td>19 mm</td><td>263.24.972</td></tr></table>	For panel thickness	Item No.	16 mm	263.24.971	19 mm	263.24.972
For panel thickness	Item No.							
16 mm	263.24.971							
19 mm	263.24.972							
								
<ul style="list-style-type: none">• For installation into Ø 5 mm holes• For 16 mm and 19 mm center panels Material: steel, galvanized *Packing: 1000 pcs.								

double-ended bolt, for double-sided assemblies		<table><tr><td>Finish</td><td>Item No.</td></tr><tr><td>zinc-plated</td><td>263.24.943</td></tr></table>	Finish	Item No.	zinc-plated	263.24.943
Finish	Item No.					
zinc-plated	263.24.943					
		<p>Panel thickness 16 - 22 mm</p> 				
Material: steel *Packing: 2000 pcs.						



RAFIX connecting bolt, Ø5 mm, capped bolt		<table><tr><td>Finish</td><td>Item No.</td></tr><tr><td>nickel-plated</td><td>263.45.737</td></tr></table>	Finish	Item No.	nickel-plated	263.45.737
Finish	Item No.					
nickel-plated	263.45.737					
		<p>Panel Thickness 19 mm</p> 				
Material: steel *Packing: 100 pcs.						


***Minimum order quantity is 1 piece.**

Dimensions in mm.



Dimensional data not binding. We reserve the right to alter specifications without notice.


Rafix-SH Housing

connector housing		Color	Without ridge	With ridge
		white	263.46.755	263.46.775
		beige	263.46.455	263.46.475
		brown	263.46.155	263.46.175
		white aluminum	263.46.255	263.46.275
		black	263.46.355	263.46.375

<ul style="list-style-type: none"> For wood thickness: 16 mm For drilling hole: Ø 30 mm Press-in dowel: Ø 10 mm Drive: Cross-slot Pozi 2 <p>Material: Housing: plastic Tightening element: zinc alloy *Packing: 1000 pcs.</p>	<p>Drilling distance</p> 
---	--

 white	 beige	 brown	 white aluminum	 black
---	---	---	--	---

connecting bolt		Thread length L (mm)	Item No.
		9	263.48.001
		12	263.48.004
		13	263.48.011

<ul style="list-style-type: none"> For drilled hole Ø 5 mm Special thread Ridged Rafix allow shelves to be pre-hung in a sub-assembly fashion Assembly direction limited: only from the top <p>Material: steel *Packing: 1000 pcs.</p>	
--	--

***Minimum order quantity is 1 piece.**



Dimensions in mm.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Metal Shelf Supports



Ø 5 mm


shelf support	<table> <tr> <th>Finish</th><th>Item No.</th></tr> <tr> <td>nickel-plated</td><td>282.04.711</td></tr> <tr> <td>brass-plated</td><td>282.04.515</td></tr> <tr> <td>burnished</td><td>282.04.113</td></tr> </table>	Finish	Item No.	nickel-plated	282.04.711	brass-plated	282.04.515	burnished	282.04.113
Finish	Item No.								
nickel-plated	282.04.711								
brass-plated	282.04.515								
burnished	282.04.113								
 <ul style="list-style-type: none"> Tap gently to prevent shelf movement The fin cuts itself into the shelf and prevents it from sliding <p>Material: steel *Packing: 2000 pcs.</p>									

shelf support, with steel pin	<table> <tr> <th>Color</th><th>Item No.</th></tr> <tr> <td>beige</td><td>282.27.509</td></tr> <tr> <td>black</td><td>282.27.303</td></tr> <tr> <td>brown</td><td>282.12.105</td></tr> <tr> <td>transparent</td><td>282.12.405</td></tr> <tr> <td>white</td><td>282.12.705</td></tr> </table>	Color	Item No.	beige	282.27.509	black	282.27.303	brown	282.12.105	transparent	282.12.405	white	282.12.705
Color	Item No.												
beige	282.27.509												
black	282.27.303												
brown	282.12.105												
transparent	282.12.405												
white	282.12.705												
 <p>Material: plastic Pin: steel, galvanized *Packing: 3000 pcs.</p>													

Plastic Shelf Supports

Ø 5 mm

shelf support, with grooved plug and spring clip	<table> <tr> <th>Color</th><th>Item No.</th></tr> <tr> <td>beige</td><td>282.17.432</td></tr> <tr> <td>white</td><td>282.17.736</td></tr> </table>	Color	Item No.	beige	282.17.432	white	282.17.736
Color	Item No.						
beige	282.17.432						
white	282.17.736						
 <ul style="list-style-type: none"> For wood shelves 19 mm (3/4") thick <p>Material: plastic *Packing: 5000 pcs.</p>							













H-channel	<table> <tr> <th>Color</th><th>Item No.</th></tr> <tr> <td>white</td><td>282.79.700</td></tr> <tr> <td>almond</td><td>282.79.400</td></tr> <tr> <td>black</td><td>282.79.300</td></tr> <tr> <td>brown</td><td>282.79.110</td></tr> </table>	Color	Item No.	white	282.79.700	almond	282.79.400	black	282.79.300	brown	282.79.110
Color	Item No.										
white	282.79.700										
almond	282.79.400										
black	282.79.300										
brown	282.79.110										
 <ul style="list-style-type: none"> Used to attach two panels together side by side in a corner application For use on 19 mm (3/4") material 	<p>Dimensions: 327 mm (12 7/8") long x 22 mm (7/8") wide x 25 mm (1") high</p> <p>Material: plastic *Packing: 50 pcs.</p>										

***Minimum order quantity is 1 piece.**




Dimensions in mm.




Dimensional data not binding. We reserve the right to alter specifications without notice.




Connecting Brackets




table plate, with screw hole and slot		Finish	Item No.			
 		nickel-plated	260.25.703			
		Material: steel *Packing: 250 pcs.				
corner braces, with screw holes		Finish	Item No.			
 		nickel-plated	260.26.700			
		Material: steel *Packing: 250 pcs.				
angle bracket		A x B	C	D	Item No.	*Packing
 		50 x 50	15	25 mm	260.28.505	100 pcs.
		60 x 60	18	32 mm	260.28.506	100 pcs.
		80 x 80	18	46 mm	260.28.508	50 pcs.
 		Material: steel *Packing: 100 pcs.				
		Color		Item No.		
		white		260.35.740		
		brown		260.35.140		
		Material: steel, epoxy coated *Packing: 500 pcs.				




Connecting Brackets

angle bracket		Color	Item No.
 		white	260.24.715
		brown	260.24.117
		<ul style="list-style-type: none">• Allows easy screw mounting of various furniture components including back panels and rails• No boring is required due to surface mounting• For furniture assembly Material: plastic *Packing: 1000 pcs.	

angle bracket, with attached cover cap		Color	Item No.
 		white	260.24.720
		brown	260.24.120
		black	260.24.320
		<ul style="list-style-type: none">• Allows easy screw mounting of various furniture components including back panels and rails• No boring is required due to surface mounting Material: plastic *Packing: 3300 pcs.	

 		Color	Item No.
		white	260.24.740
		beige	260.24.440
		brown	260.24.140
		black	260.24.340
		<ul style="list-style-type: none">• Allows easy screw mounting of various furniture components including back panels and rails• No boring is required due to surface mounting Material: plastic *Packing: 250 pcs.	

corner bracket		Color	Item No.
 		white	260.47.700
		black	260.47.300
		<ul style="list-style-type: none">• Allows easy screw mounting of various furniture components including back panels and rails• No boring is required due to surface mounting Material: plastic *Packing: 2500 pcs.	

 		Color	Item No.
		white	260.48.700
		<ul style="list-style-type: none">• Allows easy screw mounting of various furniture components including back panels and rails• No boring is required due to surface mounting Material: plastic *Packing: 1000 pcs.	

*Minimum order quantity is 1 piece.

Dimensions in mm.


Dimensional data not binding. We reserve the right to alter specifications without notice.

wall rail and covering strip


- First and last screw holes are 2438 mm (96") CTC with 12 mm (1/2") of rail on each end
 - Hole CTC equals 25 mm (1")
 - An "A" is marked on the rail in intervals of 4" to help locate studs in the wall - Four A's equal 16"
 - We recommend attaching the wall rail to studs with Pan head screws
 - Do not attach only to sheetrock/drywall
 - For additional attachment to sheetrock/drywall, refer to page 87 for sheetrock/drywall anchors.
- Material: galvanized steel
*Packing: 25 pcs. (2463 mm (97") long)

Finish	Item No.
zinc-plated	290.11.901

Wall rail



Covering strip





- Gives clean appearance to the part(s) of the rail not covered by cabinets or other closet components
- Material: plastic

Color	Item No.	Packing
white	*290.12.781	50 pcs.
beige	*290.12.481	50 pcs.
brown	290.12.180	1 pc.
black	290.12.380	1 pc.


screw-mounted cabinet hanger





- Wall rail suspension
 - Vertical adjustment: 16 mm
 - Depth adjustment: 15 mm
 - Lateral adjustment: 10 mm
 - Load carrying capacity per pair: 200 kg
- Material: steel, nickel-plated
*Packing: 100 pcs.




	Item No.
left	290.02.701
right	290.02.700






- Wall rail suspension
 - Vertical adjustment: 16 mm
 - Depth adjustment: 15 mm
 - Lateral adjustment: 10 mm
 - Load carrying capacity per pair: 200 kg
- Material: steel, epoxy-coated
*Packing: 100 pcs.




Color		Item No.
beige	left	290.07.401
	right	290.07.400
white	left	290.07.701
	right	290.07.700












screw-mounted cabinet hanger	
<div><ul style="list-style-type: none">• For rail suspension• Vertical adjustment: 16 mm• Depth adjustment: 14 mm• Lateral adjustment: 5 mm• Load carrying capacity per pair: 130 kgMaterial: steel, galvanized *Packing: 200 pcs.</div>	<div></div>
clip-on cover cap (optional), for above hanger	
<div><p>Material: plastic *Packing: 200 pcs.</p></div>	

Mount side	Item No.
left	290.02.711
right	290.02.710



Color	Left	Right
brown	290.02.191	290.02.190
tan	290.02.481	290.02.480
white	290.02.781	290.02.780
cream/white	290.02.791	290.02.790
black	290.02.391	290.02.390

screw-mounted suspension fitting		Item No.
 		left 290.00.701
		right 290.00.700
<ul style="list-style-type: none">• Vertical adjustment: 12 mm• Depth adjustment: 14 mm• Lateral adjustment: 12 mm• Load carrying capacity per pair: 150 kg• Mounting screws are not included <p>Material: Housing: plastic; Color: white Hook: steel</p> <p>*Packing: 50 pcs.</p>		

dowel-mounted suspension fitting		Item No.
		left 290.00.711
		right 290.00.710
<ul style="list-style-type: none">• Handed (left and right sold separately)• Vertical adjustment: 12 mm• Depth adjustment: 14 mm• Lateral adjustment: 12 mm• Load carrying capacity per pair: 150 kg <p>Material: Housing: plastic; Color: white Hook: steel</p> <p>*Packing: 50 pcs.</p>		

Drywall Wall Anchors

self-drilling E-Z anchors®		<table><tr><th>Finish/Color</th><th>*Packing</th><th>Item No.</th></tr><tr><td>zinc</td><td>100 pcs.</td><td>051.18.025</td></tr><tr><td>white nylon</td><td>100 pcs.</td><td>051.18.034</td></tr><tr><td>zinc</td><td>1500 pcs.</td><td>051.18.025.BP</td></tr><tr><td>white nylon</td><td>4500 pcs.</td><td>051.18.034.BP</td></tr></table>	Finish/Color	*Packing	Item No.	zinc	100 pcs.	051.18.025	white nylon	100 pcs.	051.18.034	zinc	1500 pcs.	051.18.025.BP	white nylon	4500 pcs.	051.18.034.BP
Finish/Color	*Packing	Item No.															
zinc	100 pcs.	051.18.025															
white nylon	100 pcs.	051.18.034															
zinc	1500 pcs.	051.18.025.BP															
white nylon	4500 pcs.	051.18.034.BP															
		<ul style="list-style-type: none">• Installs quickly and easily with Phillips or Square Drive screwdriver• Self-driving, pre-drills own small precise hole in gypsum wallboard• Deep thread design provides strong engagement in 3/8", 1/2", and 5/8" wallboard• Removable, can be easily backed-out• Accepts #6, #7, and #8 screw sizes• Hangs up to 50 lbs. shear strength• White nylon version is non-conductive and corrosion resistant <p>Material: steel or nylon</p>															

self-drilling E-Z toggle®		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>zinc</td><td>051.17.911</td></tr></table>	Finish	Item No.	zinc	051.17.911
Finish	Item No.					
zinc	051.17.911					
		<ul style="list-style-type: none">• Installs with a #2 phillips screwdriver• Includes a #8 x 2 1/2" long screw• Hangs up to 85 lbs. shear strength <p>Material: steel</p> <p>*Packing: 50 pcs.</p>				

snaptoggle® bolt		<table><tr><th>Color</th><th>Item No.</th></tr><tr><td>white</td><td>051.17.952</td></tr></table>	Color	Item No.	white	051.17.952
Color	Item No.					
white	051.17.952					
		<ul style="list-style-type: none">• Ideal for heavy loads in hollow walls, ceilings and floors• Can install through hollow material from 3/8" – 3 5/8" thick• Easy and clean to install, only requires a 1/2" diameter hole• Hangs up to 225 lbs. shear strength• Requires a 1/4"-20 machine bolt for fixture attachment (sold separately, see below) <p>Material: steel; Straps: nylon</p> <p>*Packing: 100 pcs.</p>				


machine bolt for snaptoggle® bolt		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>zinc-plated</td><td>020.42.275</td></tr></table>	Finish	Item No.	zinc-plated	020.42.275
Finish	Item No.					
zinc-plated	020.42.275					
						

<ul style="list-style-type: none">• Pan head with Phillips Drive• 1/4"-20 x 1 1/2" <p>Material: steel</p> <p>*Packing: 100 pcs.</p>	
--	--


*Minimum order quantity is 1 piece.

Dimensions in mm.

Dimensional data not binding. We reserve the right to alter specifications without notice.

flat countersunk head screws with phillips drive		Ø x length Inches	Thread Type	black oxide	zinc-plated
		#6 x 1/2"	Full	010.73.041	010.73.941
		#6 x 5/8"	Full	010.73.043	010.73.943
		#6 x 3/4"	Full	010.73.045	010.73.945
		#6 x 1"	Full	010.73.046	010.73.946
		#6 x 1 1/4"	Partial	010.73.048	010.73.948
		#6 x 2"	Partial	010.73.051	010.73.951
		#8 x 3/4"	Full	010.73.065	010.73.965
		#8 x 1"	Full	010.73.066	010.73.966
		*Packing: 1000 pcs.			
		Ø x length Inches	Thread Type	black oxide	zinc-plated
		#8 x 1 1/4"	Partial	010.23.068	010.23.968
		#8 x 1 1/2"	Partial	010.23.069	010.23.969
		#8 x 1 3/4"	Partial	010.23.070	010.23.970
		*Packing: 5000 pcs.			
		Ø x length Inches	Thread Type	black oxide	zinc-plated
		#8 x 2"	Partial	010.23.071	010.23.971
		*Packing: 4000 pcs.			
		Ø x length Inches	Thread Type	black oxide	zinc-plated
		#8 x 2 1/2"	Partial	010.23.074	010.23.974
		#8 x 3"	Partial	010.23.076	010.23.976
		*Packing: 2000 pcs.			

- Type 17 self-drilling point with nibs under head for self countersinking
 - Coarse thread for fast drive time and maximum holding power
 - Case hardened for added strength
- Material: steel

pan head screws with phillips drive		Ø x length Inches	Thread Type	black oxide	zinc-plated
		#6 x 1/2"	Full	010.83.041	010.83.941
		#6 x 5/8"	Full	010.83.043	010.83.943
		#6 x 3/4"	Full	010.83.045	010.83.945
		#6 x 1"	Full	010.83.046	010.83.946
		#6 x 1 1/4"	Partial	010.83.048	010.83.948
		#6 x 2"	Partial	010.83.051	010.83.951
		#8 x 1/2"	Full	010.83.061	010.83.961
		#8 x 5/8"	Full	010.83.063	010.83.963
		#8 x 3/4"	Full	010.83.065	010.83.965
		#8 x 1"	Full	010.83.066	010.83.966
		#8 x 1 1/4"	Partial	010.83.068	010.83.968
		*Packing: 1000 pcs.			
		Ø x length Inches	Thread Type	black oxide	zinc-plated
		#8 x 1 1/2"	Partial	010.83.069	010.83.969
		*Packing: 500 pcs.			

- Type 17 self-drilling point
 - Coarse thread for fast drive time and maximum holding power
 - Case hardened for added strength
- Material: steel






• For additional sizes and drives, please see The Complete Häfele Catalog

***Minimum order quantity is 1 piece.**

Dimensions in mm.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Special Application Screws


pan head screws with phillips drive		<table><tr><th>Color/Finish</th><th>Ø x length Inches</th><th>Thread Type</th><th>Item No.</th></tr><tr><td>black</td><td>#8 x 7/16"</td><td>Full</td><td>013.09.300</td></tr><tr><td>white</td><td>#8 x 7/16"</td><td>Full</td><td>013.09.700</td></tr><tr><td>zinc-plated</td><td>#8 x 7/16"</td><td>Full</td><td>013.09.900</td></tr></table>	Color/Finish	Ø x length Inches	Thread Type	Item No.	black	#8 x 7/16"	Full	013.09.300	white	#8 x 7/16"	Full	013.09.700	zinc-plated	#8 x 7/16"	Full	013.09.900
Color/Finish	Ø x length Inches	Thread Type	Item No.															
black	#8 x 7/16"	Full	013.09.300															
white	#8 x 7/16"	Full	013.09.700															
zinc-plated	#8 x 7/16"	Full	013.09.900															
		<ul style="list-style-type: none">• Shallow head specifically designed for ball bearing slides Material: steel *Packing: 200 pcs.																
undercut flat head screws with phillips drive		<table><tr><th>Ø x length Inches</th><th>Thread Type</th><th>Item No.</th></tr><tr><td>#7 x 7/16"</td><td>Full</td><td>010.79.511</td></tr><tr><td>#7 x 1/2"</td><td>Full</td><td>010.79.512</td></tr><tr><td>#7 x 5/8"</td><td>Full</td><td>010.79.513</td></tr><tr><td>#7 x 3/4"</td><td>Full</td><td>010.79.514</td></tr></table>	Ø x length Inches	Thread Type	Item No.	#7 x 7/16"	Full	010.79.511	#7 x 1/2"	Full	010.79.512	#7 x 5/8"	Full	010.79.513	#7 x 3/4"	Full	010.79.514	
Ø x length Inches	Thread Type	Item No.																
#7 x 7/16"	Full	010.79.511																
#7 x 1/2"	Full	010.79.512																
#7 x 5/8"	Full	010.79.513																
#7 x 3/4"	Full	010.79.514																
		<ul style="list-style-type: none">• Undercut head is ideally suited for epoxy slides Material: steel; Finish: zinc-plated *Packing: 1000 pcs.																
round washer head screws with pozi drive		<table><tr><th>length Inches</th><th>Item No.</th><th>*Packing</th></tr><tr><td>9/16"</td><td>013.10.149</td><td>200 pcs.</td></tr><tr><td>1 1/8"</td><td>013.10.283</td><td>500 pcs.</td></tr></table>	length Inches	Item No.	*Packing	9/16"	013.10.149	200 pcs.	1 1/8"	013.10.283	500 pcs.							
length Inches	Item No.	*Packing																
9/16"	013.10.149	200 pcs.																
1 1/8"	013.10.283	500 pcs.																
		<ul style="list-style-type: none">• For 5 mm System Holes• For attachment of hardware in system holes, universal brackets, accessories, etc. Material: steel; Finish: zinc-plated																
raised countersunk head screws with pozi drive		<table><tr><th>Ø x length Inches</th><th>Thread Type</th><th>Item No.</th></tr><tr><td>#6 x 9/16"</td><td>Full</td><td>015.55.639</td></tr><tr><td>#6 x 5/8"</td><td>Full</td><td>015.55.648</td></tr><tr><td>#8 x 3/4"</td><td>Full</td><td>015.55.844</td></tr><tr><td>#8 x 1"</td><td>Full</td><td>015.55.853</td></tr></table>	Ø x length Inches	Thread Type	Item No.	#6 x 9/16"	Full	015.55.639	#6 x 5/8"	Full	015.55.648	#8 x 3/4"	Full	015.55.844	#8 x 1"	Full	015.55.853	
Ø x length Inches	Thread Type	Item No.																
#6 x 9/16"	Full	015.55.639																
#6 x 5/8"	Full	015.55.648																
#8 x 3/4"	Full	015.55.844																
#8 x 1"	Full	015.55.853																
		<ul style="list-style-type: none">• For European hinges and mounting plates Material: steel; Finish: nickel-plated *Packing: 1000 pcs.																
modified truss head screws with pozi drive		<table><tr><th>Ø x length Inches</th><th>Thread Type</th><th>Item No.</th></tr><tr><td>#6 x 1"</td><td>Full</td><td>016.10.671</td></tr><tr><td>#8 x 3/4"</td><td>Full</td><td>016.10.831</td></tr></table>	Ø x length Inches	Thread Type	Item No.	#6 x 1"	Full	016.10.671	#8 x 3/4"	Full	016.10.831							
Ø x length Inches	Thread Type	Item No.																
#6 x 1"	Full	016.10.671																
#8 x 3/4"	Full	016.10.831																
		<ul style="list-style-type: none">• For back panel attachment• With extra sharp point and serrated threads Material: steel; Finish: zinc-plated *Packing: 2000 pcs.																


*Minimum order quantity is 1 piece.


Dimensions in mm.


Dimensional data not binding. We reserve the right to alter specifications without notice.

Special Application Screws

back panel fastener with phillips #1 drive		<table><tr><th>Ø x length Inches</th><th>Thread Type</th><th>Item No.</th></tr><tr><td>#2 x 3/4"</td><td>Full</td><td>016.14.300</td></tr></table>	Ø x length Inches	Thread Type	Item No.	#2 x 3/4"	Full	016.14.300
Ø x length Inches	Thread Type	Item No.						
#2 x 3/4"	Full	016.14.300						
<div></div>		<ul style="list-style-type: none">• Extra fine threads• Pound in like a nail, or drive in/remove like a screw• With shallow truss head <p>Material: steel Color: black oxide Packing: 1000 pcs.</p>						


face frame pocket hole screw, with square drive		<table><tr><th>Ø x length Inches</th><th>Thread Type</th><th>Item No.</th></tr><tr><td>#6 x 1 1/4"</td><td>partial</td><td>010.92.301</td></tr><tr><td>#6 x 1 1/2"</td><td>partial</td><td>010.92.302</td></tr></table>	Ø x length Inches	Thread Type	Item No.	#6 x 1 1/4"	partial	010.92.301	#6 x 1 1/2"	partial	010.92.302
Ø x length Inches	Thread Type	Item No.									
#6 x 1 1/4"	partial	010.92.301									
#6 x 1 1/2"	partial	010.92.302									
<div></div>		<ul style="list-style-type: none">• Type 17 Self-drilling point• Combination of fine/course threads for a wider range of applications <p>Material: steel Color: black oxide Packing: 5000 pcs.</p>									

flat countersunk head		<table><tr><th>Ø x length Inches</th><th>Item No.</th><th>Packing</th></tr><tr><td>#9 x 1"</td><td>015.01.935</td><td>1000 pcs.</td></tr><tr><td>#9 x 1 1/8"</td><td>015.01.944</td><td>1000 pcs.</td></tr><tr><td>#9 x 1 3/8"</td><td>015.01.953</td><td>500 pcs.</td></tr><tr><td>#9 x 1 1/2"</td><td>015.01.962</td><td>500 pcs.</td></tr><tr><td>#9 x 1 3/4"</td><td>015.01.971</td><td>500 pcs.</td></tr><tr><td>#9 x 2"</td><td>015.01.980</td><td>500 pcs.</td></tr><tr><td>#9 x 2 3/8"</td><td>015.02.003</td><td>200 pcs.</td></tr></table>	Ø x length Inches	Item No.	Packing	#9 x 1"	015.01.935	1000 pcs.	#9 x 1 1/8"	015.01.944	1000 pcs.	#9 x 1 3/8"	015.01.953	500 pcs.	#9 x 1 1/2"	015.01.962	500 pcs.	#9 x 1 3/4"	015.01.971	500 pcs.	#9 x 2"	015.01.980	500 pcs.	#9 x 2 3/8"	015.02.003	200 pcs.
Ø x length Inches	Item No.	Packing																								
#9 x 1"	015.01.935	1000 pcs.																								
#9 x 1 1/8"	015.01.944	1000 pcs.																								
#9 x 1 3/8"	015.01.953	500 pcs.																								
#9 x 1 1/2"	015.01.962	500 pcs.																								
#9 x 1 3/4"	015.01.971	500 pcs.																								
#9 x 2"	015.01.980	500 pcs.																								
#9 x 2 3/8"	015.02.003	200 pcs.																								
<div></div>		<ul style="list-style-type: none">• With central hole for plastic caps with pozi drive• With 2.5 mm internal hole to accept cover caps <p>Material: steel</p>																								

cover cap, press-fit		<table><tr><th>Color</th><th>Item No.</th></tr><tr><td>white</td><td>045.18.709</td></tr><tr><td>light brown</td><td>045.18.101</td></tr><tr><td>black</td><td>045.18.307</td></tr><tr><td>pine</td><td>045.18.209</td></tr></table>	Color	Item No.	white	045.18.709	light brown	045.18.101	black	045.18.307	pine	045.18.209
Color	Item No.											
white	045.18.709											
light brown	045.18.101											
black	045.18.307											
pine	045.18.209											
<div></div>		<ul style="list-style-type: none">• For screw with central hole above <p>Material: plastic Packing: 5000 pcs.</p>										

Screws for Decorative Hardware

modified truss head screws, M4



- For attaching Decorative Hardware with Combi Cross/slot Drive
- Material: steel
- Finish: zinc-plated
- Packing: 100 pcs.

Ø x length Inches	Item No.
M4 x 8 (5/16")	022.35.081
M4 x 9 (3/8")	022.35.090
M4 x 10 (13/32")	022.35.109
M4 x 12 (1/2")	022.35.127
M4 x 15 (5/8")	022.35.154
M4 x 18 (11/16")	022.35.181
M4 x 20 (13/16")	022.35.207
M4 x 22 (7/8")	022.35.225
M4 x 23 (15/16")	022.35.234
M4 x 25 (1")	022.35.252
M4 x 28 (1 1/8")	022.35.289
M4 x 30 (1 3/16")	022.35.305
M4 x 35 (1 3/8")	022.35.350
M4 x 38 (1 1/2")	022.35.387
M4 x 40 (1 9/16")	022.35.403
M4 x 45 (1 3/4")	022.35.458
M4 x 50 (2")	022.35.501
M4 x 60 (2 3/8")	022.35.609


modified truss head screws, 8-32

- For attaching Decorative Hardware with Combi Cross/slot Drive
- Material: steel
- Finish: yellow chromate
- Packing: 100 pcs.



Ø x length Inches	Item No.
8-32 x 15 (5/8")	022.24.150
8-32 x 20 (13/16")	022.24.200
8-32 x 22 (7/8")	022.24.229
8-32 x 25 (1")	022.24.256
8-32 x 32 (1 1/4")	022.24.327
8-32 x 38 (1 1/2")	022.24.381
8-32 x 45 (1 3/4")	022.24.452


screw, cut-off



Ø x length Inches	yellow chromate
8-32 x 19 - 45 (3/4" - 1 3/4")	022.24.881
Ø x length Inches	zinc-plated
M4 x 19 - 45 (3/4" - 1 3/4")	022.35.887

Material: steel
Packing: 100 pcs.

hanger bolt




Finish	Ø x length Inches	Item No.
zinc-plated	M4 x 25 (1")	026.11.902
yellow chromate	8-32 x 25 (1")	026.11.942


Material: steel
Packing: 100 pcs.







Finish	Ø x length Inches	Bulk/Item No.
zinc-plated	M4 x 25 (1")	026.11.922
yellow chromate	8-32 x 25 (1")	026.11.962

Material: steel
Packing: 1000 pcs.



Screws for Decorative Hardware

M4 sleeve, with internal thread and universal head				
		wood thickness	length	Item No.
		28 - 36 mm	27 mm	267.01.715
		37 - 45 mm	35 mm	267.01.717
		<ul style="list-style-type: none">• For flat blade, Phillips and cross-slot screwdrivers Finish: zinc-plated Material: steel Packing: 1000 pcs.		



M4 screw, with universal head				
		Finish	Item No.	
		nickel-plated	022.34.157	
		<ul style="list-style-type: none">• For flat blade, Phillips and cross-slot screwdrivers Material: steel Packing: 1000 pcs.		

varianta euro screw						
<div></div> <div></div>	<ul style="list-style-type: none">• With Special Countersunk Head for Drawer Slides with #2 Phillips Drive• For 5 mm system holes <p>Material: steel Finish: nickel-plated</p>					
<div></div> <div></div>	<ul style="list-style-type: none">• #2 Phillips Drive• With Special Countersunk Head for Hinge Mounting Plates, TAB, TAB-V, and KEKU Connectors• For 5 mm system holes <p>Material: steel Finish: nickel-plated</p>					
<div></div> <div></div>	<ul style="list-style-type: none">• #2 Pozzi Drive• With Special Cylinder Head for Rasant Tab Connectors, Universal and Back Panel Brackets• For 5 mm system holes <p>Material: steel; Finish: zinc-plated Packing: 500 pcs.</p>					



Length	Packing	Item No.	Packing	Bulk Item No.
7/16" (11 mm)	500 pcs.	013.50.718	5,000 pcs.	012.50.718
9/16" (14 mm)	500 pcs.	013.50.727	5,000 pcs.	012.50.727
5/8" (16 mm)	500 pcs.	013.50.736	5,000 pcs.	012.50.736

	
---	---




Length	Packing	Item No.	Packing	Bulk Item No.
7/16" (11 mm)	500 pcs.	013.51.715	5,000 pcs.	012.51.715
9/16" (14 mm)	500 pcs.	013.51.724	5,000 pcs.	012.51.724
5/8" (16 mm)	500 pcs.	013.51.733	5,000 pcs.	012.51.733




	
--	---




Length	Item No.
7/16" (11 mm)	013.20.912
9/16" (14 mm)	013.20.930
5/8" (16 mm)	013.20.949




	
--	---

Rafix Connecting Bolt

connecting bolt, with M6 thread		Finish	Item No.
		zinc-plated	263.21.826
			
Material: steel *Packing: 2000 pcs.			

spreading dowel, with M6 internal thread		Length	Item No.	*Packing
		9 mm	039.00.267	2500 pcs.
		12 mm w/nylon ball	039.00.061	2000 pcs.
Material: brass, bright		 Drilling depth = 2 mm > insert length		

glue-in dowel, with M6 internal thread		Color	Item No.
		natural	039.33.462
			
Material: nylon *Packing: 1000 pcs.			

glue-in dowel, with M6 internal thread		Length	Item No.
		9 mm	039.33.364
		11 mm	039.33.266
		13 mm	039.33.060
Color: natural Material: nylon *Packing: 5000 pcs.			

***Minimum order quantity is 1 piece.**

Dimensions in mm.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Concealed Hinges


200 Series – Salice

screw-mount, self-closing



Opening angle: **110°**

- Door thickness 16 to 26 mm (5/8" - 1")
 - Side panel thickness from 16 mm (5/8")
 - Tab: 3 - 6 mm
- Material: Cup: steel
Hinge arm: steel; Finish: nickel-plated
- *Packing: 300 pcs.



Closing Method	Mounting	Overlay	Type	Hinge Arm	Model	Item No.
Self-close	Screw	Full	17		C2P6A99	329.17.507
Self-close	Screw	Half	8		C2P6G99	329.17.516
Self-close	Dowel	Full	17		C2R6A99	329.17.552
Self-close	Dowel	Half	8		C2R6G99	329.17.561
Self-close	Logica	Full	17		C2J6A99	329.17.350
Self-close	Logica	Half	8		C2J6G99	329.17.352
Self-close	Rapido	Full	17		C276A99	329.17.580
Self-close	Rapido	Half	8		C276G99	329.17.581






trim caps for hinge arm











Color	Model	Item No.
white	S2XX83A1	329.18.700
black	S2XX83A1	329.18.308

Material: plastic
*Packing: 5000 pcs.

Flap Hinges and Door Bumpers

all-metal flap hinge		<table><tr><th>Finish</th><th>Item No.</th></tr><tr><td>nickel-plated</td><td>342.66.709</td></tr><tr><td>brass-plated</td><td>342.66.503</td></tr><tr><td>bronzed</td><td>342.66.101</td></tr></table>	Finish	Item No.	nickel-plated	342.66.709	brass-plated	342.66.503	bronzed	342.66.101
Finish	Item No.									
nickel-plated	342.66.709									
brass-plated	342.66.503									
bronzed	342.66.101									
<div></div> <div>Opening angle: 90°</div>		<ul style="list-style-type: none">• Three-way adjustable and detachable• The two cups can be released and detached for added shipping and installation convenience• There is a 1 mm gap between flap and shelf when the flap is lowered <p>Material: zinc, die-cast *Packing: 100 pcs. (includes mounting screws)</p>								
<div></div> <div></div> <div></div> <div></div>										

door bumpers		<ul style="list-style-type: none">• Quick setting, synthetic rubber-based adhesive• Manufactured with UV inhibitors to prevent yellowing over time• UL 94 HB approved (polyurethane bumpers) <p>Material: 100% polyurethane, transparent</p>								
<div></div> <div></div>										
		<table><tr><th colspan="2">Silent Bumper</th></tr><tr><th>Item No.</th><th>Packing</th></tr><tr><td>356.25.450</td><td>5,000 pcs.</td></tr><tr><td>356.25.455</td><td>1,000 pcs.</td></tr></table>	Silent Bumper		Item No.	Packing	356.25.450	5,000 pcs.	356.25.455	1,000 pcs.
Silent Bumper										
Item No.	Packing									
356.25.450	5,000 pcs.									
356.25.455	1,000 pcs.									
		<table><tr><th>Item No.</th><th>Packing</th></tr><tr><td>356.25.444</td><td>11,424 pcs.</td></tr><tr><td>356.25.445</td><td>1,734 pcs.</td></tr></table>	Item No.	Packing	356.25.444	11,424 pcs.	356.25.445	1,734 pcs.		
Item No.	Packing									
356.25.444	11,424 pcs.									
356.25.445	1,734 pcs.									
		<table><tr><th>Item No.</th><th>Packing</th></tr><tr><td>356.25.410</td><td>5,082 pcs.</td></tr><tr><td>356.25.415</td><td>1,210 pcs.</td></tr></table>	Item No.	Packing	356.25.410	5,082 pcs.	356.25.415	1,210 pcs.		
Item No.	Packing									
356.25.410	5,082 pcs.									
356.25.415	1,210 pcs.									











*Minimum order quantity is 1 piece.

Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Swing-up Fittings

Duo

duo lid/flip stay arm		Version	Finish/Color	Item No.
 <div>Hex key sets the function to stopping or braking</div> 	A (6 kg/13 lbs.)	nickel-plated	373.66.660	
	B (8 kg/18 lbs.)	nickel-plated	373.66.661	
	A (6 kg/13 lbs.)	silver	373.66.960	
	B (8 kg/18 lbs.)	silver	373.66.961	
	A (6 kg/13 lbs.)	black	373.66.360	
	B (8 kg/18 lbs.)	black	373.66.361	
		Material: zinc alloy *Packing: 20 pcs.		
<div><ul style="list-style-type: none">• Two applications; lid or flap stay• Can be mounted left or right• Adjustable braking effect• Lid/Flap stay clip mounts to brackets without tools</div> <div><ul style="list-style-type: none">• Use of a magnet is recommended when used as a flap stay application• Aluminum doors are on page 99• Please order mounting brackets separately - see below• 4 mm hex key sold separately - see next page</div>				
mounting brackets		Mounting distance from front edge	Finish/Color	Item No.
 	28 mm (1 1/8")	nickel-plated	373.66.693	
	37 mm (1 7/16")	nickel-plated	373.66.694	
	28 mm (1 1/8")	silver	373.66.993	
	37 mm (1 7/16")	silver	373.66.994	
	28 mm (1 1/8")	black	373.66.393	
	37 mm (1 7/16")	black	373.66.394	
		• For attachment to side panel of cabinet Material: steel *Packing: 20 pcs.		
 	Finish/Color	Item No.		
	nickel-plated	373.66.681		
	silver	373.66.981		
	black	373.66.381		
		• For wood or aluminum door frame profiles over 35 mm (13/8") wide Material: steel *Packing: 20 pcs.		
 	Finish/Color	Item No.		
	nickel-plated	373.66.682		
	silver	373.66.982		
	black	373.66.382		
		• For aluminum door frame profiles up to 35 mm (13/8") wide Material: steel *Packing: 20 pcs.		
 	Finish	Item No.		
	nickel-plated	373.66.685		
		• For use with a face frame overlay 5-piece door Material: steel *Packing: 20 pcs.		


***Minimum order quantity is 1 piece.**

Dimensions in mm. Inches are approximate.



Dimensional data not binding. We reserve the right to alter specifications without notice.

Swing-up Fittings

duo lid/flip stay arm



- Two stays are recommended for any door 600 mm (24\") or wider
- Units may need to be re-adjusted after the first 300 cycles to maintain optimum performance; this is a one time adjustment that does not have to be repeated



Hex Key, 4 mm

*Packing	Item No.
2,000 pcs.	008.28.044

Sample measurements table for max. flap weight

Flap height inches	max. flap weight lbs.		Braking function	
	1 Stay	2 Stays	1 Stay	2 Stays

Version A

For opening angle 75°

8"	19.8 lbs	39.6 lbs	25.3 lbs	39.6 lbs
10"	15.4 lbs	39.6 lbs	19.8 lbs	39.6 lbs
12"	13.2 lbs	26.4 lbs	16.5 lbs	39.6 lbs
14"	11 lbs	22 lbs	14.3 lbs	28.6 lbs
16"	9.9 lbs	19.8 lbs	13.2 lbs	25.3 lbs
17 1/2"	8.8 lbs	17.6 lbs	11 lbs	22 lbs
19 1/2"	7.7 lbs	15.4 lbs	9.9 lbs	19.8 lbs

For opening angle 90°

8"	16.5 lbs	39.6 lbs	20.9 lbs	39.6 lbs
10"	13.2 lbs	26.4 lbs	16.5 lbs	39.6 lbs
12"	11 lbs	22 lbs	13.2 lbs	28.6 lbs
14"	8.8 lbs	18.7 lbs	12.1 lbs	24.2 lbs
16"	7.7 lbs	15.4 lbs	11 lbs	22 lbs
17 1/2"	7.7 lbs	14.3 lbs	8.8 lbs	18.7 lbs
19 1/2"	6.6 lbs	13.2 lbs	8.8 lbs	17.6 lbs

For opening angle 110°

8"	13.2 lbs	26.4 lbs	17.6 lbs	39.6 lbs
10"	11 lbs	20.9 lbs	13.2 lbs	26.4 lbs
12"	8.8 lbs	17.6 lbs	11 lbs	22 lbs
14"	6.6 lbs	15.4 lbs	8.8 lbs	19.8 lbs
16"	6.6 lbs	13.2 lbs	8.8 lbs	16.5 lbs
17 1/2"	5.5 lbs	11 lbs	7.7 lbs	15.4 lbs
19 1/2"	4.4 lbs	11 lbs	6.6 lbs	13.2 lbs

Version B

For opening angle 75°

8"	30.8 lbs	39.6 lbs	39.6 lbs	39.6 lbs
10"	25.3 lbs	39.6 lbs	39.6 lbs	39.6 lbs
12"	19.8 lbs	39.6 lbs	26.4 lbs	39.6 lbs
14"	17.6 lbs	39.6 lbs	24.2 lbs	39.6 lbs
16"	15.4 lbs	30.8 lbs	19.8 lbs	39.6 lbs
17 1/2"	13.2 lbs	27.5 lbs	17.6 lbs	39.6 lbs
19 1/2"	12.1 lbs	24.2 lbs	15.4 lbs	39.6 lbs
21 1/2"	11 lbs	22 lbs	14.3 lbs	28.6 lbs
23 1/2"	11 lbs	20.9 lbs	13.2 lbs	26.4 lbs
25 1/2"	8.8 lbs	18.7 lbs	12.1 lbs	24.2 lbs
27 1/2"	8.8 lbs	17.6 lbs	11 lbs	23.1 lbs

For opening angle 90°

8"	26.4 lbs	39.6 lbs	39.6 lbs	39.6 lbs
10"	20.9 lbs	39.6 lbs	26.4 lbs	39.6 lbs
12"	17.6 lbs	39.6 lbs	22 lbs	39.6 lbs
14"	15.4 lbs	29.7 lbs	19.8 lbs	39.6 lbs
16"	13.2 lbs	26.4 lbs	17.6 lbs	39.6 lbs
17 1/2"	11 lbs	24.2 lbs	15.4 lbs	30.8 lbs
19 1/2"	11 lbs	20.9 lbs	13.2 lbs	26.4 lbs
21 1/2"	8.8 lbs	18.7 lbs	12.1 lbs	24.2 lbs
23 1/2"	8.8 lbs	17.6 lbs	11 lbs	22 lbs
25 1/2"	7.7 lbs	15.4 lbs	11 lbs	20.9 lbs
27 1/2"	6.6 lbs	15.4 lbs	8.8 lbs	19.8 lbs

For opening angle 110°

8"	20.9 lbs	39.6 lbs	27.5 lbs	39.6 lbs
10"	16.5 lbs	39.6 lbs	22 lbs	39.6 lbs
12"	14.3 lbs	27.5 lbs	17.6 lbs	39.6 lbs
14"	12.1 lbs	24.2 lbs	15.4 lbs	30.8 lbs
16"	9.9 lbs	20.9 lbs	13.2 lbs	27.5 lbs
17 1/2"	8.8 lbs	18.7 lbs	12.1 lbs	24.2 lbs
19 1/2"	8.8 lbs	16.5 lbs	11 lbs	22 lbs
21 1/2"	7.7 lbs	15.4 lbs	8.8 lbs	19.8 lbs
23 1/2"	6.6 lbs	13.2 lbs	8.8 lbs	17.6 lbs
25 1/2"	6.6 lbs	12.1 lbs	8.8 lbs	16.5 lbs
27 1/2"	6.6 lbs	11 lbs	7.7 lbs	15.4 lbs

***Minimum order quantity is 1 piece.**

Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Quick Door™ Aluminum Frame Doors

Custom Order for Hinged Doors

profiles							
Specification: <ul style="list-style-type: none"> • Select frame profile and glass • Hinge type and overlay <ul style="list-style-type: none"> • Provide details and dimensions on hinge sizes and drilling locations • Hinged doors: Hinge attachment through machined cutouts 							
 	<table> <tr> <th>Finish</th><th>Item No.</th></tr> <tr> <td>anodized, matt</td><td>563.55.931</td></tr> <tr> <td>brushed stainless steel</td><td>563.55.031</td></tr> </table> <ul style="list-style-type: none"> • Profile 19.5 x 23 mm (3/4" x 15/16") Material: aluminum Packing: 1 pc. 	Finish	Item No.	anodized, matt	563.55.931	brushed stainless steel	563.55.031
Finish	Item No.						
anodized, matt	563.55.931						
brushed stainless steel	563.55.031						
 	<table> <tr> <th>Finish</th><th>Item No.</th></tr> <tr> <td>anodized, matt</td><td>563.55.911</td></tr> </table> <ul style="list-style-type: none"> • Profile 20.5 x 19 mm (13/16" x 3/4") Material: aluminum Packing: 1 pc. 	Finish	Item No.	anodized, matt	563.55.911		
Finish	Item No.						
anodized, matt	563.55.911						
 	<table> <tr> <th>Finish</th><th>Item No.</th></tr> <tr> <td>anodized, matt</td><td>563.56.921</td></tr> </table> <ul style="list-style-type: none"> • Profile 20.6 x 50 mm (13/16" x 1 31/32") Material: aluminum Packing: 1 pc. 	Finish	Item No.	anodized, matt	563.56.921		
Finish	Item No.						
anodized, matt	563.56.921						
 	<table> <tr> <th>Finish</th><th>Item No.</th></tr> <tr> <td>anodized, matt</td><td>563.56.931</td></tr> <tr> <td>brushed stainless steel</td><td>563.56.031</td></tr> </table> <ul style="list-style-type: none"> • Profile 22.3 x 45 mm (7/8" x 1 3/4") Material: aluminum Packing: 1 pc. 	Finish	Item No.	anodized, matt	563.56.931	brushed stainless steel	563.56.031
Finish	Item No.						
anodized, matt	563.56.931						
brushed stainless steel	563.56.031						
 	<table> <tr> <th>Finish</th><th>Item No.</th></tr> <tr> <td>anodized, matt</td><td>563.55.322</td></tr> <tr> <td>brushed stainless steel</td><td>563.55.022</td></tr> </table> <ul style="list-style-type: none"> • Profile 20.5 x 54 mm (13/16" x 2 1/8") Material: aluminum Packing: 1 pc. 	Finish	Item No.	anodized, matt	563.55.322	brushed stainless steel	563.55.022
Finish	Item No.						
anodized, matt	563.55.322						
brushed stainless steel	563.55.022						
 	<table> <tr> <th>Finish</th><th>Item No.</th></tr> <tr> <td>anodized, matt</td><td>563.56.911</td></tr> </table> <ul style="list-style-type: none"> • Profile 19.8 x 45 mm (3/4" x 1 3/4") Material: aluminum Packing: 1 pc. 	Finish	Item No.	anodized, matt	563.56.911		
Finish	Item No.						
anodized, matt	563.56.911						

Quick Door™ Aluminum Frame Glass Doors

Cut to Size - Custom Order Glass

specify for use with aluminum glass profiles 563.55, 563.56 series


(Please inquire for additional glass options.)




Clear Glass




Acid Etch




Quatrix Patterned Glass



Listrel F Patterned Glass















Soft Square Patterned Glass



Screen Patterned Glass

Hinges for Aluminum Doors

Salice



screw-mount, self-closing						
	Opening angle: 105° 	Mounting		Hinge	Model	Item No.
		Full Overlay	17		C2Z6A99	329.23.610
Half Overlay	8		C2Z6G99	329.23.630		
<ul style="list-style-type: none">• Developed for use with metal profiles• A $\varnothing 3.5 \times 9.5$ mm (#6 x 3/8") countersunk sheet metal screw to attach hinge to frame is recommended• To be used with aluminum frame doors on page 87 Material: steel; Finish: nickel-plated *Packing: 150 pcs.						
trim caps for hinge arm						
		Color		Model	Item No.	
		white	S2XX83A1		329.18.700	
		black	S2XX83A3		329.18.308	
		Material: plastic *Packing: 5000 pcs.				
wing mounted plates, screw-mounted						
 	<p>Hole pattern</p> 	Reinforcement		Type	Model	Item No.
		none	2	BAR3R09	329.71.500	
		2 mm	4	BAR3R29	329.71.502	
		3 mm	5	BAR3R39	329.71.503	
		6 mm	8	BAR3R69	329.71.506	
		9 mm	11	BAR3R99	329.71.508	
		12 mm	14	BAR3RC9	329.71.509	
		<ul style="list-style-type: none">• With independent vertical and depth adjustment• Spring lever Material: steel, zinc; Finish: nickel-plated *Packing: 300 pcs.				
 	<p>Hole pattern</p> 	Reinforcement		Type	Model	Item No.
		none	2	BAR3R09/16	329.71.510	
		2 mm	4	BAR3R29/16	329.71.512	
		3 mm	5	BAR3R39/16	329.71.513	
		6 mm	8	BAR3R69/16	329.71.516	
		9 mm	11	BAR3R99/16	329.71.518	
		12 mm	14	BAR3RC9/16	329.71.519	
		<ul style="list-style-type: none">• With independent vertical and depth adjustment• Spring lever• With pre-installed 11 mm Euro screws Material: steel, zinc; Finish: nickel-plated *Packing: 300 pcs.				
<ul style="list-style-type: none">• For center/commons panels• With pre-installed 7.5 mm Euro screws Material: steel, zinc, nickel-plated *Packing: 300 pcs.		Reinforcement		Type	Model	Item No.
		none	2	BARGR09/20	329.71.530	
		3 mm	5	BARGR39/20	329.71.533	

*Minimum order quantity is 1 piece.

Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Cam Locks

cam locks		For Material Size	Keyed Different	Keyed Alike
		16 mm (5/8")	235.12.200	235.12.221
		Dim. L=25 mm (1")		
		19 mm (3/4")	235.12.220	235.12.241
		Dim. L=30 mm (1 1/4")		
		25 mm (1")	235.12.240	235.12.261
		Dim. L=35 mm (1 3/8")		
		*Packing 100 pcs. 20 pcs. (1 pc. = 2 keys, prong washer, hex nut, rosette, 90° and 180° stop washers)		
<ul style="list-style-type: none"> • Easily converted from 90° to 180° travel • Key is removable in locked and unlocked position • Includes a straight cam (1 1/4") long • Master keying systems are not available • Keyed alike, key # 001 • Keyed different, key #'s 001-100 • For wood, metal or plastic, with straight cam 32 mm (1 1/4") long • 5 plate levers • Requires 19 mm (3/4") diameter hole Material: zinc die-cast, plated; Finish: chrome-plated Accessories: steel				
offset cams		Offset	Item No.	
<ul style="list-style-type: none"> • Offset cams increase (out) or decrease (in) dim. L by offset dimension of cam • Example: If dim. L = 30 mm and 6 mm offset cam is selected, then "in" = 24 mm and "out" = 36 mm • Order separately (replace straight cams) Material: steel; Finish: yellow chromate *Packing: 20 pcs.		3 mm (1/8")	219.13.910	
		6 mm (1/4")	219.13.930	
		9 mm (3/8")	219.13.950	

Epoxy Slides

soft roller

SYSTEM
VARIANTA 32

- Bottom mounted, 3/4 extension, self-closing
- Dynamic load carrying capacity, max. 45 kg. (100 lbs.)/pair
- Static load carrying capacity, max. 56 kg. (125 lbs./pair)
- 4 friction bearing-mounted rollers with washer bearings

Material: steel, powder-coated
*Packing: 20 pairs

SYSTEM
VARIANTA 32

- Bottom mounted, full extension, self-closing, premium
- Patented middle rail reinforcement
- High lateral stability due to specially designed profiles
- Special cabinet rail shape prevents scraping of the rollers
- Middle rail return prevention
- Patented buffer and pull-out prevention clip
- Load carrying capacity, max. 68 kg. (150 lbs.)/pair
- 2 quiet-action rollers, 6 friction bearing-mounted nylon rollers
- Double captive

Material: steel, powder-coated
Color: white RAL 9010
*Packing: 10 pairs

SYSTEM
VARIANTA 32

- Load carrying capacity, max. 40 kg (88 lbs.)/pair
- Rollers: 8 friction bearing mounted rollers with rear washer bearings

Material: steel, epoxy-coated; Color: white RAL 9010
*Packing: 10 pairs

Installed Length	brown RAL 8017	white RAL 9010	beige RAL 1015
300 (12")	423.37.130	423.37.730	423.37.030
350 (14")	423.37.135	423.37.735	423.37.035
400 (16")	423.37.140	423.37.740	423.37.040
450 (18")	423.37.145	423.37.745	423.37.045

Color: white RAL 9010

Installed Length	Drawer right	Bulk Pack		Cabinet left
		Drawer left	Cabinet right	
300 (12")	423.37.702	423.37.703	423.37.782	423.37.783
350 (14")	423.37.704	423.37.705	423.37.784	423.37.785
400 (16")	423.37.706	423.37.707	423.37.786	423.37.787
450 (18")	423.37.708	423.37.709	423.37.788	423.37.789

Installed Length	Extended Length	Item No.
300 (12")	300 (12")	423.46.791
350 (14")	370 (14 1/2")	423.46.736
400 (16")	420 (16 1/2")	423.46.741
450 (18")	470 (18 1/2")	423.46.746

Installed Length	Extended Length	Item No.
300 (12")	310 (12")	423.75.430
350 (14")	360 (14")	423.75.435
400 (16")	410 (16")	423.75.440
450 (18")	460 (18")	423.75.445

• For additional lengths and detailed drawings, please see The Complete Häfele Catalog

Varianta screws Page 92

Flat head screws Page 88

***Minimum order quantity is 1 pair.**

Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.

54 mm (2") height drawer		<ul style="list-style-type: none">• 3/4 extension, self-closing, bottom-mounted• Load carrying capacity, max 45 kg. (100 lbs.) / set• Front adjustment bracket ±2 mm Material: steel, epoxy-coated												
<div><div><div>Flat Head</div><div>#7</div></div><div><div>VARIANTA</div><div>5</div></div></div> <div></div>	<table><tr><th>Length</th><th>white RAL 9010</th></tr><tr><td>300 (12")</td><td>558.51.730</td></tr><tr><td>350 (14")</td><td>558.51.735</td></tr><tr><td>400 (16")</td><td>558.51.740</td></tr><tr><td>450 (18")</td><td>558.51.745</td></tr></table> *Packing: 10 sets	Length	white RAL 9010	300 (12")	558.51.730	350 (14")	558.51.735	400 (16")	558.51.740	450 (18")	558.51.745			
Length	white RAL 9010													
300 (12")	558.51.730													
350 (14")	558.51.735													
400 (16")	558.51.740													
450 (18")	558.51.745													
118 mm (4 1/2") height drawer		<table><tr><th>Length</th><th>white RAL 9010</th></tr><tr><td>300 (12")</td><td>558.54.730</td></tr><tr><td>350 (14")</td><td>558.54.735</td></tr><tr><td>400 (16")</td><td>558.54.740</td></tr><tr><td>450 (18")</td><td>558.54.745</td></tr></table> *Packing: 10 sets	Length	white RAL 9010	300 (12")	558.54.730	350 (14")	558.54.735	400 (16")	558.54.740	450 (18")	558.54.745		
Length	white RAL 9010													
300 (12")	558.54.730													
350 (14")	558.54.735													
400 (16")	558.54.740													
450 (18")	558.54.745													
<div><div><div>Flat Head</div><div>#7</div></div><div><div>VARIANTA</div><div>5</div></div></div> <div></div>	<table><tr><th>Length</th><th>white RAL 9010</th></tr><tr><td>300 (12")</td><td>558.55.730</td></tr><tr><td>350 (14")</td><td>558.55.735</td></tr><tr><td>400 (16")</td><td>558.55.740</td></tr><tr><td>450 (18")</td><td>558.55.745</td></tr></table> *Packing: 10 sets	Length	white RAL 9010	300 (12")	558.55.730	350 (14")	558.55.735	400 (16")	558.55.740	450 (18")	558.55.745			
Length	white RAL 9010													
300 (12")	558.55.730													
350 (14")	558.55.735													
400 (16")	558.55.740													
450 (18")	558.55.745													
150 mm (6") height drawer		<table><tr><th>Length</th><th>white RAL 9010</th></tr><tr><td>300 (12")</td><td>558.45.730</td></tr><tr><td>350 (14")</td><td>558.45.735</td></tr><tr><td>400 (16")</td><td>558.45.740</td></tr><tr><td>450 (18")</td><td>558.45.745</td></tr></table> *Packing: 10 sets	Length	white RAL 9010	300 (12")	558.45.730	350 (14")	558.45.735	400 (16")	558.45.740	450 (18")	558.45.745		
Length	white RAL 9010													
300 (12")	558.45.730													
350 (14")	558.45.735													
400 (16")	558.45.740													
450 (18")	558.45.745													
<div><div><div>Flat Head</div><div>#7</div></div><div><div>VARIANTA</div><div>5</div></div></div> <div></div>	<table><tr><th>Length</th><th>white RAL 9010</th></tr><tr><td>300 (12")</td><td>558.45.730</td></tr><tr><td>350 (14")</td><td>558.45.735</td></tr><tr><td>400 (16")</td><td>558.45.740</td></tr><tr><td>450 (18")</td><td>558.45.745</td></tr></table> *Packing: 10 sets	Length	white RAL 9010	300 (12")	558.45.730	350 (14")	558.45.735	400 (16")	558.45.740	450 (18")	558.45.745			
Length	white RAL 9010													
300 (12")	558.45.730													
350 (14")	558.45.735													
400 (16")	558.45.740													
450 (18")	558.45.745													
210 mm (8") height drawer		<table><tr><th>Length</th><th>white RAL 9010</th></tr><tr><td>300 (12")</td><td>558.45.730</td></tr><tr><td>350 (14")</td><td>558.45.735</td></tr><tr><td>400 (16")</td><td>558.45.740</td></tr><tr><td>450 (18")</td><td>558.45.745</td></tr></table> *Packing: 10 sets	Length	white RAL 9010	300 (12")	558.45.730	350 (14")	558.45.735	400 (16")	558.45.740	450 (18")	558.45.745		
Length	white RAL 9010													
300 (12")	558.45.730													
350 (14")	558.45.735													
400 (16")	558.45.740													
450 (18")	558.45.745													
<div><div><div>Flat Head</div><div>#7</div></div><div><div>VARIANTA</div><div>5</div></div></div> <div></div>	<table><tr><th>Length</th><th>white RAL 9010</th></tr><tr><td>300 (12")</td><td>558.45.730</td></tr><tr><td>350 (14")</td><td>558.45.735</td></tr><tr><td>400 (16")</td><td>558.45.740</td></tr><tr><td>450 (18")</td><td>558.45.745</td></tr></table> *Packing: 10 sets	Length	white RAL 9010	300 (12")	558.45.730	350 (14")	558.45.735	400 (16")	558.45.740	450 (18")	558.45.745			
Length	white RAL 9010													
300 (12")	558.45.730													
350 (14")	558.45.735													
400 (16")	558.45.740													
450 (18")	558.45.745													
<div></div>	<div>Front Fixing Bracket Recommendations: Screw-mount: Screw diameter: 3.5 mm (#6) Minimum length: 13 mm (1/2") Dowel-mount: Dowel diameter: 10.9 mm Drilling diameter: 10 mm Dowel length: 9.7 mm Material: steel; Finish: nickel-plated *Packing: 10 sets</div>	<div>Front Fixing Bracket</div> <table><tr><th>For 54 (2") height</th><th>Item No.</th></tr><tr><td>screw-mount</td><td>558.50.900</td></tr><tr><td>dowel-mount</td><td>558.50.902</td></tr></table> <table><tr><th>For 118 (4 1/2"), 150 (6") and 210 (8") height</th><th>Item No.</th></tr><tr><td>screw-mount</td><td>558.50.901</td></tr><tr><td>dowel-mount</td><td>558.50.903</td></tr></table>	For 54 (2") height	Item No.	screw-mount	558.50.900	dowel-mount	558.50.902	For 118 (4 1/2"), 150 (6") and 210 (8") height	Item No.	screw-mount	558.50.901	dowel-mount	558.50.903
For 54 (2") height	Item No.													
screw-mount	558.50.900													
dowel-mount	558.50.902													
For 118 (4 1/2"), 150 (6") and 210 (8") height	Item No.													
screw-mount	558.50.901													
dowel-mount	558.50.903													
<div>• For Blum mini press - attaches doweled brackets to panels Material: aluminum Packing: 1 pc.</div>		<div>Insertion Ram</div> <table><tr><th>Item No.</th></tr><tr><td>001.96.273</td></tr></table>	Item No.	001.96.273										
Item No.														
001.96.273														

• For additional lengths and detailed drawings, please see The Complete Häfele Catalog

Varianta screws Page 92

Flat head screws Page 88

***Minimum order quantity is 1 set.**

Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Ball Bearing


accuride 3732



SYSTEM
VARIANTA 32

- Full-extension, side mounted
 - Weight capacity, max. 45 kg. (100 lbs)/pair
 - 32 mm system compatible
 - Hold-in detent
 - Slim side space mounting 1/2"
 - Lever disconnect
 - Low profile height 11/2" (38 mm)
- Material: steel, zinc-plated
Packing: 10 pairs (order screws separately)
FP Pack (drawer and cabinet members separated)

Installed Length	Travel	zinc	zinc	black	white
300	292				
11 7/8"	11 1/2"	422.88.932	422.88.931	422.88.331	422.88.731
350	356				
13 3/4"	14"	422.88.937	422.88.936	422.88.336	422.88.736
400	406				
15 3/4"	16"	422.88.942	422.88.941	422.88.341	422.88.741
450	457				
17 3/4"	18"	422.88.947	422.88.946	422.88.346	422.88.746



Ball Bearing with 1 1/2" Overtravel



accuride 4034



SYSTEM
VARIANTA 32

- Full extension, progressive, side mounted
 - Weight capacity, max. 68 kg. (150 lbs)/pair
 - For file drawer applications in desk, credenzas, lateral files, store fixtures and institutional furniture
 - Features handed slides, steel ball-bearings
 - Hold-in detent
 - 32 mm system compatible
 - Rail mounted for easy drawer installation and removal
- Material: steel, zinc-plated
Packing: Shop pack: 1 pair (includes mounting screws)
X pack: 5 pairs (includes mounting screws)

Installed Length	Extension Length	Shop Pack		X Pack	
		zinc	black	zinc	black
300 (12")	337 (13 1/4")	422.17.309	422.17.318	422.17.311	422.17.320
350 (14")	386 (15 7/32")	422.17.354	422.17.363	422.17.356	422.17.365
400 (16")	448 (17 5/8")	422.17.407	422.17.416	422.17.409	422.17.418
450 (18")	498 (19 5/8")	422.17.452	422.17.461	422.17.454	422.17.463




- For additional lengths and detailed drawings, please see The Complete Häfele Catalog

accuride 3832




SYSTEM
VARIANTA 32



- Full extension, telescopic, side mounted
- Weight capacity, max. 45 kg. (100 lbs)/pair
- Features low profile for shallow drawers
- Hold-in detent
- 32 mm system compatible
- Lever disconnect

Material: steel, zinc-plated or epoxy-coated

Packing: 10 pairs (shop pack includes screws; bulk pack, order screws separately)
(FP pack, drawer members and cabinet members separated, order screws separately)




Installed Length	Extension Length	Shop Pack zinc	Bulk Pack zinc	Bulk Pack black	Bulk Pack white	FP Pack zinc
300 (12")	300 (12")	422.04.301	422.04.302	422.04.311	422.04.320	422.04.930
350 (14")	350 (14")	422.04.356	422.04.357	422.04.366	422.04.375	422.04.935
400 (16")	400 (16")	422.04.401	422.04.400	422.04.419	422.04.428	422.04.940
450 (18")	450 (18")	422.04.454	422.04.455	422.04.464	422.04.473	422.04.945

accuride 3832SC




SYSTEM
VARIANTA 32



- Full extension, telescopic, side mounted
- Weight capacity, max. 45 kg. (100 lbs)/pair
- Features low profile for shallow drawers
- Hold-in detent
- 32 mm system compatible
- Lever disconnect

Material: steel, zinc-plated or epoxy-coated

Packing: 10 pairs (shop pack includes screws; bulk pack, order screws separately)



Installed Length	Extension Length	Shop Pack zinc	Bulk Pack zinc	Shop Pack black	Bulk Pack black	Shop Pack white epoxy	Bulk Pack white epoxy
350 (14")	350 (14")	422.59.935	422.59.936	422.59.335	422.59.336	422.59.735	422.59.736
400 (16")	400 (16")	422.59.940	422.59.941	422.59.340	422.59.341	422.59.740	422.59.741
450 (18")	450 (18")	422.59.945	422.59.946	422.59.345	422.59.346	422.59.745	422.59.746

pilaster mounting kit


Material: steel, zinc-plated
Packing: 1 pair

Item No.
422.59.000

• For additional lengths and detailed drawings, please see The Complete Häfele Catalog

Ball Bearing

accuride 7432




- Full extension, progressive, side mounted
 - Low profile - 60 mm (2 3/8")
 - Steel ball bearings for increased strength & stability
 - Hold-in detent prevents drawer bounce back and roll out
 - Can be mounted in either traditional or 32 mm cabinets
 - Rail mounted for easy drawer installation and removal
 - Weight capacity, max. 45 kg (100 lbs.)/pair
- Material: steel, zinc-plated
Packing: 5 pairs (includes mounting screws)


Installed Length	Extension Length	Item No.	
		zinc-plated	black
300 (12")	304 (12")	422.29.930	422.29.330
350 (14")	355 (14")	422.29.935	422.29.335
400 (16")	405 (16")	422.29.940	422.29.340
450 (18")	455 (18")	422.29.945	422.29.345



This innovative mechanism enables installers to adjust the vertical position of drawers by up to 1/8".




accuride 7434



SYSTEM
VARIANTA 32

- With 25 mm (1") overtravel
 - Full extension, progressive, side mounted
 - Weight capacity: max. 45 kg. (100 lbs.)/pair
 - Full drawer access with smooth, consistent movement
 - Low profile - 60 mm (2 3/8")
 - Steel ball bearings for increased strength & stability
 - Hold-in detent, prevents drawer bounce back and roll out
 - Can be mounted in either traditional or 32 mm cabinets
 - Rail mounted for easy drawer installation and removal
- Material: steel, zinc-plated
Packing: 1 pair (Shop pack, includes mounting screws)
5 pairs (X pack, includes mounting screws)

Installed Length	Extension Length	Shop Pack		X Pack	
		zinc	black	Length	zinc
300 (12")	329 (13")	422.93.930	422.93.330	12"	422.93.932
350 (14")	379 (15")	422.93.935	422.93.335	14"	422.93.937
400 (16")	430 (17")	422.93.940	422.93.340	16"	422.93.942
450 (18")	480 (19")	422.93.945	422.93.345	18"	422.93.947







This innovative mechanism enables installers to adjust the vertical position of drawers by up to 1/8".



- For additional lengths and detailed drawings, please see The Complete Häfele Catalog

Concealed Undermount Roller Bearing Slide



accuride - eclipse C3132EC																									
	<ul style="list-style-type: none"> • Full extension, easy-close • Weight capacity: 45 kg (100 lb)/pair • Vertical and horizontal adjustment = 3 mm (1/8") • Certified BHMA Grade 1 HD-100 in drawers up to 24" wide • Easy-Close mechanism prevents drawer slam and closes with a fluid, gentle movement • Front lever disconnect for easy drawer insertion and removal <p>Material: Slide: steel, zinc-plated; Bearings: steel Rollers: polymer</p> <p>Packing: Shop Pack: (1 pair of slides, 2 pcs. horizontal disconnect levers, 6 pcs. #8 x 5/8" Phillips flat head screws (for slides) and 4 pcs. of #6 x 5/8" Phillips pan head screws (for levers) Bulk Pack: (6 pair of slides, 36 pcs. #8 x 5/8" Phillips flat head screws (for slides) Disconnect Levers must be ordered separately</p>																								
 	<table border="1"> <thead> <tr> <th>Installed Length</th> <th>Extension Length</th> <th>Shop Pack</th> <th>Bulk Pack</th> </tr> </thead> <tbody> <tr> <td>305 (12")</td> <td>292 (11 1/2")</td> <td>420.01.931</td> <td>420.01.930</td> </tr> <tr> <td>355 (14")</td> <td>343 (13 1/2")</td> <td>420.01.936</td> <td>420.01.935</td> </tr> <tr> <td>381 (15")</td> <td>368 (14 1/2")</td> <td>420.01.939</td> <td>420.01.938</td> </tr> <tr> <td>406 (16")</td> <td>393 (15 1/2")</td> <td>420.01.941</td> <td>420.01.940</td> </tr> <tr> <td>457 (18")</td> <td>445 (17 1/2")</td> <td>420.01.946</td> <td>420.01.945</td> </tr> </tbody> </table>	Installed Length	Extension Length	Shop Pack	Bulk Pack	305 (12")	292 (11 1/2")	420.01.931	420.01.930	355 (14")	343 (13 1/2")	420.01.936	420.01.935	381 (15")	368 (14 1/2")	420.01.939	420.01.938	406 (16")	393 (15 1/2")	420.01.941	420.01.940	457 (18")	445 (17 1/2")	420.01.946	420.01.945
Installed Length	Extension Length	Shop Pack	Bulk Pack																						
305 (12")	292 (11 1/2")	420.01.931	420.01.930																						
355 (14")	343 (13 1/2")	420.01.936	420.01.935																						
381 (15")	368 (14 1/2")	420.01.939	420.01.938																						
406 (16")	393 (15 1/2")	420.01.941	420.01.940																						
457 (18")	445 (17 1/2")	420.01.946	420.01.945																						

disconnect levers for accuride C3132EC										
	<table border="1"> <thead> <tr> <th>Lever</th> <th>Individual</th> <th>Bulk</th> </tr> </thead> <tbody> <tr> <td>Horizontal</td> <td>420.01.000</td> <td>420.01.001</td> </tr> <tr> <td>Vertical</td> <td>420.01.002</td> <td>N/A</td> </tr> </tbody> </table> <p>• Cast metal base provides strength and durability Material: zinc, plastic</p> <p>Packing: Individual: 1 pair (1 left hand lever, 1 right hand lever, 4 screws) Bulk: 60 pairs (60 left hand levers, 60 right hand levers, 240 screws)</p>	Lever	Individual	Bulk	Horizontal	420.01.000	420.01.001	Vertical	420.01.002	N/A
Lever	Individual	Bulk								
Horizontal	420.01.000	420.01.001								
Vertical	420.01.002	N/A								

• For additional lengths and detailed drawings, please see The Complete Häfele Catalog

Pull-out Cabinet Slides

EKU-Forte 170/B40

SYSTEM
VARIANTA 32

- Partial extension, top/bottom mounted
- Load capacity: 170 kg. (374 lbs.)
- 3 mm (+2/-1) height adjustment with adjusting screw, permitting alignment of the front panel
- 8 ball-bearing mounted steel rollers
- 2 friction bearing mounted steel rollers
- 1 friction bearing mounted cylinder steel roller
- Rubber buffers on the rails and runner ensure silent action
- Return guide and retainer provide for the accurate closure of the cabinet pull-out safety stop

Material: steel; Color: gray RAL 7035

Packing: 1 pc. (includes top runner and mounting instructions)

Installation length	Extension length	Item No.
380 (1' 2 5/16")	339 (1' 1 3/8")	421.48.380
430 (1' 4 15/16")	389 (1' 3 5/16")	421.48.430
480 (1' 6 7/8")	439 (1' 5 5/16")	421.48.480
530 (1' 8 7/8")	489 (1' 7 1/4")	421.48.530
580 (1' 10 13/16")	539 (1' 9 1/4")	421.48.580
630 (2' 13/16")	589 (1' 11 3/16")	421.48.630
680 (2' 2 3/4")	639 (2' 1 3/16")	421.48.680
780 (2' 6 11/16")	739 (2' 5 1/8")	421.48.780
880 (2' 10 5/8")	839 (2' 9 1/16")	421.48.880
980 (3' 2 9/16")	969 (3' 15/16")	421.48.980
1080 (3' 6 1/2")	1039 (3' 4 7/8")	421.48.990


Easy Close Mechanism

Item No.

421.48.020

Material: steel, plastic

Packing: 1 set



Connection Set

Item No.

421.48.000

- For connecting two pull out cabinet guides
- For internal cabinet heights up to 2400 mm and internal cabinet widths up to 800 mm
- Load capacity: 340 kg (748 lbs.)
- Installation height remains the same

Material: steel, galvanized

Packing: 1 set



• For additional lengths and detailed drawings, please see The Complete Häfele Catalog

Varianta screws

Page 92

- Self-supporting table
- A drawer front panel can be screw-mounted directly onto the table front panel
- The system can be subsequently installed in place of a drawer or between two cabinets
- Fitting is not visible when installed

For minimum interior width: 562 mm (22 1/8")
 Load capacity: 100 kg (220 lbs.) (evenly distributed)
 Material: wood
 Table top: melamine plastic coated
 Telescopic guides: beech
 Packing: 1 pc. (includes housing, guides and front panel)





Table extended

1100
(43 1/4")

635 (25") to 875 (34 1/2")

560
(22")

Table width
521
(201 8/8")

20 mm

Ø50 mm

Table stowed

562
(22 1/8")

195 (7 3/4")

463
(18 1/4")






504
(19 3/4")

- A drawer or door front can be screw-mounted directly to the table trim panel
- The space beneath the table can be used for storage
- Seats up to 4 people
- Can install between 2 cabinets





For minimum interior width: 562 mm (22 1/8")
 Load Capacity: 110 kg (242 lbs.)
 Includes housing with rolled out tabletop and trim panel and 2 extending guides
 Material: wood, melamine laminated
 Packing: 1 set (includes mounting instructions)

Presto table system is vertically adjustable between 635 and 875 mm (25 and 34 1/2")
Material: steel, epoxy-coated
Packing: 1 pair

Mats

under-sink																			
 	<table> <tr> <th>Color</th><th>Item No.</th></tr> <tr> <td>white</td><td>547.91.703</td></tr> <tr> <td>gray, stainless</td><td>547.91.550</td></tr> <tr> <td>maple</td><td>547.91.705</td></tr> </table>	Color	Item No.	white	547.91.703	gray, stainless	547.91.550	maple	547.91.705										
Color	Item No.																		
white	547.91.703																		
gray, stainless	547.91.550																		
maple	547.91.705																		
<ul style="list-style-type: none"> • Cut-to-size to fit in sink cabinet • Unique dimples collect water or other liquids to prevent damage to cabinet • Dimples can collect up to 6 liters (1.5 gal.) of water per square meter <p>Material: polystyrene Packing: 1 pc. (625 x 115 mm (24 5/8" x 4 1/2"))</p>																			
non-slip																			
 	<table> <tr> <th>Color</th><th>Item No.</th></tr> <tr> <td>white</td><td>547.90.710</td></tr> <tr> <td>silver</td><td>547.90.910</td></tr> </table> <p>Packing: 1 roll (1.5 x 10 m (59" x 32' 8"))</p> <table> <tr> <th>Color</th><th>Item No.</th></tr> <tr> <td>white</td><td>547.90.761</td></tr> <tr> <td>translucent</td><td>547.90.491</td></tr> <tr> <td>silver</td><td>547.90.901</td></tr> <tr> <td>gray</td><td>547.90.521</td></tr> <tr> <td>champagne</td><td>547.90.411</td></tr> </table> <p>Packing: 1 roll (600 x 1500 mm (23 1/2" x 59"))</p>	Color	Item No.	white	547.90.710	silver	547.90.910	Color	Item No.	white	547.90.761	translucent	547.90.491	silver	547.90.901	gray	547.90.521	champagne	547.90.411
Color	Item No.																		
white	547.90.710																		
silver	547.90.910																		
Color	Item No.																		
white	547.90.761																		
translucent	547.90.491																		
silver	547.90.901																		
gray	547.90.521																		
champagne	547.90.411																		
<ul style="list-style-type: none"> • Cut-to-size for shelves, cabinets, drawers, etc. • Translucent mat is ideal for glass applications as the surface remains visible but protected • High quality, acoustic, and slip resistant <p>Material: synthetic rubber with non-slip surface</p>																			

Broomstick Holders

screw-mounted		<table><tr><td></td><td>Item No.</td></tr><tr><td></td><td>520.10.009</td></tr></table>		Item No.		520.10.009		
	Item No.							
	520.10.009							
		<ul style="list-style-type: none">• width x depth x height: 51 x 40 x 50 mm (2" x 1 9/16" x 1 15/16") <p>Material: steel, bright galvanized: Rollers: rubber *Packing: 50 pcs.</p>						
screw-mounted, concealed		<table><tr><td>Color</td><td>Item No.</td></tr><tr><td>white</td><td>520.44.700</td></tr><tr><td>gray</td><td>520.44.500</td></tr></table>	Color	Item No.	white	520.44.700	gray	520.44.500
Color	Item No.							
white	520.44.700							
gray	520.44.500							
		<p>Material: Housing: plastic Hooks: steel, nickel-plated, rubber-coated Packing: 1 pc. (includes mounting hardware)</p>						
ultrahold		<table><tr><td>Length</td><td>Item No.</td></tr><tr><td>18" (4 hooks)</td><td>888.00.015</td></tr><tr><td>36" (8 hooks)</td><td>888.00.024</td></tr></table>	Length	Item No.	18" (4 hooks)	888.00.015	36" (8 hooks)	888.00.024
Length	Item No.							
18" (4 hooks)	888.00.015							
36" (8 hooks)	888.00.024							
 		<ul style="list-style-type: none">• Each hook holds up to 20 lbs.• Non-slip covering on hooks• Adjustable sliding clamp <p>Material: Rail: aluminum, anodized; Clip: steel Packing: 1 pc.</p>						

***Minimum order quantity is 1 piece.**

Dimensions in mm. Inches are approximate.


Dimensional data not binding. We reserve the right to alter specifications without notice.

Cabinet Accessories


Stepfix

folding step stool

- Can be hung on a side panel using the optional hanging bracket
- A sturdy, steel, compact folding step stool for kitchen use
- Safety spring and smooth folding mechanism
- With four built-in rollers permitting it to slide in/out with ease under cabinets when used with optional toekick bracket
- Load capacity 150 kg (330 lbs.)



Color	Item No.
silver/black	505.04.210
white/gray	505.04.704




- With 2 steps 200 x 300 mm (7 3/4" x 13/4")
 - Covered with non-slip rubber treads
- Material: steel, epoxy-coated
Feet: plastic
Packing: 1 pc.

toekick bracket



- Attaches to step stool and toekick to slide under cabinet
 - Folds down to 3 3/4"
 - A minimum of 100 mm (4") is required
- Material: steel, galvanized
Packing: 1 pc.

Item No.
505.04.419



hanging bracket



Color	Item No.
white	505.04.722

- Screw-mounts to cabinet side panel to stow step stool
- Length: 140 mm (5/2")
Depth: 30 mm (1 1/8")
Height: 35 mm (1 3/8")
Material: steel, epoxy-coated
Packing: 1 pc.

Waste Bins

Pull-out

easy cargo 40




- Easy and fast installation (only 4 screws)
 - Lid snaps on
 - Practical storage area on top of lid
 - Use with a hinged door
 - Load capacity: 40 kg (88 lbs.)
 - 100,000 cycle tested
 - Bottom mounted, full-extension with ball bearing telescoping slides
 - Compatible with 18" face frame cabinets or 15" frameless cabinets
- Capacity: 40 liters (10.5 gal.)
Material: Frame: metal, silver; Waste bins: plastic
Packing: 1 pc. (includes mounting screws)

Color

gray

Item No.

502.43.520



easy cargo 50




- Easy and fast installation (only 4 screws)
 - Lid snaps on
 - Practical storage area on top of lid
 - Use with a hinged door
 - Load capacity: 40 kg (88 lbs.)
 - 100,000 cycle tested
 - Bottom mounted, full-extension with ball bearing telescoping slides
 - Compatible with 21" face frame cabinets
 - Capacity: 49 liters (13 gal.), 1x 30 liters (8 gal.), 1x 19 liters (5 gal.)
- Material: Frame: metal, silver; Waste bins: plastic
Packing: 1 pc. (includes mounting screws)

Color






gray








Item No.





502.70.522



Furniture Glides and Wedge

two-section furniture foot		<table><tr><th>Color</th><th>Item No.</th></tr><tr><td>black</td><td>635.92.320</td></tr></table>	Color	Item No.	black	635.92.320		
Color	Item No.							
black	635.92.320							
		<ul style="list-style-type: none">• The Ø55 mm furniture foot is knocked into place and can be height adjusted by 20 mm• The foot is easily adjusted using an 8 mm hex key through the base of the furniture, an advantage for large units• Press-fits into 20 mm hole• Adapters available (below) and can be stacked to increase height• 25 mm high height adjustable by + 20 mm• For 20 mm diameter holes• Min. height 25 mm, max. height 45 mm• Dowel length 19 mm <p>Material: plastic *Packing: 100 pcs.</p>						
height adapter		<table><tr><th>Color</th><th>Item No.</th></tr><tr><td>black</td><td>635.92.382</td></tr></table>	Color	Item No.	black	635.92.382		
Color	Item No.							
black	635.92.382							
		<ul style="list-style-type: none">• 20 mm high <p>Material: plastic *Packing: 100 pcs.</p>						
cuni furniture wedge		<table><tr><th>Color</th><th>Item No.</th></tr><tr><td>brown</td><td>006.90.900</td></tr><tr><td>white</td><td>006.90.920</td></tr></table>	Color	Item No.	brown	006.90.900	white	006.90.920
Color	Item No.							
brown	006.90.900							
white	006.90.920							
		<ul style="list-style-type: none">• Perfectly levels the furniture for proper door function• Place strip under furniture to level, then snap off sections• Plastic sections can be snapped off from 1 to 8 mm <p>Material: plastic Packing: 250 pcs.</p>						

base leveler		Color (base)	Item No.
		black	637.05.108
		brown	637.05.308
		white	637.05.708
		• 1/4" - 20 x 1" threaded stem Material: steel, zinc-plated Base: plastic *Packing: 500 pcs.	
		Item No.	
		637.42.905	
		• With pound-in prongs, screw-mounted • Load capacity: 100 kg. (220 lbs.) • Adjusts via flat bladed screw driver • Dim X = 28 mm (1 1/8") Material: steel, galvanized Internal element and Foot: plastic; Color: black *Packing: 200 pcs.	
	<ul style="list-style-type: none">• With pound-in prongs, screw-mounted• Load capacity: 150 kg. (330 lbs.)• Adjusts via 6 mm hex key (not included)• Dim X = 38 mm (1 1/2") Material: steel, galvanized Internal element: zinc Foot: plastic; Color: black *Packing: 200 pcs.	Item No.	
		637.42.950	
		Item No.	
		637.67.910	
		• With pound-in prongs, screw-mounted • Load capacity: 175 kg (385 lbs.) • Adjusts with 6 mm hex key, flat-bladed screwdriver or Phillips screwdriver • Integrated plastic glide functions independently of the foot to make adjustment easier and to prevent damage to floor surfaces Material: zinc, unfinished; Foot: plastic; Color: black *Packing: 250 pcs.	



t-nut		Finish	Item No.
		zinc-plated	031.05.968
		• 1/4" - 20 x 10 Material: steel Packing: 1000 pcs.	
knock-in stem		Finish	Item No.
		zinc-plated	039.02.065
		• 1/4" - 20 x 11 Material: brass Packing: 500 pcs.	

*Minimum order quantity is 1 piece.

Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Levelers

adjustable foot, 2-part		Base height	Item No.
 <p>Upper Section (push-fit)</p> <p>Shaft</p> <p>Adjusting foot</p> <p>Flat Head #10</p> <ul style="list-style-type: none"> • Shaft diameter Ø30 mm • Load rating: 80 kg (176 lbs.) • Adjusts with a slotted screwdriver Adjustment range: +20 Material: plastic Color: black Packing: 20 pcs. 		75 (3")	637.39.293
		95 (3 3/4")	637.39.300
		115 (4 1/2")	637.39.328
		145 (5 3/4")	637.39.355
 <p>Door</p> <p>Cabinet bottom</p> <p>Base panel</p> <p>Base clip</p> <p>Adjusting foot</p> <p>Side panel</p> <p>80 (3 3/16")</p> <p>95 (3 3/4")</p> <p>25 (1")</p> <p>10</p> <p>4</p>			





base clip, 2-part		Color	Item No.
 <p>3.3</p> <p>35</p> <p>9.5</p> <p>10.2</p>		white	637.39.051
		<ul style="list-style-type: none"> • Groove-mounted to base panel Material: plastic Packing: 10 pcs. 	
 <p>39</p> <p>9.4</p> <p>Flat Head #8</p>		white	637.39.060
		<ul style="list-style-type: none"> • Screw-mounted to base panel Material: plastic Packing: 10 pcs. 	

Table Legs and Levelers

mini leg, round		Height mm (inch)	black semi-gloss	polished chrome
		100 (4")	635.48.310	635.48.210
		150 (6")	635.48.315	635.48.215
		<ul style="list-style-type: none"> • For light duty applications • Heights listed are without levelers (order separately below) • Tube thickness 1 mm (.039") • Static load rating approximately: 30 kg. (66 lbs.) per leg • Diameter 30 mm, with M10 threaded plastic insert Material: steel, epoxy-coated or polished Insert: plastic; Color: black Packing: 1 set (4 legs)		

base leveler - M10		Item No.	
		651.02.909	
		Material: Thread: steel; Finish: zinc-plated Base: rubber; Color: black *Packing: 20 pcs.	
		651.01.330	
		Material: Thread: steel; Finish: zinc-plated Base: nylon; Color: black *Packing: 200 pcs.	
		Length	Item No.
		30 mm	651.01.304
		50 mm	651.01.500
		<ul style="list-style-type: none"> • With fixed foot Material: Thread: steel; Finish: zinc-plated Base: plastic; Color: black *Packing: 100 pcs.	







***Minimum order quantity is 1 piece.**







Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.

Monitor Arm for Flat Screens

Ellipta

classic		Medium Arm		Item No.
		3 - 5 kg (6.6 - 11 lbs.) (most 15" and 17" flat screens)		818.11.942
		5 - 7.5 kg (11 - 16.5 lbs.) (most flat screens up to 24")		818.11.952
 <ul style="list-style-type: none">• Full movement• Extends 350 mm (13 7/8") at full extension• Order mounting posts and options separately (see next page)		Material: aluminum, die-cast; Color: silver RAL 9006 Pins: stainless steel Packing: 1 pc. (includes 4 pcs. M4 screws for screen attachment)		
		Long Arm		Item No.
		3 - 5 kg (6.6 - 11 lbs.) (most 15" and 17" flat screens)		818.11.903
		5 - 7.5 kg (11 - 16.5 lbs.) (most flat screens up to 24")		818.11.932
 <ul style="list-style-type: none">• Full movement• Extends 525 mm (20 3/4") at full extension• Order mounting posts and options separately (see next page)		Material: aluminum, die-cast; Color: silver RAL 9006 Pins: stainless steel Packing: 1 pc. (includes 4 pcs. M4 screws for screen attachment)		



basic		Short Arm	Full Extension	Item No.
			90 mm (3 1/2")	818.11.942
		• Swivel and Tilt only • No spring Material: aluminum, die-cast; Pins: stainless steel Color: silver RAL 9006 Packing: 1 pc. (includes 4 pcs. M4 screws for screen attachment)		
		Medium Arm	Full Extension	Item No.
			265 mm (10 1/2")	818.11.952
		• Economical option to Classic arm Material: aluminum, die-cast; Pins: stainless steel Color: silver RAL 9006 Packing: 1 pc. (includes 4 pcs. M4 screws for screen attachment)		
		Long Arm	Full Extension	Item No.
			440 mm (17 1/4")	818.11.903
		• Economical option to Classic arm Material: aluminum, die-cast; Pins: stainless steel Color: silver RAL 9006 Packing: 1 pc. (includes 4 pcs. M4 screws for screen attachment)		

Monitor Arm for Flat Screens Accessories


Ellipta

mounting post			Through mount							
			Color	Item No.						
			silver RAL 9006	818.11.914						
			<ul style="list-style-type: none">• Secured through standard Ø 60 mm (2 3/8") grommet hole cut in desktop• Maximum 38 mm (1 1/2") desktop thickness• Provides more secure mount for heavier screens Material: aluminum, die-cast Packing: 1 pc.							
			Clamp mount							
			Color	Item No.						
			silver RAL 9006	818.11.915						
			<ul style="list-style-type: none">• Clamps to the edge of the desk• Maximum 38 mm (1 1/2") desktop thickness• Not recommended for dual screens with total weight over 7.5 kg. (16.5 lbs.) Material: aluminum, die-cast Packing: 1 pc.							
Universal mount			<ul style="list-style-type: none">• USB hub includes 4 (2.0) USB ports for quick and easy connection of peripherals• Clamp mount to desk top, or through mount in a standard grommet hole up to Ø 80 mm• Accommodates desk top thicknesses of 8 mm (5/16") to 75 mm (3")• 570 mm (22 1/2") post allows for stacking of up to 4 monitors on a single post Material: aluminum, die-cast: Color: silver RAL 9006 Packing: 1 pc. (includes one sliding clamp for attachment of monitor arm)							
<table><tr><th>Height</th><th>Item No.</th></tr><tr><td>260 (10 1/4")</td><td>818.11.881</td></tr><tr><td>570 (22 1/2")</td><td>818.11.883</td></tr></table>			Height	Item No.	260 (10 1/4")	818.11.881	570 (22 1/2")	818.11.883		
Height	Item No.									
260 (10 1/4")	818.11.881									
570 (22 1/2")	818.11.883									
sliding clamp			<ul style="list-style-type: none">• Attach a single monitor arm to Universal Post only• Adjust multiple arms independently on a single post• Lever clamp action allows for quick height adjustment• Plastic sleeve protects the mounting post Material: aluminum, die-cast; Sleeve: plastic Packing: 1 pc. (includes one sliding clamp)							
	<table><tr><th>Color</th><th>Item No.</th></tr><tr><td>silver RAL 9006</td><td>818.11.969</td></tr></table>		Color	Item No.	silver RAL 9006	818.11.969				
Color	Item No.									
silver RAL 9006	818.11.969									
wall mount bracket			<table><tr><th>Color</th><th>Item No.</th></tr><tr><td>silver RAL 9006</td><td>818.11.980</td></tr></table>		Color	Item No.	silver RAL 9006	818.11.980		
Color	Item No.									
silver RAL 9006	818.11.980									
			<ul style="list-style-type: none">• Designed to attach the ellipta arm directly to the wall Material: aluminum, die-cast Packing: 1 pc.							
heavy-duty spring replacement kit			<table><tr><th>Item No.</th></tr><tr><td>818.11.993</td></tr></table>		Item No.	818.11.993				
Item No.										
818.11.993										
			<ul style="list-style-type: none">• To upgrade an existing ellipta arm 3 – 5 kg (6.6 – 11 lbs.) to accept a heavier monitor of 5 – 7.5 kg (11 – 16.5 lbs.) Material: steel Packing: 1 set							

Computer Accessories


CPU holder fixed mount		Color	Item No.
		black epoxy	639.72.300
		<ul style="list-style-type: none"> • Securely clamps and holds CPU • Holds CPU's up and away from shoes, dust, moisture, vacuum cleaners or mops Height adjustment: 13 3/8" - 20 1/2" Width adjustment: 5 1/2" - 9 1/4" Material: steel Packing: 1 pc.	
CPU holder with swivel and extension		Color	Item No.
		black epoxy	639.72.310
		<ul style="list-style-type: none"> • Securely clamps and holds CPU • 360° swivel provides easy access to connections on the rear of CPU • Provides 8 1/2" of travel to access connections on rear of CPU Height adjustment: 14 5/8" - 20 1/2" Width adjustment: 5 1/2" - 9 1/4" Material: steel Packing: 1 pc.	

power/data center - interact RJ




- UL and CSA listed: UL 1363 - relocatable power tap, E 164157
 - Table top flip up unit, 15A, 125V, with 2 grounded outlets, 1 RJ-11 Item 3, 1 RJ-45 Item 6 modules (included)
 - Table cutout (fits surface thickness up to 1 1/8")
- Material: steel, epoxy-coated
Packing: 1 pc. (includes 72" power cord)

Color	Item No.
black textured	822.74.300




retractable powerdock



Color	Item No.
black	822.51.321
gray RAL 7047	822.51.221

- Protrudes above worksurface approximately 10"
 - Protrudes below worksurface approximately 13"
 - Unit slides through a standard ø80 mm grommet hole, and is held in place via a threaded locking ring
 - Top measures 103 mm (4 1/16")
 - Release and locking button secures the unit in the up position
 - Simply press the button to release and lower to the closed position
 - Top cap includes a rubber sealing ring that prevents liquids from leaking into the unit in its closed position, making it ideal for kitchen applications
 - Must be plugged into an electrical outlet with GFCI protection
 - With 2 grounded outlets, lighted master switch and 15 amp circuit breaker
- Material: plastic, and anodized aluminum
Packing: 1 pc. (includes 10 ft. power cord, a blank data plate and 4 press-outs for data modules)
Order data modules separately, below.

data modules





Description		Color	Item No.
In-line data module	RJ 11 Cat. 3	black	822.70.005
In-line data module	RJ 45 Cat. 3	black	822.70.006
Hard wire data module	RJ 11 Cat. 3	black	822.70.007
Hard wire data module	RJ 45 Cat. 3	black	822.70.008
Hard wire data module	RJ 45 Cat. 5	black	822.70.009
Hard wire data module	RJ 45 Cat. 6	orange	822.70.010

- Outlets are oriented horizontally and opposite so one power cord feeds left, and the other right, allowing for more room to plug in transformers
 - Data plates have a cut-out dimension of 3/4" x 9/16" - which accept the above modules
 - Other configurations and cut-out dimensions available upon request
 - Unit snaps firmly in the up position
 - UL listed: UL 1363 - relocatable power tap, E 211536
 - 15A 125V AC 60Hz - 15A resetable circuit breaker
 - **RJ 11 Modules** are used for voice applications such as telephones, modems and fax machines; also known as 4 or 6 position (wires) connectors
 - **RJ 45 Modules** are used for data transmissions (internet connections), also referred to as 8 position connectors
 - **Categories** refer to the transmission rate or megabytes with which information is carried
 - **In-Line**, or **Female-to-Female Modules** require no hard wiring and are most commonly used in home office applications.
 - **Hard-Wired Modules** are most common in commercial applications, and require a professional electrician to install
 - Modules simply snap into data plates above
- Material: plastic
Packing: 1 pc.

Cable Grommets


cable set		(2") Ø50 mm	(2 3/8") Ø60 mm	(3 3/16") Ø80 mm
	Color			
	white	429.99.735	429.99.726	429.99.744
	beige	429.99.431	429.99.422	429.99.440
	almond	429.99.039	429.99.020	429.99.048
	brown	429.99.137	429.99.128	429.99.146
	black	429.99.333	429.99.324	429.99.342
<ul style="list-style-type: none"> • Two-piece, round, with spring closure • For press-fitting or gluing Material: plastic *Packing: 100 pcs.				

metal grommets, Ø63 mm															
	<table><tr><th>Finish/Color</th><th>Item No.</th></tr><tr><td>chrome polished</td><td>429.94.258</td></tr><tr><td>brass polished</td><td>429.94.856</td></tr><tr><td>black epoxy</td><td>429.94.346</td></tr><tr><td>brushed bronze</td><td>429.94.061</td></tr><tr><td>brushed nickel</td><td>429.94.658</td></tr><tr><td>matt nickel</td><td>429.94.448</td></tr></table>	Finish/Color	Item No.	chrome polished	429.94.258	brass polished	429.94.856	black epoxy	429.94.346	brushed bronze	429.94.061	brushed nickel	429.94.658	matt nickel	429.94.448
	Finish/Color	Item No.													
chrome polished	429.94.258														
brass polished	429.94.856														
black epoxy	429.94.346														
brushed bronze	429.94.061														
brushed nickel	429.94.658														
matt nickel	429.94.448														
<ul style="list-style-type: none">• Round, one-piece• For press-fitting or gluing in Ø63 mm (2 1/2") holes• With 21 mm x 29 mm opening <p>Material: zinc die-cast, plated or epoxy-coated</p> <p>*Packing: 10 pcs.</p>															



Hanging File System

Frame for Wood and Metal Drawers

file frame kit



Size	Item No.
letter width	422.74.310
legal width	422.74.320

Custom Produced File Frame System

Item No.
422.74.30x

- Inside drawer height of 8 3/4" required
- Attractive functional design
- Smooth surface allows files to glide with ease
- Rigid profile handles heavy loads
- Adjusts between filing configurations without tools
- Cross rails "snap" into fixed positions
- Cut-to-size side rails allow you to customize any drawer
- Two or more kits may be combined for use in wide lateral file drawers

Letter Width File Drawer Requirements:

- Inside width greater than 12", Inside depth less than 23"

Legal Width File Drawer Requirements:

- Inside width greater than 15", Inside depth less than 23"

Material: Profile: steel; Ends: plastic; Color: black

*Packing: 10 sets (1 set includes: 2 fixed front rails, 2 cut to size side rails, 2 attachment brackets, and 1 divider)

- Minimum order requirement is 50 drawers
- Please contact Häfele and we'll send you a worksheet to fill out so we can formulate a quotation

CTC

12 3/16"

9 3/8"

11 3/4"

CTC

15 3/16"

9 3/8"

14 3/4"

Typical LETTER file dimensions

Typical LEGAL file dimensions

Depending on your drawer size, the following file configuration may be possible:



Side to Side Legal



Side to Side Letter



Side to Side Legal



Side to Side Letter



Front to Back Legal



Front to Back Letter



Front to Back Legal



Front to Back Letter

*Minimum order quantity is 1 set.

Dimensions in mm. Inches are approximate.

Dimensional data not binding. We reserve the right to alter specifications without notice.

T-4 slim line fluorescent light bar



T-4 Replacement Bulb

- Color temperature: 2700K (warm white)

Wattage	Lumens	Length	Item No.
6	375	8 7/8"	826.85.760
8	450	13 1/8"	826.85.761
12	700	17 1/8"	826.85.762
16	1000	18 3/4"	826.85.763
20	1350	20 1/4"	826.85.764
24	2150	33 7/8"	826.85.765
28	2900	45 3/4"	826.85.766

Packing: 1 pc.

Wattage	Lumens	Length	Item No.
6	375	10 3/8"	826.85.701
8	450	14 3/4"	826.85.702
12	700	13 1/8"	826.85.703
16	1000	18 3/4"	826.85.704
20	1350	22"	826.85.705
24	2150	35 1/2"	826.85.706
28	2900	47 1/4"	826.85.707












- Light temperature 4100K (cool white)
 - Can be interconnected without additional wiring by using grounded flexible connector or direct connector
 - Can be hardwired by using the Hardwire Junction Box
 - Slim design ideal for concealing under kitchen cabinets, wall units, store fixtures, furniture and cove lighting
 - Unique springhold feature for quick & easy bulb replacement
 - 120V AC 50–60Hz
 - 10,000 hours
- Dimensions: 3/4" wide x 1 9/16" high
 Material: metal; Color: white
 Packing: 1 pc. (includes 1 grounded 6' modular power cord, 1 replaceable T-4 lamp, 1 protective plastic diffuser, 2 metal mounting brackets and screws, 1 (6") connector, 1 direct connector)

hardwire junction box





Color	Item No.
white	826.85.790



- With On/Off master switch
 - 120V AC – 600W – 5A
 - Easy installation
- Dimensions: (L x W x H) 3 5/8" x 2 1/4" x 1 1/2"
 Material: plastic
 Packing: 1 pc. (includes mounting screws)

surface mounted xenon light bars		<table><tr><th>Length</th><th># of Lamps</th><th>Wattage</th><th>Item No.</th></tr><tr><td>431 mm (17")</td><td>2</td><td>70</td><td>820.21.720</td></tr><tr><td>619 mm (24 3/8")</td><td>3</td><td>105</td><td>820.21.730</td></tr></table>	Length	# of Lamps	Wattage	Item No.	431 mm (17")	2	70	820.21.720	619 mm (24 3/8")	3	105	820.21.730
Length	# of Lamps	Wattage	Item No.											
431 mm (17")	2	70	820.21.720											
619 mm (24 3/8")	3	105	820.21.730											
		<div><div><div>Length</div></div><div><div>29 mm (1 1/8")</div></div><div><div>73 mm (2 7/8")</div></div></div>												
<ul style="list-style-type: none">• 120 volt xenon lamps, 35 watts• G-8 Base• Ultra low profile fixture for Romex, flex, or rigid conduit• No tools required for replacing bulbs as the glass lens simply snaps into place and is held by tension springs• With switch and 35 watt lamps/120 volt• Hardwire through knockouts or use portable power cord• UV coated prismatic diffuser for maximum light distribution and UV protection <p>Material: Housing: Extruded aluminum housing, epoxy-coated End panels: plastic, epoxy-coated</p> <p>Color: white Packing: 1 pc.</p>		<p>Two power options:</p> <ul style="list-style-type: none">• Hardwire through knockouts or use portable power cord• Link together end to end or with connecting leads• Maximum run 40 lamps <div><p>POWER FEEDS</p><div><div>PORTABLE - Power Cord</div></div><div><div>HARDWARE - Flex, Romex & Rigid Conduit</div></div><div><div>LINKING - via connector leads</div></div><div><div>END-TO-END - Lights can connect end-to-end via built in connector.</div></div></div>												
replacement bulb		<table><tr><th>Item No.</th></tr><tr><td>820.21.790</td></tr></table>	Item No.	820.21.790										
Item No.														
820.21.790														
<ul style="list-style-type: none">• 120 volt xenon lamps, 35 watts <p>Packing: 1 pc.</p>														
connector lead		<table><tr><th>Length</th><th>Item No.</th></tr><tr><td>254 mm (10")</td><td>820.21.770</td></tr><tr><td>457 mm (18")</td><td>820.21.771</td></tr></table>	Length	Item No.	254 mm (10")	820.21.770	457 mm (18")	820.21.771						
Length	Item No.													
254 mm (10")	820.21.770													
457 mm (18")	820.21.771													
 <p>(Shown in black)</p>		<ul style="list-style-type: none">• For use between lights <p>Color: white Packing: 1 pc.</p>												
master switch		<table><tr><th>L x W x H</th><th>Item No.</th></tr><tr><td>51 x 73 x 29 mm (2" x 2 7/8" x 1 1/8")</td><td>820.71.780</td></tr></table>	L x W x H	Item No.	51 x 73 x 29 mm (2" x 2 7/8" x 1 1/8")	820.71.780								
L x W x H	Item No.													
51 x 73 x 29 mm (2" x 2 7/8" x 1 1/8")	820.71.780													
		<ul style="list-style-type: none">• Allows single switch control of a run when wall switch is not available• Also can act as a wiring compartment• Mounts on left with portable power cord option or can be hardwired to left, right or center <p>Color: white Packing: 1 pc.</p>												
portable power cord		<table><tr><th>Color</th><th>Item No.</th></tr><tr><td>white</td><td>820.71.760</td></tr></table>	Color	Item No.	white	820.71.760								
Color	Item No.													
white	820.71.760													
		<ul style="list-style-type: none">• For use between light and wall out <p>Length: 2 m (8') Packing: 1 pc.</p>												


Undercabinet Lighting




recess-mounted, 12 volt halogen lamp		Color/Finish	10 watt/frosted lens	20 watt/clear lens
	<ul style="list-style-type: none">• Includes 2000 mm (78 3/4") lead with plug contacts• Press fit into installation hole, no screws required• Use with Häfele power supply only• Lens covers twist off for easy access for bulb replacement <p>Material: plastic with glass lens Packing: 1 pc.</p>	white	823.94.731	823.94.732
		black	823.94.331	823.94.332
		gold	823.94.831	823.94.832
		chrome	823.94.231	823.94.232
		nickel-matt	823.94.631	823.94.632
				

surface mounted ring		Color/Finish	Item No.
	<p>Material: plastic Packing: 1 pc. (includes screws)</p>	white	823.94.795
		black	823.94.395
		gold	823.94.895
		chrome	823.94.295
		nickel-matt	823.94.695
			

Low Voltage Lighting

electronic transformer		Color	Item No.
	<ul style="list-style-type: none">• Primary: 120 Volt, 2-pronged electrical plug• Secondary: Max 60 watt - Min 20 watts - 11.5V• 68 mm long x 38 mm wide x 30 mm high• 13' primary cord with AMP socket and 4" secondary cord and adhesive tape for fitting to shelves• Requires mounting block 823.24.418 for hook-up of more than one light <p>Material: plastic Packing: 1 pc. (includes mounting instructions)</p>	black	823.24.436

mounting block		Color	Item No.
	<ul style="list-style-type: none">• For connection of up to six lights not exceeding 60 watts <p>Material: plastic Packing: 1 pc. (includes mounting instructions)</p>	black	823.24.418